

Reg # 829-285

PM-19

194
Date



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

MAY 26 1994

RONALD L. COSTA RICA
SOUTHERN AGRICULTURAL INSECTICIDE, INC.
BOX 218
PALMETTO, FL. 34220

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Subject: Label Amendment Submission of 04/21/94 Response to PR Notice 93-7
EPA Reg. No. 829-285
SEVIN 5% BAIT

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is accepted subject to the comments reflected on the enclosed sheet. A copy of your proposed labeling stamped "ACCEPTED WITH COMMENTS" is enclosed.

WHAT THIS ACCEPTANCE MEANS:

Based on your certification, the Agency has accepted the labeling changes that are necessary to comply with the Worker Protection Standard (WPS) labeling requirements of 40 CFR part 156, subpart K, described in PR Notices 93-7 and 93-11. Any other labeling changes submitted in connection with this amendment application but not directly related to compliance with the WPS have not been reviewed or accepted by the Agency. If you wish to make such changes, you must submit a separate amendment application proposing them. If your product is currently suspended, the acceptance of this labeling amendment does not affect the suspension in any way.

WHAT YOU NEED TO DO NEXT:

By the next label printing make all the specified changes to your labeling. Send to EPA one (1) copy of the final printed labeling:

- BEFORE selling or distributing any product bearing the final printed labeling
- AND
- WITHIN one year from date of this acceptance.



Recycled/Recyclable
Printed with Soy/Canola Ink on paper that
contains at least 50% recycled fiber

294


Submit the final printed labeling via the U.S. Postal Service to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs (7505C)
U.S. Environmental Protection Agency
401 M Street, SW
Washington, D.C. 20460-0001

Hand or courier deliveries of final printed labeling may be made to:


Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202

Sincerely,



Jim Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)

Attachment



374

CUTWORM & CRICKET BAIT

FOR VEGETABLES, FLOWERS, FRUITS,
LAWNS & ORNAMENTAL PLANTS

FOR THE CONTROL OF CUTWORMS, ARMYWORMS,
FIELD CRICKETS, DARKLING BEETLES,
GRASSHOPPERS, SOWBUGS AND ANTS.
ALSO FOR THE CONTROL OF MOLE CRICKETS.

CONTAINS SEVIN® BRAND CARBARYL INSECTICIDE

ACTIVE INGREDIENT:		
Carbaryl: 1-Naphthyl N-methylcarbamate	5.0%	
INERT INGREDIENTS:	95.0%	
	TOTAL	100.0%

*Sevin® is a registered trademark of Rhone-Poulenc for its brand of carbaryl insecticide.

KEEP OUT OF REACH OF CHILDREN
AND DOMESTIC ANIMALS

CAUTION

STATEMENT OF PRACTICAL TREATMENT N-METHYLCARBAMATE

IF SWALLOWED: Call a physician immediately. Induce vomiting immediately. To induce vomiting give one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

IF ON SKIN: Remove contaminated clothing. Wash affected area with soap and water.

IF IN EYES: Flush eyes with plenty of water. Get medical attention.

NOTE TO PHYSICIAN: Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine sulfate is antidotal. Do not use 2-PAM, opiates, or cholinesterase inhibiting drugs.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if inhaled or swallowed. Avoid breathing of dust. Do not take internally. Avoid contact with skin or eyes. Wash thoroughly after handling. Avoid contamination of food, feed, water supplies, streams, and ponds during application or when cleaning equipment.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear long-sleeved shirt and long pants and shoes plus socks. Follow manufacturers instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic and estuarine invertebrates. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes.

Apply this product only as specified on this label.

EPA EST. NO. 829-FL-1 (3); 829-NC-1 (4); 829-NC-2 (5) Number following Est. No. corresponds to first digit in Lot No. on side of label.

Southern Agricultural Insecticides, Inc.

Palmetto, FL 34220

Hendersonville, NC 28793

Boone, NC 28607

EPA Reg. No. 829-285

J1

NET WEIGHT: 40 LBS.

ACCEPTED
with COMMENTS
in EPA Letter Dated

MAY 26 1991
under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
829-285

BEST AVAILABLE COPY

494

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval of 12 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, Waterproof gloves, Shoes plus Socks.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses. Keep children and pets off treated area until subsequent rainfall or irrigation has washed the bait into the soil and the area is dried.

leaves

Apply granules as a broadcast application over the soil with ground equipment. Treatments may be repeated as necessary. Dosages from 1/2 lb. to 1 lb. per 1,000 sq. ft. will control Ants, Cutworms, Armyworms, Crickets, Darkling Beetles, Grasshoppers and Sowbugs. "Subsequent planting of food and feed crops in treated soil must be made with crops on this or other carbaryl labels."

CROP	Dosage Rate 1,000 Sq. Ft.	Days Between Final Application & Harvest
Cucumbers, Squash, Melons, Pennuts	1/2 lb.	None
*Alfalfa, *Peas, & **Cotton	1/4 lb.	*3 Days **7 Days
Beans, Carrots, Corn, Eggplant, Okra, Peppers, Potatoes, Sweet Corn, Tomatoes	1 lb.	None
Asparagus, Strawberries	1 lb.	1 Day
Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Head Lettuce, Garden Beets (roots), Horseradish, Parsnips, Rutabagas, Radishes, and Turnips (roots)	1 lb.	3 Days
Sugar Beets, Collards, Endive, Garden Beets (tops), Kale, Leaf Lettuce, Parsley, Spinach, Swiss Chard, Turnips (tops)	1 lb.	14 Days
Tobacco	1/2 - 1 lb.	None
Fruits — Apples, Apricots, Cherries, Citrus, Grapes, Nectarines, Peaches, Pears, Plums Ornamentals — Annual plants, herbaceous plants and shrubs, trees, woody plants	1 lb.	1 Day: Apples, Cherries, Peaches, Pears, Plums 3 Days: Apricots, Nec- tarines; 5 Days: Citrus

LAWN, TURF AND ORNAMENTAL PLANTS

Treatments may be repeated as necessary to control Cutworms, Armyworms, Field Crickets, Mole Crickets, Darkling Beetles, Grasshoppers and Sowbugs.

LAWNS AND TURF — Treat entire area evenly at a dosage of 1/4 to 1 lb. per 1000 Sq. Ft. Apply with a rotary spreader to obtain uniform coverage, giving particular attention to edges of sidewalks and along porch and patio foundations. For best results cut lawn, remove clippings and water thoroughly before treatment.

ORNAMENTAL PLANTINGS — Apply evenly to soil around plants, shrubs and trees at the rate of 1/4 to 1 lb./1000 Sq. Ft. For best results, areas to be treated should be damp.

IMPORTANT PRE-HARVEST AND GRAZING USE INFORMATION

Tolerances established under the Federal Food, Drug, and Cosmetic Act permit the sale of crops bearing probable Sevin residues when SEVIN is used in accordance with label directions. If SEVIN insecticide is used in accordance with label directions, these crops including bean vines, carrot tops, pea vines, sugar beet tops, corn forage, and cotton forage may be grazed or harvested for use as feed for dairy and meat animals without resulting in residues in milk, or meat in excess of established tolerances.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. **STORAGE:** Store product in a cool, dry, locked place out of reach of children and domestic animals. **DISPOSAL:** Do not reuse empty container. Wrap and put in trash.

NOTICE: Buyer assumes all risk and liability of use, storage and/or handling of this material not in accordance with the terms of this label.

BEST AVAILABLE COPY