12/18/2000



# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

DEC | 8 2000

Cynthia Huffman Registrations Southern Agricultural Insecticides, Inc. P.O. Box 218 Malameto, FL 34220

Subject:Label Amendment (MOA)Dursban 1% Mole Cricket Bait (chlorpyrifos).EPA Reg. No. 829-291Submission dated December 6, 2000, acceptable with comments.

Dear Ms. Huffman:

The Agency has reviewed your submission for a revised label, and the following comments apply:

1) The reentry for golf course turf must read "keep the public (including children and pets) off treated area until....." on page 2 in the non-ag use box.

2)"Statement of Practical Treatment" must be changed to "First Aid" and you may want to use the 2000-3 PR Notice First Aid Statement.

3) The container type must be specified on form 8570-1. Assuming a 40 lb bag you must delete from the disposal statement "Do not reuse empty container. Discard container in trash."

4) The container disposal statement must read "Completely empty bag into application equipment. Then dispose of bag in a sanitary landfill or by incineration."

5) You must submit the final printed label before releasing the product to market.

A stamped copy of the label "accepted with comments" is enclosed for your records. Please submit three (3) copies of the final printed label for our files prior to releasing the product for shipment. If you have any questions please call me at (703) 308-8328.

Sincerely yours

Akiva Abramovitch, Ph.D. Chemist Insecticide-Rodenticide Branch Registration Division (7505C)



Funcicide, and Endenticide Act, as amended, for the pesticide registered under EPA Reg. No.

> For Control of Mole Crickets and various other listed Insects Infesting Turf on Golf Courses, Sod Farms, Road Medians and Commercial Ornamental Nurseries



Active Ingredient:

\*Trademark of DowAgroSciences

# Keep Out of Reach of Children

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION: May be harmful if swallowed. Do not take internally. Avoid eye and skin contact. Keep away from food, feedstuffs, and domestic water supplies.

PERSONAL PROTECTIVE EQUIPMENT (PPE) Applicators and other handlers must wear long-sleeved shirt and long pants and shoes plus socks. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

# USER SAFETY RECOMMENDATIONS

Users should: wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove dothing immediately if pesticide gets inside. Then wash thoroughly and put on clean dothing.

# **ENVIRONMENTAL HAZARDS**

This product is toxic to fish, pets, birds, and other wildlife. For terrestrial uses, do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Apply only as specified on this label.

# STATEMENT OF PRACTICAL TREATMENT ORGANOPHOSPHATE

IF SWALLOWED: Wash mouth out with water. Give victim 1 or 2 glasses of water and induce vomiting by louching finger to back of throat. Do not give anything by mouth to an unconscious or convuising person. Contact physician or poison control center immediately. IF IN EYES: May cause imitation. Comeal injury is possible. Flush eyes with pienty of water. Call a physician if imitation persists. IF ON SKIN: Wash thoroughly with soap and water. See a physician if skin imitation occurs.

IF INHALED: Remove victim to fresh sir. Administer artificial respiration if needed. Call a physician if breathing difficulties occur. NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine, only by injection, is the preferable article.

# STORAGE AND DISPOSAL

Do not contaminate water, food or feed by slorage or disposal. Storage: Store in original container in a locked storage area out of the reach of children and pets. Do not store above 100°F for extended penods of time. If container is damaged or spil occurs, use product immediately or dispose of product and damaged container as indicated below. Pesticide Disposal: Waster resulting from the use of this product may be disposed of according to use directions or at an approved waste disposal facility. Container Disposal: Completely empty container into application equipment. Do not reuse empty container. Discard container in trash.



# Southern Agricultural Insecticides, Inc. Palmetto, Fla. 34220 E.P.A. Reg. No. 829-291 Hendersonville, N.C. 28793 J1 EPA Est. No. 829-FL-1 Net Weight: 40 lbs.(18.14 kg)

# **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

### **AGRICULTURAL USE REQUIREMENTS**

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural posticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours. PPE required for early entry to breated areas that is permitted under the Worker Protection Standard and that involves contact with anything

that has been treated, such as plants, soil, or water, is: coverails, waterproof gloves, and shoes plus socks.

# NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses. Keep children and pets off treated area until subsequent rainfall or imigation has washed the balt into the soil and the area is dired.

# GENERAL INFORMATION

SA-50 Dursban\* 1% Mole Cricket Bait is intended for control of Mole Crickets and various other insects (which may feed on this insecticidal bait) infesting turf on golf courses, sod farms, road medians and ornamental nurseries.
Do not use this product indoors.

#### Insects Controlled Include:

Ants, Armyworms, Billbugs, Crickets, Cutworms, Earwigs, Grasshoppers, Mole Crickets, and Sowbugs (pillbugs)

| Dosage Rates       |   |
|--------------------|---|
| Area To Be Treated | Pounds of Dursban 1%<br>Mole Cricket Bait |
| 1,000 sq ft        | 2.5 pounds                                |
| 5,000 sq ft        | 12.5 pounds                               |
| 10,000 sq ft       | 25 pounds                                 |
| 1 Acre             | 100 pounds                                |

# **APPROVED USES**

# Applications to Turf on Golf Courses, Sod Farms and Road Medians

Apply SA-50 Durstan\* 1% Mole Cricket Bait uniformly to turf on golf courses, sod farms and road medians at the rate of 2.5 pounds per 1,000 sq ft. Consult the table to determine the amount of SA-50 Dursban\* 1% Mole Cricket Bait needed for a larger-sized areas. Use any hand or power-operated gravity or rotary type spreader designed for application of granular materials. To help obtain uniform distribution of SA-50 Dursban\* 1% Mole Cricket Bait on turf, apply one-half of the required amount of product in one direction; then apply the amount remaining at a right angle.

# Applications in and around Commercial Ornamental Nurseries

Apply SA-50 Dursban\* 1% Mole Cricket Ball, evenly over soil within and around Omamentals being grown for commercial production in nurseries. Use the same dosage and equipment as recommended (2.5 pounds per 1,000 sq. ft.) for control of listed pests. Consult the table to determine the amount of SA-50 Dursban\* 1% Mole Cricket Balt needed.

# Warranty Disclaimer

Southern Ag and Selier warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. SOUTHERN AG AND SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

# Inherent Risks of Use

It is impossible to eliminate all risks associated with use of this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperature, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tomadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of Southern Ag and Seller. All such risks shall be assumed by Buyer.

# Limitation of Remedies

The exclusive remedy for iosses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theones), shall be limited to, at Seller's election, on of the following:

1. Refund of purchase price paid by buyer or user for product bought, or 2. Replacement of amount of product used. Manufacturer or Seler shall not be liable for losses or damages resulting from handling or use of this product unless Seler is promotly notified of such loss or damage in writing. In no case shall Manufacturer or Seler be liable for consequential or incidental damages or losses. The terms of the "Warranty Disclaimer" above and the "Limitation of Remedies" cannot be varied by any written or verbal statements or agreements. No employee or sales agent of the Manufacturer or the seller is authorized to vary or exceed the terms of the "Warrant" of "Limitation of Remedies" in any manner.

