

LECCO 15 LEMON DISINFECTANT

GENERAL PURPOSE DISINFECTANT, SANITIZER
USDA REG. NO. 830-24

WARNING: KEEP OUT OF REACH OF CHILDREN

Active Ingredients:

n-alkyl (50% C ₁₄ , 40% C ₁₂ , 10% C ₁₆) dimethyl benzyl ammonium chlorides	10.00%
ethanol	2.50%
essential oils48%

Inactive Ingredients:

Water, octyl phenoxy polyethoxy ethanol, dye	87.02%
--	--------

AOAC USE DILUTION

Salmonella Typhosa: 3/4 ounce per gallon water	1 - 170
Staphylococcus Aureus: 3/4 ounce per gallon water	1 - 170
Pseudomonas Aeruginosa: 1/4 ounce per gallon water	1 - 100

Non-flammable, non-volatile.

WARNING: LECCO 15 LEMON DISINFECTANT may cause skin irritation or damage to the eyes. Avoid contact with skin and eyes. Harmful if swallowed. Do not take internally. In case of contact with skin, flush immediately with plenty of water. For eyes, flush immediately with plenty of water and get medical attention.


Avoid contamination of food. Contains ammonium chlorides. Do not mix with soap or anionic detergents. See back/side panel for additional warnings.

Manufactured by:

CRAIN CHEMICAL COMPANY

2630 Andjon Drive

Dallas, Texas 75220



DIRECTIONS FOR USE

Dilute as directed. Do not mix with soap or anionic detergents.

GENERAL DISINFECTION, SANITIZATION AND DEODORIZATION IN PUBLIC ROOMS, NURSING HOMES, HOSPITALS: After cleaning, mop, sponge or spray a solution of 1 1/2 ounce of LECCO 15 per gallon of water.

SANITIZATION OF GLASSWARE, SILVERWARE, DISHES, COOKING UTENSILS: Clean with a suitable detergent. Rinse thoroughly and then immerse in a sanitizing rinse of LECCO 15 mixed according to use dilution shown on left panel. Rinse with potable water and air dry. Do not use a towel. This solution is effective in water containing up to 550 ppm hardness. Follow the recommendations of your health department.

SANITIZATION OF EQUIPMENT IN MEAT AND FOOD PROCESSING PLANTS: Clean and rinse equipment thoroughly. Then scrub with solution of LECCO 15 mixed according to use dilution shown on left panel. Flush equipment with a clear water rinse before re-use.

COLD DISINFECTION OF SURGICAL INSTRUMENTS: Clean thoroughly and rinse. Immerse in a solution of 1 1/4 ounces of LECCO 15 per gallon of water for ten minutes. One tablespoon of sodium nitrite should be added to each gallon of solution as a corrosion inhibitor.

WARNING: Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place.