

# SLASH

## CONCENTRATED

## L. LIQUID

# SANITIZER - DETERGENT

**ACCEPTED**

**MAY 2 - 1967**

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTER-  
ED UNDER NO. ~~833-50~~ SUBJECT  
TO ATTACHED COMMENTS.

**CAUTION: KEEP OUT OF REACH OF CHILDREN**

SEE BACK PANEL FOR ADDITIONAL CAUTIONS

ACTIVE INGREDIENTS:

N-Alkyl (C<sub>14</sub>, C<sub>12</sub>, C<sub>16</sub>) Dimethyl Benzyl Ammonium Chlorides 5.0%

INERT INGREDIENTS:

Water, Octyl Phenoxy Polyethoxy Ethanol 95.0%

This product fulfills the criteria of appendix F as revised March 12, 1956 of the Milk Ordinance & Code, 1953 Recommendations of the U. S. Public Health in waters up to 550 ppm (32 grains) per gallon of hardness as calculated as CaCO<sub>3</sub> when tested by the method outlined by Chambers.

## DIRECTIONS

**FOR DAIRY and DAIRY FARM USE,** dilute 1 liquid ounce of SLASH with 2 gallons of water. Wash milk cans and equipment thoroughly and rinse. Rinse cans with a fresh solution of SLASH at the same dilution. Let drain and air dry.

**FOR CLEANING and SANITIZING BOTTLES, GLASSWARE, DISHES, SILVERWARE, etc.,** use 1 liquid ounce of SLASH to 2 gallons of water. Wash and air dry.

**FOR SICKROOMS, LAVATORIES, HOSPITALS, and OTHER SANITATION** use 1 liquid ounce of SLASH to 4 quarts of water for non-porous surfaces. Use 2 ounces of SLASH per gallon of water for porous surfaces.

**DO NOT RINSE—AIR DRY.**

SLASH may also be used to control odors at the 1 liquid ounce to 2 gallon dilution.



**CAUTION: DO NOT MIX WITH SOAPS OR OTHER DETERGENTS.  
AVOID CONTAMINATION OF FOODS.**

AVOID CONTACT OF CONCENTRATE WITH EYES. IN CASE OF CONTACT WASH 15 MINUTES WITH WATER. IF IRRITATION PERSISTS GET MEDICAL ATTENTION.

NET CONTENTS

= 4324

USDA Reg. No. 833 50

REVISED 10 66

GALLON