RECOMMENDED FOR USE IN DAIRIES, FOOD PROCESSING, **BEVERAGE, CHEESE AND ICE CREAM PLANTS**

ALSO FOR USE ON DAIRY FARMS

AFCO TOPS Liquid Sanitizer is a concentrate. In case of contact with eyes or skin, flush with plenty of water. If discomfort persists, get medical attention.

HARMFUL IF SWALLOWED.

DO NOT USE AFCO TOPS WITH SOAPS OR **ALKALINE CLEANERS.**

AVOID CONTACT WITH FOOD-STUFFS.

DO NOT USE ON FERROUS OR SILVER METALS.

Net Contents 1 Gallon

USDA Reg. No. 833-58

Stock No. 4332

EPT

DIRECTIONS FOR SANITIZING WITH AFCO TOPS

FOR SANITIZING: Prepare a solution of sufficient volume by adding 1 oz. of Afco Tops to every 2 gallons of water. Use stainless steel or plastic containers. Sanitize equipment by circulation, immersion or spraying. Allow a 2 minute exposure period or contact time specified by governing sanitary code. Do not rinse unless required by local health authorities and then only in accordance with established regulations.

IN DAIRY, CHEESE, BEVERAGE, ICE CREAM, FOOD PROCESSING PLANTS

- 1. Clean equipment immediately after use.
 - a. Rinse with clean, tepid water.
 - b. Wash thoroughly with recommended Afco product.
 - c. Rinse with clean tepid water.
- d. Air dry protect from dust and dirt, if possible.
- 2. Sanitize immediately before use with a solution of Afco Tops (1 oz. per 2 gallons water 200 ppm), by soak circulation or immersion.

A LIQUID ACID SANITIZER CONCENTRATE **ACTIVE INGREDIENTS: Orthophosphoric Acid** 30.00% Dodecyl Benzene Sulfonic Acid 5.00% ***INERT INGREDIENTS:** *Contains a Non-Ionic Surfactant 65.00% TOTAL 100.00% **CAUTION:** KEEP OUT OF REACH OF CHILDREN **SEE SIDE PANEL FOR FURTHER CAUTIONS**

GLA

1. Sc 2. Wa

3. Rii

4. Sa

wa ute

fie

Us

les or

5. A

CON1

and

for 2

UDDI

plasti water the a

RECOMMENDED FOR USE IN DAIRIES, FOOD PROCESSING, **BEVERAGE, CHEESE AND ICE CREAM PLANTS**

ALSO FOR USE ON DAIRY FARMS

AFCO TOPS Liquid Sanitizer is a concentrate. In case of contact with eyes or skin, flush with plenty of water. If discomfort persists, get medical attention.

HARMFUL IF SWALLOWED.

DO NOT USE AFCO TOPS WITH SOAPS OR ALKALINE CLEANERS.


AVOID CONTACT WITH FOOD-STUFFS.

DO NOT USE ON FERROUS OR SILVER METALS.

Net Contents 1 Gallon

USDA Reg. No. 833-58

Stock No. 4332



DIRECTIONS FOR SANITIZING WITH AFCO TOPS

FOR SANITIZING: Prepare a solution of sufficient volume by adding 1 oz. of Afco Tops to every 2 gallons of water. Use stainless steel or plastic containers. Sanitize equipment by circulation, immersion or spraying. Allow a 2 minute exposure period or contact time specified by governing sanitary code. Do not rinse unless required by local health authorities and then only in accordance with established regulations.

IN DAIRY, CHEESE, BEVERAGE, ICE CREAM, FOOD PROCESSING PLANTS

1. Clean equipment immediately after use.

- a. Rinse with clean, tepid water.
- b. Wash thoroughly with recommended Afco product.
- c. Rinse with clean tepid water.
- d. Air dry protect from dust and dirt, if possible.
- 2. Sanitize immediately before use with a solution of Afco Tops (1 oz. per 2 gallons water 200 ppm), by soak circulation or immersion.



A LIQUID ACID SANITIZER CONCENTRATE

ACTIVE INGREDIENTS:	
Orthophosphoric Acid	30.00%
Dodecyl Benzene Sulfonic Acid	5.00%
*INERT INGREDIENTS:	
*Contains a Non-Ionic Surfactant	65.00%
-	,

TOTAL

100.00%

CAUTION: KEEP OUT OF REACH OF CHILDREN SEE SIDE PANEL FOR FURTHER CAUTIONS



GLAS

- 1. Scr.
- 2. Was
- 3. Rin
- 4. Sar
 - wat
 - ute
 - fieo Use
 - less
 - or
- 5. Air

CONT

and e for 2

UDDE

plastic water the ai