PRECAUTIONARY/STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Corrosive. Causes irreversible eye damage or skin burns. May be fatal if swellowed. Harmful if absorbed through skin or inhaled. Do not get in eyes, on skin or on clothing. Avoid breathing spray mist. Wear goggles or face shield. Wear protective clothing and rubber gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash ciothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into take; streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Poliutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Strongly acidic. Avoid contact with alkaline matrials. contact with reactive materials (e.g., mild steel and aluminum) may produce flammable explosive hydrogen air mixtures. Do not mix with other cleaners or chemicals. Dilute only with water.

SEE SIDE PANEL FOR ADDITIONAL

PRECAUTIONS MANUFACTURED BY

ALEX C. FERGUSSON, INC. FRAZER, PENNSYLVANIA 19355 Tel. (610) 647-3300

> EPA Reg. No. 833-65 EPA Est. No. 833-PA-1 **Net Contents 55Gallons**

ACCEPTED

JUN 2 4 2002

Under the Federal Insecticide, Fungicide, and Reducición Act as assended, for the posticide, registered under EPA Reg. No. 8-2.3-64

HEALTH **FLAMMABILITY**

PERSONAL PROTECTION

AFCO LOW FOAM TOPS

AFCO 4335 A LIOUID ACID SANITIZER CONCENTRATE

ACTIVE INGREDIENTS: Phosphoric Acid..... 30.00% Sodium Salt of Sulfonated Oleic Acid 5.00% INERT INGREDIENTS..... 65.00% TOTAL 100.00%

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes. Then continue rinsing Call a Poison Control Center or doctor for treatment advice.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice. IF SWALLOWED: Call a poison control center or doctor immediately for treatment. advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage.

REACTIVITY

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For sanitizing tanks, pipe lines, processing equipment in Dairy. Beverage, Meat, and Poultry, Processing Plants.

- 1. Clean equipment immediately after use.
- a. Preflush or prescrape and when necessary prescal with clean tepid water to remove gross food particles and soil.
- b. Wash thoroughly with recommended AFCO product.
- c. Rinse with clean tepid water.
- d. Sanitize with solution of AFCO Low Foam Tops (1/2 oz. per gallon water, 200 ppm)* by circulation or immersion. Wet all surfaces thoroughly. Let solution remain in contact from 2-5 minutes and let drain completely and air dry. Do not rinse equipment with water after treatment. Fresh sanitizing solution should be prepared daily or more often if the solution becomes diluted or soiled.

Follow procedures recommended by local health authorities. *ppm means parts of AFCO Low Foam Tops Active Agent Sodium Sait of Sulfonated Oleic Acid per each million parts of water.

AFCO Low Foam Tops has been cleared by the FDA in 21CFR Sec. 178, 1010 for use on food processing equipment, utensils. and other food contact articles at a concentration of 200 parts per million of sulfonated oleic acid, sodium salt.

STORAGE AND DISPOSAL

STORAGE:

Keep container closed when not in use.

Do not contaminate water, food or feed by storage DISPOSAL: or disposal, or cleaning of equipment. In case of spill, flood area with large quantity of water washing to sewer or collection vessel. Wastes resulting from use of this product may be disposed of on site or at an approved waste facility. Do not reuse empty container. Triple rinse. puncture, and dispose of container in a sanitary landfill.

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest FPA Regional Office for guidance.