DANGER

Corrosive: Causes irreversible eye damage. May be fatal if inhaled. Causes skin irritation. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Do not breathe dust. Wear goggles or face shield. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

STRONG OXIDIZING AGENT. Contact with water slowly liberates irritating and hazardous chlorine containing gases. Decomposes at 460°F to 480°F with liberation of harmful gases. Will burn with the evolution of chlorine and equally toxic gases.

Mix only with water. Use clean, dry utensils. DO NOT add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic material, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible fire and explosion.

IN CASE OF FIRE: If possible, isolate container in open air or well ventilated area. Flood with large volume of water.

IN CASE OF CONTAMINATION OR DECOMPOSITION: DO NOT reseal container.

ACCEP**TE**

JUN 27 2002

Under the Federal Insecticide, Fungicide, and
MANUFACTURED Byenhoode, Act as amended, for the

FRAZER, PENNSYLVANIA 19355-Tel. (610) 647-3300

> EPA Reg. No. 833-73 EPA Est. No. 833-PA-1 Net Weight 375 lbs.

AFCO 3359 SANITIZER

Provides 14% Available Chlorine

KEEP OUT OF REACH OF CHILDREN

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes. Then continue rinsing. Call a Poison Control Center or doctor for treatment advice.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

AFCO 3359 Sanitizer is recommended for use in hospitals, restaurants, breweries, dairies and food processing plants. AFCO 3359 Sanitizer is intended for use on hard (non-porous) surfaces, on dishes, glasses, or food processing equipment or utensils including dairy and brewery equipment or utensils.

Remove gross food particles and soil by a pre-flush, or prescrape and when necessary, pre-soak treatment. Clean object to be sanitized with a suitable hard surface cleaner and rinse well with potable water prior to application of the sanitizing solution. Dissolve 1 oz. of AFCO 3359 Sanitizer in 10 gallons of water to give a solution containing 100 ppm available chlorine. Apply the sanitizing solution to the surface to be sanitized by immersion, flooding, or spraying to wet all surfaces thoroughly. Let stand at least one minute. Drain and air dry.

The same solution may be used in the feed tanks of immersion or spray type machines providing at least one minute contact time to sanitize dishes, glasses, food processing equipment and utensils.

The sanitizing solution should be used promptly after mixing. It should be prepared daily or more often if it becomes diluted or soiled. If the solution is allowed to stand and/or continued use shows the level of chlorine has not been maintained, add more AFCO 3359 Sanitizer to maintain a use solution of 100 ppm available chlorine.

For mechanical operations, the prepared and spent use solution may not be reused for sanitizing but may be used for other purposes such as cleaning.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Retie polyethylene liner after each use and keep container tightly closed. Store in a dry place. Do not allow water to get into container. Keep off wet floors.

PESTICIDE DISPOSAL: Wastes of this pesticide may cause irreversible eye damage and burns to skin and may be dangerous. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration as allowed by state and local authorities. Rinse empty container with water and dispose of in the same manner.

 ∞

(N