

**STATEMENTS**

Domestic Animals  
Irritation or chemical burns to broken goggles and rubber gloves when breathing vapors. Vacate poorly until strong odors have dissipated.  
Fish and aquatic organisms. Keep out of by cleaning of equipment or disposal of duct into lakes, streams, ponds, in accordance with the requirements of a National Sanitation and the permitting authority has to discharge effluent containing this product to a local sewage treatment plant authority. For more information contact the EPA.

Use: Mix only with water according to label directions. Do not mix with ammonia, acids or organic matter coming in contact with eyes, lungs and mucous membranes.

Labeling: Manner inconsistent with its labeling.

Use on Contact Surfaces: This product may be used in the sanitizing solution containing an initial concentration of 100 ppm available chlorine. Periodically to insure that the available chlorine concentration is maintained. If no test kit is available, prepare a sanitizing solution by thoroughly mixing 1 oz. of this product with 4 gallons of water to provide approximately 200 ppm available chlorine by weight.

Use on Immersion Method: For general cleaning but may not be used on immersion method.

Use on Fruit & Vegetable Washing: For general cleaning but may not be used on fruit & vegetable washing.

Contents: 55 Gallons

Manufactured by: Alex C. Fergusson, Inc.  
155

**AFCO CHLORILIZER**

GERMICIDE & DISINFECTANT  
RECOMMENDED FOR USE IN FOOD PROCESSING PLANTS - DAIRIES - BREWERIES - INSTITUTIONS

ACTIVE INGREDIENT: Sodium Hypochlorite..... 5.25%  
INERT INGREDIENTS:..... 94.75%

**KEEP OUT OF REACH OF CHILDREN  
DANGER**

**FIRST AID**

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes. Then continue rinsing. Call a Poison Control Center or doctor for treatment advice.  
**IF ON SKIN:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.  
**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.  
**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

**NOTE TO PHYSICIAN:**  
Probable mucosal damage may contraindicate the use of gastric lavage.

**CHEMTREC EMERGENCY CALL 800-424-9300**

**HMIS HAZARD RATING**

HEALTH	3
FLAMMABILITY	0
REACTIVITY	1
PERSONAL PROTECTION	D

**ACCEPTED**  
MAY 28 2002  
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 833-20004

**IMMERSION METHOD:** A solution of 100 ppm available chlorine may be used in the sanitizing solution if a chlorine test kit is available. Solutions containing an initial concentration of 100 ppm available chlorine must be tested and adjusted periodically to insure that the available chlorine does not drop below 50 ppm. Prepare a 100 ppm sanitizing solution by thoroughly mixing 1 oz. of this product with 4 gallons of water. If no test kit is available, prepare a sanitizing solution by thoroughly mixing 2 oz. of this product with 4 gallons of water to provide approximately 200 ppm available chlorine by weight.

**Clean equipment in the normal manner.** Prior to use, immerse equipment in the sanitizing solution for at least 2 minutes and allow the sanitizer to drain. If solution contains less than 50 ppm available chlorine, as determined by a suitable test kit, either discard the solution or add sufficient product to reestablish a 200 ppm residual. Do not rinse equipment with water after treatment.

**SHELL EGG SANITIZING:** Thoroughly clean all eggs. Thoroughly mix 2 ozs. of the product with 4 gallons of warm water to produce a 200 ppm available chlorine solution. The sanitizer temperature should not exceed 130°F. Spray the warm sanitizer so that the eggs are thoroughly wetted. Allow the eggs to thoroughly dry before casing or breaking. Do not apply a potable water rinse. The solution should not be reused to sanitize eggs.

**FRUIT & VEGETABLE WASHING:** Thoroughly clean all fruits and vegetables in a wash tank. Thoroughly mix 1 oz. of this product in 16 gallons of water to make a sanitizing solution of 25 ppm available chlorine. After draining the tank, submerge fruit or vegetables for 2 minutes in a second wash tank containing the re-circulating sanitizing solution. Spray rinse vegetables with the sanitizing solution prior to packaging. Rinse fruit with potable water only prior to packaging.

**AFCO CHLORILIZER DILUTION TABLE**

100 PPM (1:500) Use	1 oz. Chlorilizer (2 Tbs.) to 4 gals. Water
200 PPM (1:250) Use	2 oz. Chlorilizer (4 Tbs.) to 4 gals. Water
400 PPM (1:125) Use	1 oz. Chlorilizer (4 Tbs.) to 1 gal. Water
500 PPM (1:100) Use	5 oz. Chlorilizer (10 Tbs.) to 4 gals. Water
800 PPM (1:62) Use	2 oz. Chlorilizer (4 Tbs.) to 1 gal. Water
1000 PPM (1:50) Use	10 oz. Chlorilizer (20 Tbs.) to 4 gals. Water

**STORAGE AND DISPOSAL**

Store this product in a cool dry area away from direct sunlight and heat to avoid deterioration. In case of spill, flood areas with large quantities of water. Product or rinses that cannot be used should be diluted with water before disposal in a sanitary sewer. Do not reuse container but place in trash collection. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

**ALEX C. FERGUSSON, INC.**  
25 SPRING MILL DRIVE, FRAZER, PA 19335  
800-325-1329

833-20004

5/28/2002

1/1

EMERGENCY CALL 800-424-9300