

CUTLERY DISINFECTION

For disinfection of previously cleaned metal instruments, toothbrushes, dental equipment, simply submerge instruments into solution containing 1 ounce of Curtis DDS per gallon of water for a minimum contact time of 10 minutes.

RESTAURANT AND BAR RINSE

Dishes, glassware, silverware, cooking utensils, wash with soap or synthetic detergent, rinse thoroughly and immerse in a sanitizing solution containing 1 ounce of Curtis DDS to 4 gallons of water. No Terminal Potable Water Rinse Required.

DANGER

DANGER Keep Out of Reach of Children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

FIRST AID In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsions may be required.

A. W. CURTIS
LABORATORIES
DETROIT, MICH. 48202

DDS

- DISINFECTANT
- DEODORIZER
- SANITIZER

ACTIVE INGREDIENTS

1,4-Dioxane, 0.14%

Sodium hypochlorite, 0.05%

Hydrogen peroxide, 0.05%

Formaldehyde, 0.05%

Chlorine, 0.05%

Other ingredients, 99.70%

NET WEIGHT: 16 FL. OZ.

See back panel for directions of use.

Keep out of reach of children.

See left side panel for additional pre-

cautionary and first aid statements.

EPA Reg. No. 848-6

Follow recommendations of local

health board.

16 FL. OZ. (1 PINT)

DISINFECTANT FOR HOME USE

For disinfection of previously cleaned metal instruments, toothbrushes, dental equipment, simply submerge instruments into solution containing 1 ounce of Curtis DDS per gallon of water for a minimum contact time of 10 minutes.

RESTAURANT AND BAR RINSE
Dishes, glassware, silverware, cooking utensils, wash with soap or synthetic detergent, rinse thoroughly and immerse in a sanitizing solution containing 1 ounce of Curtis DDS to 4 gallons of water. No Terminal Potable Water Rinse Required.

ACTIVE INGREDIENTS
1,4-Dioxane, 0.14%
Sodium hypochlorite, 0.05%
Hydrogen peroxide, 0.05%
Formaldehyde, 0.05%
Chlorine, 0.05%
Other ingredients, 99.70%

DANGER Keep Out of Reach of Children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

FIRST AID In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsions may be required.

A. W. CURTIS
LABORATORIES
DETROIT, MICH. 48202

ACCEPTED

FOR EXAMINATION
ED 11/11/54
848-6

Commitment
A. W. CURTIS
LABORATORIES
DETROIT, MICH. 48202