PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS Do not apply directly to food. Do not apply space spray while food processing is underway. Cover or remove all food processing surfaces. Thoroughly wash all food processing surfaces before re-use, After spraying in meat packing plants, bakeries and fond processing planes, wash with potable water all equipment, benches, shelves, etc., where exposed food will be handled. Food processing operations have to be stopped while applying a wet spray with care and in accordance with the directions and cautions given above. Do not contaminate milk or milk handling equipment with this spray.

Remove pets, birds and cover fish aquariums before spraying.

## PHYSICAL HAZARDS

Do not use or store near heat or open flame.

## DIRECTIONS FOR USE SHAKE WELL BEFORE USING

It is a violation of Federal law to use this product in a manner inconsistent with its labeling,

STORAGE: Store in a cool dry place away from heat or open flame. Keep container closed.

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or Local procedures, Do not contaminate water, food or feed by storage or disposal, Open dumping is prohibited.

## CONTAINER DISPOSAL:

- (a) Do not reuse empty container. Wrap container and put in trash collection.
- (b) Containers of 30 giflons or more reseal container and offer for reconditioning, or

# UP & AT 'EM MATER BASED INSECTICIDE

NON-FLAMMABLE

NO OIL ODOR AFTER SPRAYING HARMLESS TO ASPHALT AND COMPOSITION TILE FOR USE IN HOUSEHOLD AND FOOD PRICESSING PLANTS, REST-AURANTS, INDUSTRIAL BUILDINGS, SCHOOLS, WAREHOUSES. OFFICES, THEATRES, GARAGES, HOTELS, MUTELS HOSPITALS. KENNELS, ANIMAL QUARTERS AND WILK ROOM

ACTIVE INGREDIENTS Pyretheins \*Pipereny Butenide, Technical .20% \*\*N-Octyl Bicyclohoptona Dicarbazimida Petroleum Distillate .48% INFRY INCREDIENTS 16.07% \*Equivalent to 0.16% (Buty/carbity)(6-propylpsparanyl) ather and 0,04% related compounds.

# CAUTION: \_ KEEP OUT OF REACH OF CHILDREN

\*\*U. S. Petent No. 2,476,512

STATEMENT OF PRACTICAL TREATMENT Hermful if swattowed. Avaid breathing vapors or spray mist. If swallowed do not induce vaniting. Get immediate redical atten from Avoid contact with skin and eyes. In case of c. fact, immedcetely flush eyes with plenty of water. Obtain mec al attention if irritation persists.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS HET CONTENTS ONE U. S. GALLON (3.78 LITERS) MANUFACTURED BY



ONLY FOR SALE TO, USE, AND STORAGE BY SERVICEPERSONS

(c) All containers - triple rinse (at equivalent) and offer for recycling, recorditioning or disposal in approved (andfill, or bury in a safe place, GENERAL: Consult Federal, State or Local disposal authorities for approved affernative procedures,

SPACE SPRAY TO KILL HOUSEFLIES INOSOUITOES GNATS AND SMALL FLYING MOTHS Stake continues gently to be sure contents. are uniformly mixed, Pair +1 Strayer, Close doord and windows and form off ventilation early and and Mist all marks of the room or area at a dosage of one fluid concered disect spray per 1,000 cubic feet of space, Vacate premises, king 100m closed for 15 minutes, Ventilate prior to re-entry. Repeat as necessary,

CONTACT SPRAY TO KILL COCKROACHES, WATERBUGS, CRICK-ETS. CENTIPEDES SPILERS, ANTS, SOMBUGS AND EXPOSED FORMS OF CRANCING GRAIN BEETLES , STED. Shake container mention as above. Aboly as a coarse spray to all cracks and crevices in woodwork, agreeath sines, dark planes tehind pipes and in all places where these insects rest, contacting as many insects as pussable with the series. Repeat authoritions as other as necessary to gain. CONTO, FO. CRAIN MEEVILS, CADELIES, GRAIN WITHS, COM-FUSCIO FLOUR BEETLE' SAW TOOTHED GRAIN BECTCES, AND GRAIN MITCS Apply as a learse spray, to, all intested suctaces, insect hiding places and insect runways at the rate of one galluninfiesert spray on 750 squar feet of area. Treat ANT grails, Reject . . . . . . when necessar.

"CONTACT SPRAY TO KILL FLEAS AND BROWN DUST TICKS, Spray intested areas such as pet resting places and areas of fiftion and floor coverings (such as carpet) where these pests may be present. Use at the rate of one gallon per 750 square feet of area to be treated. Old pet bedding should be discuided and replaced with clean fresh bedding after treatment. Do not directly apply to ppt. Repeat as needed

EPA REGISTRATION No. 861 92 EPA EST. 861-NY 1

AUG 2 5 :982

the comment of the present 10 to. 1 .