

PM 12 961-93 } 11-22-90

CAUTION: - FLAMMABLE MIXTURE

N. Y. C. FIRE DEPARTMENT PERMIT No. X168663

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME

(DIRECTIONS CONTINUED FROM LEFT PANEL)

DIRECTIONS FOR USE WITHIN FOOD AREAS

OF FOOD HANDLING ESTABLISHMENTS - FOOD

HANDLING ESTABLISHMENTS - Places other

than private residences in which exposed food is

held, processed, prepared or served. FOOD

AREAS - APPLICATION LIMITED TO CRACK

AND CREVICE TREATMENT ONLY. Includes

areas for receiving, storage, packing (canning,

bottling, wrapping, boxing) preparing edible

waste storage and enclosed processing systems

(mills, dairies, edible oils, syrups). Serving

areas (when food is exposed and facility is in op-

eration would also be considered a food area).

Prior to application de-energize electrical equip-

ment. After application allow time for oil to evap-

orate before starting motors or placing switches

in the ON position.

Apply a small amount of this Residual Insect Spray,

with equipment capable of delivering a pin-

thin stream of this material, directly into cracks

and crevices, expansion joints between different

elements of construction or between equipment

bases and the floor, wall voids, motor housings,

junction boxes or switch boxes, conduits or hollow

equipment legs where Ants, Centipedes, Cock-

roaches, Clover Mites, Firebrats, Millipedes,

Silverfish, Sowbugs and Spiders hide. Care should

be taken to avoid depositing the product on to ex-

posed surfaces or introducing the material into the

air. Avoid contamination of food or food process-

ing surfaces.

APPLICATIONS OF THIS INSECTICIDE IN FOOD

AREAS OF FOOD HANDLING ESTABLISHMENTS

OTHER THAN AS A CRACK AND CREVICE

TREATMENT ARE NOT PERMITTED.

NON-FOOD AREAS - Includes garbage rooms,

lavatories, floor drains (to sewers) entries and

vestibules, offices, locker rooms, machine rooms,

boiler rooms, garages, mop closets and storage

(after canning or bottling).

Apply to baseboard areas, around water pipes,

surfaces behind and beneath sinks, lockers,

tables, pallets and similar areas where insects

hide or through which they may enter.

DO NOT REUSE CONTAINER - DESTROY WHEN

EMPTY.

CAUTION

May be harmful if swallowed, inhaled or absorbed

through the skin. Do not get in eyes, on skin or

on clothing. In case of contact, wash immedi-

ately with soap and warm water. Wash all hands,

arms and face thoroughly with soap and water

before eating or smoking. Wash all contaminated

clothing with soap and hot water before re-use.

Avoid breathing spray mist.

If poisoning occurs, get prompt medical attention.

To physician - Atropine sulfate is antidotal.

RESTRICTIONS

Do not use as a space spray. Provide adequate

ventilation of area being treated. Do not allow

children to contact treated areas until surfaces

are thoroughly dry. Do not store near food or food

products. Avoid contamination of food, food,

food processing equipment and food handling surfaces.

Do not apply to animals. Remove pets and cover

fish bowls before spraying. Do not spray plants.

This product is toxic to birds and other wildlife.

Keep out of any body of water. Do not apply when

runoff is likely to occur. Do not apply when weath-

er conditions favor drift from areas treated. Do

not contaminate water by cleaning of equipment

or disposal of wastes. Apply this product only

as specified on this label.

CAUTION

FLAMMABLE MIXTURE

N. Y. C. FIRE DEPT. PERMIT No. X 168663
DO NOT USE, POUR, SPILL OR STORE NEAR
HEAT OR OPEN FLAME.

This is an especially designed residual insecticide for industrial and institutional use only. When used in accordance with the following directions outstanding results are achieved in controlling the named insects in food processing plants, meat processing plants and in research facilities.

DIRECTIONS FOR USE IN OTHER THAN FOOD PROCESSING ESTABLISHMENTS; GENERAL: Apply with a low-pressure sprayer equipped with a coarse spray nozzle. Spray surfaces only until wet. Avoid excessive runoff. Apply to all insect breeding sites and harborage around buildings. Also treat adjacent exposed surfaces where insects may crawl when they come out of hiding. Repeat treatment as necessary.

COCKROACHES: Thoroughly treat the infested area. Spray baseboards, cracks and crevices, around window and door frames, the under surfaces of shelves, drawers and work tables, behind and beneath cabinets, refrigerators, sinks and stoves, in and around waste containers, switch panels, junction boxes, floor drains and other places where cockroaches hide or rest. ANTS: Apply to trails and places where ants enter premises such as around window frames and door frames.

CADELLES, CIGARETTE BEETLES, DRUG-STORE BEETLES, INDIAN MEAL MOTHS, MEDITERRANEAN FLOUR MOTHS, RED FLOUR BEETLES, SAW-TOOTHED GRAIN BEETLES, GRANARY WEEVILS and RICE WEEVILS: To aid in the control of and kill the exposed stages of these insects thoroughly treat floors and the walls of the infested area with attention to cracks, crevices, corners and perimeters. Sanitation and dust control are of primary importance. Fumigate or destroy infested products.

SILVERFISH, FIREBRATS and PAPER LICE: Apply to localized areas infested by these insects.

BROWN DOG TICKS: Spray sleeping quarters of pets, around baseboards, window and door frames, wall cracks and local areas of floors. Repeat as needed. Fresh bedding should be placed in animal quarters after spraying. Do not spray animals.

CLOVER MITES, CRICKETS, EARWIGS, MILLIPEDES, CENTIPEDES, SOWBUGS, SCORPIONS and SPIDERS: Thoroughly spray the interior and exterior perimeter of the infested premises. For Clover Mites give special attention around window frames.


FOR OUTDOOR USE:

FLEAS, FLIES, GNATS, MOSQUITOES, PUNKIES and SANDFLIES: Spray infested areas thoroughly including outside surfaces of screens, doors, around window frames, foundations, patios and other areas where insects may enter.

ANTS, CLOVER MITES, CRICKETS, EARWIGS, HORNETS, MILLIPEDES, SOWBUGS, WASPS and BROWN DOG TICKS: Spray infested areas thoroughly including outside surfaces of screens, doors, window frames, foundations, patios or other places where insects may enter. For Ants spray hills and runways. For control of Wasps and Hornets spray after dark when all the insects have returned to their nest. Repeat as necessary. Do not spray vegetation.

INSECT CONTROL IN RESEARCH FACILITIES:

Not reviewed. Refer to label for use in accordance with Phase 2 of Class.



FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY

HAUNT INSECT SPRAY is a highly effective residual insecticide formulation for the control of a wide variety of insects, as listed below, including those resistant to certain chlorinated hydrocarbon and phosphate insecticides. **HAUNT** Insect Spray drives insects from their hiding places, gives rapid kill and long residual activity.

INSECT KILLING POWER LASTS THREE TO FOUR WEEKS

FOR SPOT APPLICATION ONLY

ACTIVE INGREDIENTS;

*o-Isopropoxyphenyl methylcarbamate 1.00%

INERT INGREDIENTS 99.00%

Includes Petroleum Distillates and Isopropanol

*U.S. PATENT NO. 3,111,539

© HAUNT is a registered trade mark of Uncle Sam Chemical Co., Inc.

KILLS

Ants, Brown Dog Ticks, Centipedes, Cockroaches, Clover Mites, Crickets, Earwigs, Firebrats, Millipedes, Paper Lice, Scorpions, Silverfish, Sowbugs and Spiders. Aids in the control of and kills the exposed stages of Cadelles, Cigarette Beetles, Drug-store Beetles, Indian Meal Moths, Mediterranean Flour Moths, Red Flour Beetles, Saw-toothed Grain Beetles, Granary Weevils and Rice Weevils. Use outdoors only for the control of Fleas, Flies, Gnats, Hornets, Mosquitoes, Punkies, Sandflies and Wasps.

EPA REGISTRATION No. 861-93

EPA ESTB. 861-NY-1

**CAUTION: SEE DIRECTION PANEL FOR ADDITIONAL PRECAUTIONS
KEEP OUT OF REACH OF CHILDREN**

Read Directions Before Use.

NET CONTENTS: ONE U. S. GALLON (3.78 LITERS)

MANUFACTURED



STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED:** Harmful if swallowed. Contains Petroleum Distillate. Do not induce vomiting, because of aspiration hazard. Get immediate medical attention.
- IF INHALED:** Avoid breathing vapors of spray mist. Remove victim to fresh air and apply artificial respiration if effects occur.
- IF IN EYES:** Immediately flush eyes with plenty of water. Get medical attention if irritation persists.
- IF ON SKIN OR CLOTHING:** Remove contaminated clothing. Wash skin with soap and warm water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge into lakes, streams, ponds or public water unless in accordance with MPDES Permit. Do not contaminate water by cleaning of equipment or by disposing of wastes.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE! Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

PROHIBITIONS DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL. OPEN DUMPING IS PROHIBITED.

DO NOT REUSE CONTAINER.

STORAGE STORE IN A COOL DRY PLACE. KEEP CONTAINER CLOSED.

PESTICIDE DISPOSAL

Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved State procedures under Subtitle C of the Resource Conservation and Recovery Act. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

METAL CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

PLASTIC CONTAINERS: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

KEEP OUT OF THE REACH OF CHILDREN

INGREDIENTS
O-isopropylphenol methylcarbamate
Petroleum Distillates
Isopropyl

CAS NUMBERS
114-96-1
6474-84-0
67-68-0