

FORMULA 12
WONDER
ODORLESS DISINFECTANT
and SANITIZER

DISINFECTANT - CLEANER - SANITIZER
FUNGICIDE - DEODORANT

ACTIVE INGREDIENTS

Sodium metasilicate 3.0%
n-Alkyl (50% C_{14} , 40% C_{12} , 10% C_{16}) dimethyl benzyl
ammonium chloride..... 1.5%
INERT INGREDIENTS..... 95.5%

EPA REGISTRATION No. 861-98
EPA EST. 861-NY-1

PHENOL COEFFICIENTS - Guaranteed Minimum

S. typhi 14
S. aureus 13

DANGER: KEEP OUT OF THE REACH OF CHILDREN

See First Aid statement and other precautions on side panel.

Container Disposal: When empty, rinse container thoroughly with water and destroy it by crushing or burying in a safe place.

NET CONTENTS ONE GALLON

MANUFACTURED BY

UNCLE SAM CHEMICAL CO., INC.

NEW YORK, N. Y. 10027

DIRECTIONS

FOR CLEANING

LIGHTLY SOILED AREAS - surfaces to be cleaned should be mopped or brushed with a solution containing 3 ounces of ODORLESS DISINFECTANT & SANITIZER per gallon of water. Rinse cleaned area with potable water.

HEAVILY SOILED AREAS - mop or brush soiled surface with a solution containing 5-6 ounces of ODORLESS DISINFECTANT & SANITIZER per gallon of water. Rinse cleaned surface with potable water.

GENERAL PURPOSE DISINFECTION

To disinfect walls, floors and other hard surfaces in homes, schools, restaurants, rest rooms and other public areas, mop or brush surface to be treated with a solution containing 2½ ounces of ODORLESS DISINFECTANT & SANITIZER per gallon of water. Surfaces that are heavily soiled should be cleaned with 2 ounces of ODORLESS DISINFECTANT & SANITIZER per gallon of water and then disinfected. Those surfaces which may later come in contact with food must be rinsed with potable water.

To disinfect locker rooms, shower stalls, walkways around pools and other areas where fungicidal action is required, mop area with a solution containing 2 ounces per gallon of water. This solution will destroy Trichophyton interdigitale, a causative agent of athlete's foot.

Directions continued on next panel

Directions continued from preceding panel.

HOSPITAL DISINFECTION

To disinfect walls, floors, furniture and other hard surfaces in hospitals and nursing homes, mop or brush surface to be treated with a solution containing 5½ ounces of ODORLESS DISINFECTANT AND SANITIZER per gallon of water. Those surfaces that are heavily soiled with blood, fecal material or exudates should be thoroughly scrubbed with a solution containing 2 ounces per gallon of water and then rinsed with a fresh solution containing 2 ounces per gallon of water before disinfection.

SANITIZATION

Before using this compound, food products and packaging materials must be removed from the room or carefully protected.

To sanitize walls, floor and equipment in food processing plants, first clean thoroughly with a solution containing 3 ounces of ODORLESS DISINFECTANT & SANITIZER per gallon of water. If surface is heavily soiled, use ODORLESS DISINFECTANT & SANITIZER at a rate of 5-6 ounces per gallon to insure thorough cleaning. Sanitize cleaned surface with a rinse solution containing 2 ounces of ODORLESS DISINFECTANT & SANITIZER per gallon of water.

After using this compound, surfaces must be thoroughly rinsed with potable water before operations are resumed.

DEODORIZATION

To deodorize surfaces during cleaning, mop or brush surfaces with a solution containing 7 ounces of ODORLESS DISINFECTANT & SANITIZER per gallon of water.

Directions continued from preceding panel.

ODORLESS DISINFECTANT anti-bacterial cleaning material and institutio will disinfect hard tops and furniture. room areas, garbage areas and other areas. This product may be used in hospitals, nursing plants and in other antimicrobial applications.

DANGER: —

Corrosive. Can get in eyes, or when handling contamination. **FIRST AID:** If skin with plenty call a physician before reuse. If swallowed, whites, gelatin large quantities immediately. **NOTE TO PHARMACIA:** Indicate that circulatory system may be needed.

R
NT
SANITIZER
..... 3.0%
yl benzyl
..... 1.5%
..... 95.5%
Minimum
F CHILDREN
on side panel.
or thoroughly
ing in a safe
., INC.

DIRECTIONS

FOR CLEANING

LIGHTLY SOILED AREAS - surfaces to be cleaned should be mopped or brushed with a solution containing 3 ounces of ODORLESS DISINFECTANT & SANITIZER per gallon of water. Rinse cleaned area with potable water.

HEAVILY SOILED AREAS - mop or brush soiled surface with a solution containing 5-6 ounces of ODORLESS DISINFECTANT & SANITIZER per gallon of water. Rinse cleaned surface with potable water.

GENERAL PURPOSE DISINFECTION

To disinfect walls, floors and other hard surfaces in homes, schools, restaurants, rest rooms and other public areas, mop or brush surface to be treated with a solution containing 2½ ounces of ODORLESS DISINFECTANT & SANITIZER per gallon of water. Surfaces that are heavily soiled should be cleaned with 2 ounces of ODORLESS DISINFECTANT & SANITIZER per gallon of water and then disinfected. Those surfaces which may later come in contact with food must be rinsed with potable water.

To disinfect locker rooms, shower stalls, walkways around pools and other areas where fungicidal action is required, mop area with a solution containing 2 ounces per gallon of water. This solution will destroy Trichophyton interdigitale, a causative agent of athlete's foot.

Directions continued on next panel

Directions continued from preceding panel.

HOSPITAL DISINFECTION

To disinfect walls, floors, furniture and other hard surfaces in hospitals and nursing homes, mop or brush surface to be treated with a solution containing 5½ ounces of ODORLESS DISINFECTANT AND SANITIZER per gallon of water.

Those surfaces that are heavily soiled with blood, fecal material or exudates should be thoroughly scrubbed with a solution containing 2 ounces per gallon of water and then rinsed with a fresh solution containing 2 ounces per gallon of water before disinfection.

SANITIZATION

Before using this compound, food products and packaging materials must be removed from the room or carefully protected.

To sanitize walls, floor and equipment in food processing plants, first clean thoroughly with a solution containing 3 ounces of ODORLESS DISINFECTANT & SANITIZER per gallon of water. If surface is heavily soiled, use ODORLESS DISINFECTANT & SANITIZER at a rate of 5-6 ounces per gallon to insure thorough cleaning. Sanitize cleaned surface with a rinse solution containing 2 ounces of ODORLESS DISINFECTANT & SANITIZER per gallon of water.

After using this compound, surfaces must be thoroughly rinsed with potable water before operations are resumed.

DEODORIZATION

To deodorize surfaces during cleaning, mop or brush surfaces with a solution containing 7 ounces of ODORLESS DISINFECTANT & SANITIZER per gallon of water.

Directions continued from preceding panel

ODORLESS DISINFECTANT & SANITIZER is an effective anti-bacterial cleaner designed for use in household, industrial and institutional cleaning. When used as directed, it will disinfect hard surfaces, such as floors, walls, counter tops and furniture. It may be relied upon to deodorize bathroom areas, garbage pails, food storage areas, kennel areas and other areas where obnoxious odors may develop. This product may be used as a general purpose antibacterial-antifungal detergent in homes, schools, restaurants, hospitals, nursing homes, public rooms, food processing plants and in other places where efficient cleaning and antimicrobial action is desired.

DANGER: — KEEP OUT OF THE REACH OF CHILDREN

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling concentrate. Harmful if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Praxicel mucosal damage may be indicated by the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

ACCEPTED
1954
UNDER THE FEDERAL FOOD, DRUG & COSMETICS ACT
FOR ECONOMIC REGISTRATION
EPL REG. NO. 361-78