

C.M. 17  
861-99

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Do not apply directly to food. Do not apply space spray while food processing is underway. Cover or remove all food processing surfaces. Thoroughly wash all food processing surfaces before re-use. After spraying in meat packing plants, bakeries and food processing plants, wash with potable water all equipment, benches, shelves, etc., where exposed food will be handled. Food processing operations have to be stopped while applying a wet spray with care and in accordance with the directions and cautions given above. Do not contaminate milk or milk handling equipment with this spray.

Remove pets, birds and cover fish aquariums before spraying.

### PHYSICAL HAZARDS

Do not use or store near heat or open flame.

### DIRECTIONS FOR USE

SHAKE WELL BEFORE USING

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### STORAGE AND DISPOSAL

**STORAGE:** Store in a cool dry place away from heat or open flame. Keep container closed.

**PESTICIDE DISPOSAL:** Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or Local procedures. Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

### CONTAINER DISPOSAL:

- (a) Do not reuse empty container. Wrap container and put in trash collection.
- (b) Containers of 30 gallons or more - reseal container and offer for reconditioning, or

(Directions continued)

# PACTOR-FUME UP & AT 'EM WATER BASED INSECTICIDE

NON-FLAMMABLE  
PLEASANTLY AROMATIC  
NO OIL ODOR AFTER SPRAYING  
HARMLESS TO ASPHALT AND COMPOSITION TILE  
FOR USE IN HOUSEHOLD AND FOOD PROCESSING PLANTS, RESTAURANTS, INDUSTRIAL BUILDINGS, SCHOOLS, WAREHOUSES, OFFICES, THEATRES, GARAGES, HOTELS, MOTELS, HOSPITALS, KENNELS, ANIMAL QUARTERS AND MILK ROOMS.

<b>ACTIVE INGREDIENTS.</b>	
Pyrethrins	.100%
*Technical Piperonyl Butoxide	.200%
**N-Octyl Bicycloheptene Dicarboximide	.333%
Petroleum Distillate	.480%
Essential Oils	.750%
<b>INERT INGREDIENTS</b> 98.137%	
*Equivalent to 0.16% (Butylcarbityl)(6-propylpiperonyl) ether and 0.04% related compounds.	
**U. S. Patent No. 2,476,512	

### CAUTION: — KEEP OUT OF REACH OF CHILDREN

#### STATEMENT OF PRACTICAL TREATMENT

Harmful if swallowed. Avoid breathing vapors or spray mist. If swallowed do not induce vomiting. Get immediate medical attention. Avoid contact with skin and eyes. In case of contact, immediately flush eyes with plenty of water. Obtain medical attention if irritation persists.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS:  
NET CONTENTS ONE U. S. GALLON (3.78 LITERS)  
MANUFACTURED BY



ONLY FOR SALE TO, USE, AND STORAGE  
BY SERVICE PERSONS

10/2-2/91

(Directions continued)  
(c) All containers - triple rinse (or equivalent) and offer for recycling, reconditioning or disposal in approved landfill, or bury in a safe place. **GENERAL:** Consult Federal, State or Local disposal authority for approved alternative procedures.

**SPACE SPRAY TO KILL HOUSEFLIES, MOSQUITOES, GNATS AND SMALL FLYING MOTHS:** Shake container gently to be sure contents are uniformly mixed. Pour in sprayer. Close doors and windows and turn off ventilation equipment. Mist all parts of the room or area at dosage of one fluid ounce of insect spray per 1,000 cubic feet space. Vacate premises. Keep room closed for 15 minutes. Ventilate prior to re-entry. Repeat as necessary.

**CONTACT SPRAY TO KILL COCKROACHES, WATERBUGS, CRICETS, CENTIPEDES, SPIDERS, ANTS, SOWBUGS AND EXPOSED FORMS OF CRAWLING GRAIN BEETLES LISTED.** Shake container gently as above. Apply as a coarse spray to all cracks and crevices in woodwork, beneath sinks, dark places behind pipes and in places where these insects rest, contacting as many insects as possible with the spray. Repeat applications as often as necessary to gain control. For **GRAIN WEEVILS, CADELLES, GRAIN MOTHS, CO FUSED FLOUR BEETLES, SAW TOOTHED GRAIN BEETLES, AND GRAIN MITES,** apply as a coarse spray to all infested surfaces, insect hiding places and insect runways at the rate of one gallon insect spray on 750 square feet of area. Treat ANT trails. Repeat when necessary.

**CONTACT SPRAY TO KILL FLEAS AND BROWN DOG TICKS:** Spray infested areas such as pet resting places and areas of floor and floor coverings (such as carpet) where these pests may be present. Use the rate of one gallon per 750 square feet of area to be treated. Old pet bedding should be discarded and replaced with clean fresh bedding after treatment. Do not directly apply to pet. Repeat as needed.

EPA REGISTRATION No. 861-99 EPA EST. 861-NY-1

282

1977

AUG 17 1977

Insecticide  
Grade A  
Grade B

861-99