

KEEP OUT OF REACH OF CHILDREN
PRECAUTIONARY STATEMENTS
 Hazards to Humans and Domestic Animals: Harmful if swallowed or absorbed through skin. Avoid breathing vapors. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists.

Do not apply directly to food -- follow directions in direction panel for protecting food, utensils and food processing surfaces. Do not apply while food processing is underway. Clean thoroughly if food processing or storage surfaces before re-use.

Remove pets, birds, and cover fish aquariums before spraying.

PHYSICAL or CHEMICAL HAZARD
CAUTION
COMBUSTIBLE MIXTURE

N.Y.C. FIRE DEPT. PERMIT NO. 106643
 DO NOT USE, POUR, SPILL OR STORE NEAR ANY OPEN FLAME

or use in homes, industrial plants, food processing plants, hospitals, schools, warehouses, office buildings, theatres, garages, hotels, motels and kennels.

NOTE: When used in hospitals or clinics, patients or animals should be removed prior to treatment. Ventilate for 24 hours after treatment. Do not allow patients or animals to area being treated until after ventilation.

DIRECTIONS FOR USE
 is a violation of Federal law to use this product in a manner inconsistent with this labeling.

STORAGE and DISPOSAL
STORAGE: Do not store near heat or open flame.

CONTAINER DISPOSAL: Do not reuse empty container. Wrap container and put in trash collection. (a) Containers of 10 gallons or more - reseal container and take for recycling, or (b) all containers - (triple rinse for equivalent) and take for recycling, or (c) conditioning or disposal in approved landfill, or bury in a

CAUTION: - COMBUSTIBLE MIXTURE
 N.Y.C. FIRE DEPT. PERMIT NO. 106643
 DO NOT USE, POUR, SPILL OR STORE NEAR ANY OPEN FLAME

D - TRANS
No. 5
VAPORIZER

INSECT SPRAY

FOGGER AND CONTACT SPRAY

SPACE SPRAY TO KILL GNATS, HOUSEFLIES, MOSQUITOES AND SMALL FLYING MOTHS. CONTACT OR SURFACE SPRAY TO KILL ANTS, ROACHES, WATERBUGS AND CRICKETS.

ACTIVE INGREDIENTS: 100.00%

d-trans Allethrin (all) form	Cinerin 11	0.750%
*Piperonyl butoxide, technical		0.500%
**M-cetyl bicyclohexane dicarboxylate		0.825%
Parathion Disulfide		98.425%

*Equivalent to 0.400% (butylcarbamoyl)M-propylparathion
 other and 0.100% other related compounds.

**MCK-264 Insecticide Synergist

EPA REGISTRATION NO. 661-106 EPA EST. 661-MY-1
 HARMFUL IF SWALLOWED

CAUTION: KEEP OUT OF REACH OF CHILDREN
 SEE SIDE PANELS FOR OTHER CAUTIONS

MANUFACTURED BY
UNGER SAM
 1000 GLENVIEW AVENUE, CHICAGO, ILL. 60626

RECEIVED
 COMMENTS
 MAP 1 13 1981
 Under the Federal Insecticide, Fungicide and Rodenticide Act
 is prohibited for the pesticide
 registered under EPA Reg No
861-103

PESTICIDE DISPOSAL: Pesticide or rinsate that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Do not contaminate water, food, or feed, by storage or disposal. Open dumping is prohibited.
GENERAL: Consult Federal, State, or Local authorities for approved alternate procedures.

SPACE SPRAY
To Kill House Flies, Mosquitoes, Small Flying Moths and Gnats.
 Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using in food handling areas of food processing plants, apply this product only when the facility is not in operation. Close room and shut off all air conditioning or ventilating equipment. Apply with mechanical or compressed air sprayer, or with fogger which gives small particle size. Direct spray upwards toward upper corners of room and ceiling. Apply at the rate of 0.5 to 1.0 fluid ounce per 1000 cubic feet of space to be treated. Leave room closed for one-half hour. Ventilate room thoroughly before re-entry. Repeat as necessary for insect control.

CONTACT or SURFACE SPRAY
To Kill Cockroaches, Waterbugs, Crickets and Ants.
 Observe the same precaution for food areas as stated under "Space Spray." Apply with a sprayer that produces large wetting droplets. Force spray into cracks and crevices in walls and floors, areas of base of machinery, behind dish units, around pipes and openings, along baseboards and other insect harborage. Use one gallon of spray per 1000 square feet of surface to be treated. For ants, spray trails and all points of entry into the building. Spray ant nests directly with a soaking application. In all cases contact as many insects as possible directly with the spray. Repeat applications as necessary for control.

861-103 PM 10
 1/

BEST AVAILABLE COPY

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: Harmful if swallowed or absorbed through skin. Avoid breathing vapors. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists.

Do not apply directly to food -- follow directions in direction panel for protecting food, utensils and food processing surfaces. Do not apply while food processing is underway. Clean thoroughly all food processing or storage surfaces before re-use.

Remove pets, birds, and cover fish aquariums before spraying

PHYSICAL or CHEMICAL HAZARD

CAUTION COMBUSTIBLE MIXTURE

N. Y. C. FIRE DEPT. PERMIT No. X 168663
DO NOT USE, POUR, SPILL OR STORE NEAR
HEAT OR OPEN FLAME.

For use in homes, industrial plants, food processing plants, hospitals, schools, warehouses, office buildings, theatres, garages, hotels, motels and kennels.

NOTE: When used in hospitals or kennels, patients or animals should be removed prior to treatment. Ventilate for two hours after treatment. Do not return patients or animals to area being treated until after ventilation.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with this labeling.

STORAGE and DISPOSAL

STORAGE: Do not store near heat or open flame.

CONTAINER DISPOSAL: Do not reuse empty container. Wrap container and put in trash collection. (a) Containers of 30 gallons or more - reseal container and offer for reconditioning; or: (b) all containers - triple rinse (or equivalent) and offer for recycling, reconditioning or disposal in approved landfill, or bury in a

CAUTION: - COMBUSTIBLE MIXTURE

N. Y. C. FIRE DEPARTMENT PERMIT No. X168663
DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME

D - TRANS No. 5 VAPORIZER

INSECT SPRAY

FOGGER
AND
CONTACT
SPRAY

SPACE SPRAY TO KILL GNATS,
HOUSEFLIES, MOSQUITOES AND
SMALL FLYING MOTHS. CONTACT
OR SURFACE SPRAY TO KILL ANTS,
ROACHES, WATERBUGS AND CRICKETS.

ACTIVE INGREDIENTS: 100.00%

d-trans Allethrin (allyl homolog of Cinerin I)	0.250%
*Piperonyl butoxide, technical	0.500%
**n-octyl bicycloheptane dicarboximide	0.825%
Petroleum Distillate	98.425%

*Equivalent to 0.400% (butylcarbityl)(6-propylpiperonyl)
ether and 0.100% other related compounds.

**MGK-264 Insecticide Synergist

EPA REGISTRATION No. 861-103 EPA EST. 861-MY-1

HARMFUL IF SWALLOWED

CAUTION: KEEP OUT OF REACH OF CHILDREN

SEE SIDE PANELS FOR OTHER CAUTIONS

MANUFACTURED BY

UNCLE SAM

BEST AVAILABLE COPY

PESTICIDE DI-
rinsate that can
ly processed sho
landfill approved
in a safe place
plies. Do not c
or feed, by sto
dumping is prohi
GENERAL: Con
Local authorities
procedures.

SFA

To Kill Hous
Small Flying
Foods should b
during treatment
surfaces should
ment or thorough
When using in
food processing
duct only when
operation. Close
air conditioning
Apply with me
air sprayer, or v
small particle
wards toward up
ceiling Apply a
fluid ounce per 1
to be treated.
one-half hour. Ve
before re-entry. I
insect control.

CONTACT n

To Kill Coc
Crickets and
Observe the sam
areas as stated
Apply with a s
wetting droplet
cracks and crev
areas at base of
inets, around pip
baseboards and c
Use one gallon
uare feet of sur
ants, spray trails
into the building.
ly with a soaked
cases contact as
sible directly w
applications as