

862-8

06/13/2003

1/9



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

JUN 13 2003

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

Nancy E.H. Wright  
Project Leader  
Sunoco, Inc.(R&M)  
1801 Market Street  
Philadelphia, PA 19103

Subject: Label Amendment: First Aid (per PR Notice 2001-1).  
Sunspray 7E  
EPA Reg. No. 862-8  
Submission of March 12, 2003, accepted with comments

Dear Ms. Wright:


The labeling referred to above submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable with the following comment:

Under the Environmental Hazards section delete "For terrestrial uses" since only terrestrial uses are listed on the label.

A stamped copy "accepted with comments" of the label is enclosed for your records.

Please submit two copies of the final printed label for our records. If you have any questions please call me at (703) 308-8328.

Sincerely yours,

  
Akiva Abramovitch, Ph.D.

Chemist  
Insecticide-Rodenticide Branch  
Registration Division (7505C)

# SUNSPRAY 7E

A superior horticultural spray oil for insect and mite pest management.

Active ingredient: Refined Petroleum Distillate*	98.8wt%
Other ingredient: Emulsifier	1.2wt%
	100.0wt%
*Unulfonated Residue of Refined Petroleum Distillate	92.0% Min
*50% Distillation Point of Refined Petroleum Distillate	435.0°F
*Flash Point	345.0°F
Weight per Gallon	7.1lbs.

### KEEP OUT OF REACH OF CHILDREN CAUTION

<b>FIRST AID</b>	
<p><b>If swallowed:</b> Immediately call a poison control center or doctor. <b>DO NOT INDUCE VOMITING</b> unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.</p> <p><b>If in eyes:</b> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing the eye. Call a poison control center or doctor for treatment advice.</p> <p><b>If on skin or clothing:</b> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes followed by washing with soap &amp; water. Call a poison control center or doctor for treatment advice.</p>	<p><b>If Inhaled:</b> Move person to fresh air. Call a poison control center or doctor for further treatment advice.</p> <p><b>HOT LINE NUMBER</b> Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-964-8861 for emergency medical treatment information.</p> <p><b>NOTE TO PHYSICIAN</b> Contains petroleum distillate - vomiting may cause aspiration pneumonia. Aspiration may occur after swallowing or vomiting and results in serious, and sometimes delayed, lung injury.</p>

According to the California Safe Drinking Water and Toxic Enforcement Act of 1986 Regulations, otherwise known as "Proposition 65"- **ATTENTION-** This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

**EPA Registration No. 862-8**  
See Additional Precautionary Statements Inside Booklet. See Directions For Use Inside Booklet

**ACCEPTED**  
**COMMENTS**  
Philadelphia, PA 19103-1699  
**In EPA Letter Dated:**

JUN 13 2003

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 862-8

**PRECAUTIONARY STATEMENTS**

**Hazards to humans & domestic animals**

**CAUTION**

Avoid contact with eyes, skin and clothing. Harmful if swallowed. Avoid breathing of spray mists or vapors. Avoid contamination of feed or food stuffs.

**PERSONAL PROTECTIVE EQUIPMENT (PPE)**

**Applicators and other handlers must wear:**

- Long-sleeved shirt and long pants
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

**USER SAFETY RECOMMENDATIONS**

Users should: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

**STORAGE AND DISPOSAL**

- 1. Prohibitions:** Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.
- 2. Storage:** Store in a cool, dry, locked area out of the reach of children. Keep oil container tightly closed in storage to prevent entry of water.
- 3. Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
- 4. Container Disposal:** Metal: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Plastic: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**CAUTION**

Keep oil container tightly closed in storage to prevent entry of water. Store drum on its side. Roll drum before use. All horticultural oils interfere with or slow plant transpiration and respiration during the period of evaporation. Phytotoxicity may result if sprayed to plants during periods of prolonged high temperature and high relative humidity. Do not spray to plants under moisture stress. Do not use in combination with Chloropropylate, Dinitro Compounds, Morocide, and Omite or fungicides such as Captan, Folpet, Dichlone, Dikar, Dyrene, Karathene Morestan or any other product containing sulfur. If possible, either keep the spray equipment used for these compounds separate from the equipment used for oil, or

make sure that the sprayer is thoroughly cleaned so that no residue from these compounds remain. Do not use with Sevin brand 50W carbaryl on deciduous fruit trees. Also, do not use with dimethoate.

**TANK MIXES**

It is important for users to read and follow all directions and restrictions on the labels of the proposed tank mix products. Check tank mixture for physical and chemical compatibility. Mix only enough material to do the job.

**CITRUS**

Oils applied after October may increase cold damage to trees. Oils applied in August and September may affect solid contents and retard coloring.

**MIXING DIRECTIONS**

1. Add sufficient water to the mixing tank to allow proper agitation by pump or paddles.
2. Add other desired pesticide. If wettable powder formulation, mix the water and powder thoroughly so that the powder is totally suspended in the water before the oil is added. If other pesticide to be added is an emulsifiable formulation, do so after the oil and water have been thoroughly mixed.
3. Add oil under agitation, when 3/4 full topping off with water to form milky solution.
4. Maintain agitation until solution is used.
5. In small equipment lacking agitators, stir or shake diluted spray frequently during application.
6. It is important for users to read and follow all directions and restrictions on the labels of the proposed tank mix products.

7. Flush fluid in sprayer hose lines back into tank reservoir if fluid is allowed to stand for more than 20 minutes.

**APPLICATION INSTRUCTIONS**

The target pest must be completely covered with spray. Oil residue on the plant surface often acts as a feeding and ovipositioning deterrent. However, the primary target is the pest itself as oil is a contact pesticide. Spray only when the temperature is above 40°F and there is no danger of freezing.

**DILUTE APPLICATIONS** (greater than 150 gallons spray per acre) in most cases, ensures the best coverage.

**CONCENTRATE APPLICATIONS** (usually 45 to 125 gallons spray per acre) may reduce coverage and effectiveness. Concentrate application includes the use of low volume (from 10 to 100 gallons spray per acre) air-blast or air-carrier sprayers. A concentrate application can provide satisfactory results as long as the spray unit is properly engineered, calibrated and operated. Speed of travel for ground application is extremely important. Tractor speed from 1 M.P.H. to 4 M.P.H. is recommended depending on crop, crop size and target pest.

Low volume applications of Sunspray 7E will require the same amount of oil per acre as dilute sprays but applied with much less water. Spray oil calculations should be based on no run off of the oil phase of the mixture.

**AERIAL APPLICATIONS** Use only as an emergency application when soil conditions do not permit regular ground application. Helicopter only. Apply quantity of product shown for each listed crop for control of listed insects in sufficient water to make a minimum of 20 gals. dilute spray per acre.

**TIMING THE TREATMENT**

The applicator must determine the precise timing to fit local growth and climatic conditions.

**Note: This pesticide is to be sold ONLY in this original unopened container.**

**DO NOT EXCEED MAXIMUM RATES OR APPLY MORE OFTEN THAN RECOMMENDED.**

**USES**

1. For use as a carrier for *Bacillus thuringiensis* when applied through a mist blower or cold fog machine.
2. May be used with Ethion to obtain two modes of insecticidal action.
3. May be used with Permethrin on cotton only.
4. May be used in a tank mix with Lorsban on apples, pears, plums, prunes, peaches, sweet corn and field corn.
5. May be used in a tank mix with Supracide on apples, pears, plums, prunes, pecans, peaches and citrus (oranges, grapefruit, lemons).
6. May be used as a spreader or carrier for certain synthetic organic insecticides applied for pest control in/on habitable buildings.

**Note: Supracide is a "Restricted Use Pesticide".**

**CONTROLS**

A wide range of mite and insect pests in the egg stage such as spider and eriophyid mites, armored and soft scales, mealybugs, psyllids, whiteflies, aphids, leafrollers, leafhoppers, webworms, cankerworms, plant bugs, leafhoppers, and adelgids. Will kill other immature forms if spray covers the insect.

**LIMITED WARRANTY AND LIABILITY**

This product conforms to the description and is suitable for the uses set forth on this label but is strictly limited to those uses solely as directed under the specified label conditions, and only if purchased in the original unopened container.

**MANUFACTURER AND SELLER DISCLAIM ANY AND ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE** (except as specified on this label). Buyer and all users shall assume all risk, liability and damage if this product is used, stored, handled or applied other than as specifically set forth on this label. **LIABILITY OF MANUFACTURER AND SELLER AND USER'S REMEDIES SHALL BE LIMITED TO REFUND OF THE PURCHASE PRICE OR REPLACEMENT OF THE SPECIFIC QUANTITY INVOLVED. IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES.**

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product through any type of irrigation system. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

**AGRICULTURAL USE REQUIREMENTS**

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- coveralls
- waterproof gloves
- shoes plus socks

Crops	Insect Control Aid	Application Rate - Gallons Oil			Time of Application (Stage of Development)
		Dilute Spray per 100 Gal. Water	Concentrate per 20-125 Gal. Water	Aerial* Min. 20 Gal. Spray	
<b>Apples</b>	Apple Red Bug	2	6-8	6-8	Dormant
	European Fruit Lecanium Scale	2	6-8	6-8	Dormant
	Fruit Tree Leaf Roller	3	6-8	6-8	Dormant
	European Red Mite	2	6-8	6-8	Green Tip to Delayed Dormant 1/2" Green
	San Jose Scale	2	6-8	6-8	Delayed Dormant 1/2" Green
	Soury Scale	3	6-8	6-8	Delayed Dormant 1/2" Green
<b>Pears</b>	Fruit Tree Leaf Roller	3	4-6	4-6	Dormant
	Pear Leaf Blister Mite	3	4-6	4-6	Dormant
	Pear Psylla	2	4-6	4-6	Late Dormant
	Obscure Scale	3	6-8	6-8	Dormant
<b>Peaches</b>	Cottony Peach Scale	3	4-6	6-8	Dormant
<b>Sweet Corn Field Corn</b>	Ear Worms	2	NR	NR	Summer
	Fall Army Worm				Spring-Early
	Corn Root Worm				
<b>Sugar Beets</b>	Mites	2 gal/acre	NR	NR	As Needed
	Leaf Miner				

\* Aerial application should be used only as emergency application when soil conditions do not permit regular ground application (helicopter only)  
NR = not recommended

Crops	Insect Control Aid	Dilute Gals./100 Gals.	Concentrate* Gal./Acre
<b>Citrus</b>	Citrus Rust Mite Scale Insects Greasy Spot Disease	1	10
	Spider Mites Whitefly Loosens Sooty Mold	0.5	5

\* Apply in sufficient water and manner to assure thorough distribution.





# SUNSPRAY 7E

A superior horticultural spray oil for insect and mite pest management

Active Ingredient: Refined Petroleum Distillate*	98.8 wt%
Other Ingredient: Emulsifier	1.2 wt%
	100.0 wt%
*Unulfonated Residue of Refined Petroleum Distillate	92.0 % Min
*50% Distillation Point of Refined Petroleum Distillate	435.0 °F
*Flash Point	345.0 °F
Weight per Gallon	7.1 lbs.

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

## FIRST AID

### If swallowed:

Immediately call a poison control center or doctor.

DO NOT INDUCE VOMITING unless told to do so by a poison control center or doctor.

Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

### If in eyes:

Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing the eye.

Call a poison control center or doctor for treatment advice.

### If on skin or clothing:

Take off contaminated clothing.

Rinse skin immediately with plenty of water for 15-20 minutes followed by washing with soap & water.

Call a poison control center or doctor for treatment advice.

### If inhaled:

Move person to fresh air.

Call a poison control center or doctor for further treatment advice.

### HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-964-8861 for emergency medical treatment information.

### NOTE TO PHYSICIAN

Contains petroleum distillate — vomiting may cause aspiration pneumonia. Aspiration may occur after swallowing or vomiting and results in serious, and sometimes delayed, lung injury.

According to the California Safe Drinking Water and Toxic Enforcement Act of 1986 Regulations, otherwise known as "Proposition 65":  
**ATTENTION: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.**

## PRECAUTIONARY STATEMENTS

### Hazards to humans & domestic animals

#### CAUTION

Avoid contact with eyes, skin and clothing. Harmful if swallowed. Avoid breathing of spray mists or vapors. Avoid contamination of feed or food stuffs.

## PERSONAL PROTECTIVE EQUIPMENT (PPE)

### Applicators and other handlers must wear:

Long-sleeved shirt and long pants

Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

## USER SAFETY RECOMMENDATIONS

Users should: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

## ENVIRONMENTAL HAZARDS

This product is toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

## STORAGE AND DISPOSAL

- 1. Prohibitions:** Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.
- 2. Storage:** Store in a cool, dry, locked area out of the reach of children. Keep oil container tightly closed in storage to prevent entry of water.
- 3. Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
- 4. Container Disposal:** Metal: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Plastic: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.



**Sunoco, Inc. (R&M)**  
Ten Penn Center  
1801 Market Street  
Philadelphia, PA 19103-1699

**EPA Registration No. 862-8**  
**EPA Establishment No. 862-OK-1**  
**Net Content: BULK**

See additional Precautionary Statements inside booklet.  
See Directions for Use inside booklet