

862-11

03/09/1973

1/2



03/09/1973
05:00:00

REBRANDER USE ONLY

SUNSPRAY 6E

EPA REG. 862-11

ACCEPTED
MAR 9 1973
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
AND UNDER NO. 862-11 SUBJECT
TO ATTACHED COMMENTS.

CAUTION: KEEP OUT OF REACH OF CHILDREN
Harmful if swallowed. If swallowed, do not induce vomiting.
Avoid Breathing of vapors and spray mists. Do not pollute fish and
wildlife waters by rinsing or draining of equipment.

BY WT.

| | |
|--|-------------|
| ACTIVE INGREDIENTS: Refined Petroleum Distillate* .. | 98.8% |
| INERT INGREDIENTS | 1.2% |
| | <u>100%</u> |

| | |
|--|--|
| *Unulfonated Residue of Petroleum Distillate | 94% Min. |
| Grade of Oil | '60' Superior / FC-412-66 / Unclassified |
| Weight per Gallon | 7.1 lbs. |

FOR FRUIT TREES • SHADE TREES • SHRUBS • SUGAR BEETS AND SWEET CORN

TERMS—Seller's guarantee shall be limited to the terms of the label and subject thereto the buyer/user accepts the product on these conditions. Timing and method of applications, wea-

ther, and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller.

Sun Oil Company, 1608 Walnut St., Philadelphia, Pa., 19103

55 GALLONS NET • U.S. STANDARD

A-6084 Printed in U.S.A.

DIRECTIONS FOR USE

| CROP | INSECT CONTROL AID | Application Rate 6E Gallons per 100 Gallons of Dilute Spray | Time of Application (Stage of Development) |
|----------------|-------------------------------|---|--|
| APPLES | Apple Red Bug | 2 | Dormant |
| | European Fruit Lecanium Scale | 2 | Dormant |
| | Fruit Tree Leaf Roller | 3 | Dormant |
| | European Red Mite | 2 | Green Tip to Delayed Dormant ½" Green |
| | San Jose Scale | 2 | Delayed Dormant ½" Green |
| PEARS | Scurfy Scale | 3 | Delayed Dormant ½" Green |
| | Fruit Tree Leaf Roller | 3 | Dormant |
| | Pear Leaf Blister Mite | 3 | Dormant |
| PECANS | Pear Psylla | 2 | Late Dormant |
| | Obscure Scale | 3 | Dormant |
| PEACHES | Cottony Peach Scale | 3 | Dormant |
| PLUMS & PRUNES | European Red Mite | 2 | Dormant to Delayed Dormant ½" Green |
| | European Fruit Lecanium Scale | 2 | ½" Green |

| CROP | % or Gallons of 6E per 100 Gallons of Water | Chemical or Pesticide | Post Bloom |
|--|---|---|------------------------------|
| CITRUS: Scales: Glover (long), Chaff, Purple, Red, Yellow, Snow, Brown Soft Scale California Red Scale | 1.0-1.3 | | March & April |
| | 1.3-1.6 | | |
| Scales Listed above & Rust Mite, Greasy Spot, & Sooty Mold (Florida only) California Red Scale | 1.0-1.3 | 1 lb. Zineb— 75% WP—or— ¼ Pt. Chloro- benzilate 4 | March & April |
| | 1.0-1.3 1.3-1.6 | | |
| Scales Listed above & Spider Mites, Black Scale, White Fly California Red Scale (do not use in California) | 0.5-0.7 | ¾ Pt. Ethion 4* ¼ Pt. Parathion 4* 1 Pt. Malathion 5* | Summer (June- July 15) |
| | 0.5-0.7 | | |
| | 0.5-0.7 | | |
| | 0.65-0.9 | | |
| Scale Insects in Post Bloom for Oil, Greasy Spot, & Sooty Mold (Florida only) | 1.0-1.3 | | Summer (June- July 15) |

*Add Zineb or Chlorobenzilate as listed above for Rust Mite

SEE MIXING DIRECTIONS ON OPPOSITE PANEL

ACCEPTED
Mar. 9, 1973
UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND ROENTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO. 862-11 SUBJECT TO ATTACHED COMMENTS.

SUNOCO

REBRANDER USE ONLY

SUNSPRAY 6E

EPA REG. 862-11

| ACTIVE INGREDIENT: | BY WEIGHT |
|--------------------|-----------|
| PARAFFINIC OIL | 98.8% |
| INERT INGREDIENTS | 1.2% |
| | 100% |

Unulfonated Residue 94% min.
Grade of Oil 60 Superior/FC-412-66/Unclassified
Weight per Gallon 7.1 lbs.

Sun Oil Company, 1608 Walnut St., Philadelphia, Pa. 19103

CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. If swallowed, do not induce vomiting.
Avoid Breathing of vapors and spray mists. Do not pollute fish and wildlife waters by rinsing or draining of equipment. See other cautions

55 GALLONS NET · U.S. STANDARD

Keep oil contain
prevent entry o
perature is abo
of freezing.

ON CITRUS: Do n
wilting. Oil applic
affect solids cont
October 1 may in
serve all caution
products used in
tion with or im
applications of D
Folpet, Dyrene, K
tank mixtures for

1. Add sufficient
proper agitation
2. Add other desir
mixing thorough
3. Add oil under
with water to fo
4. Maintain agitati
5. In small equipm
diluted spray fr

TIMING THE TREA
for general use. Y
fit local growth and

DO NOT EXC
APPLY LATE

Seller's guarantee
the label and subj
the product on the
of applications, w
tures with other
mended, and othe
this product are