

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

CROP	INSECT CONTROL AID	Application Rate 6E Gallons per 100 Gallons of Dilute Spray	Time of Application (Stage of Development)
APPLES	Apple Red Bug	2	Dormant
	European Fruit	2	Dormant
	Lecanium Scale	3	Dormant
	Fruit Tree Leaf Roller	2	Green Tip to Delayed Dormant
	European Red Mite	2	1/2" Green
	San Jose Scale	2	Delayed Dormant
PEARS	Scurfy Scale	3	1/2" Green
	Fruit Tree Leaf Roller	3	Dormant
	Pear Leaf Blister Mite	2	Dormant
	Pear Psylla	2	Late Dormant
PECANS	Obscure Scale	3	Dormant
PEACHES	Cottony Peach Scale	3	Dormant
SHADE TREES	Spider Mites	3	Dormant
	Scales	2	Summer
ORNAMENTALS	Certain Caterpillars	2	Summer
	Plant Bugs	3	Summer
SHRUBS	Same As Trees	3	Dormant
SWEET CORN FIELD CORN	Ear Worms	2	Summer
	Fall Army Worm	2	Spring-early
SUGAR BEETS	Corn Root Worm	2	Spring-early
	Mites	2 gal/acre	As Needed
SUGAR BEETS	Leaf Miner	2 gal/acre	As Needed

CROP	% or Gallons of 6E per 100 Gallons of Water	Chemical or Pesticide	Post Bloom
CITRUS	Scales: Glover (long) chaff, purple, red yellow, snow, brown soft scale	1.0-1.3	March & April
	California red scale	1.3-1.6	March & April
Scales listed above and rust mite, greasy spot & sooty mold (Florida only)	California red scale	1.0-1.3	March & April
	California red scale	1.3-1.6	March & April
Scales listed above & spider mites, black scale, white fly	California red scale	0.5-0.7	Summer (June - July 15)
	California red scale	0.5-0.7	Summer (June - July 15)
Scale insects in post bloom for oil, greasy spot, and sooty mold (Florida only)	California red scale	0.5-0.7	Summer (June - July 15)
	California red scale	0.5-0.7	Summer (June - July 15)

*Add Zineb or Chlorobenzilate as listed above for rust mite.

SUN

SUNSPRAY 6E

A SUPERIOR HORTICULTURAL SPRAY OIL

ACTIVE INGREDIENT: PARAFFINIC OIL 98.8%
 INERT INGREDIENT EMULSIFIER 1.2%
 Unsulfonated Residue 92% min.
 Flash Point 345F min.
 Weight per Gallon 7.1 lbs.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Avoid breathing of spray mists or vapors. Wash hands after using. Avoid contamination of food or foodstuffs.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Do Not Induce Vomiting.
 If On Skin: Wash With Soap and Water
 If In Eyes: Flush With Water

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

STORAGE AND DISPOSAL

- 1. Prohibitions:** Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.
- 2. Pesticide Disposal:** Pesticide, spray mixture, or residue that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.
- 3. Container Disposal:** (a) Reseal container and offer for reconditioning, or (b) triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in approved landfill, or bury in a safe place.
- 4. General:** Consult Federal, state or local disposal authorities for approved alternative procedures.

EPA REG. NO. 862-11

55 GALLONS NET - U.S. STANDARD

SUN

Sun Refining and Marketing Company

Since

TEN PENN CENTER, 1801 MARKET STREET, PHILADELPHIA PA 19103

USES

1. For use as a carrier for *Bacillus thuringiensis* when applied through a mist blower or cold fog machine.
2. May be used with Etkin and Parathion* to obtain two modes of insecticidal action.
3. May be used with permethrin on cotton only.
4. May be used in tank mix with Lorsban on apples, pears, plums, prunes, peaches, sweet corn and field corn.
5. May be used in tank mix with Supracide* on apples, pears, plums, prunes, pecans, peaches, ornamentals including shade trees and shrubs, citrus (oranges, grapefruit, lemons).
6. May be used as a spreader or carrier for certain synthetic organic insecticides applied for pest control in/on habitable buildings.

*Note: Supracide and Parathion are "Restricted Use Pesticides".

CONTROLS

A wide range of mite and insect pests in the egg stage such as: spider and eriophyid mites, armored and soft scales, mealybugs, psyllids, whiteflies, aphids, leafrollers, leafhoppers, webworms, cankerworms, plant bugs, leafhoppers, and adelgids. Will kill other immature forms if spray covers the insect.

CAUTION

Keep oil container tightly closed in storage to prevent entry of water. All horticultural oils interfere with or slow plant transpiration and respiration during the period of evaporation. Do not apply during periods of drought or when plants exhibit moisture stress. Do not use in combination with or immediately before or after spraying with dinitro compounds, fungicides such as Captan, Folpet, Dyrene, Karathene, Morestan or any other product containing sulfur. Also do not use with Sevin or dimethlate.

TANK MIXES

It is important for users to read and follow all directions and restrictions on the labels of the proposed tank mix products.

ORNAMENTAL PLANTS

Oil might remove the glaucous (blue) bloom from such evergreens as Colorado blue spruce and Koster spruce. Use with caution & reduced dosage for summer application on Japanese Red Maple, Amur Maple & Black Walnut. Use with caution & reduced dosage for dormant application on Sugar Maple & Redbud.

CITRUS

Oils applied after October may increase cold damage to trees; applied in August and September may affect solid contents, retard color.

TIMING THE TREATMENT

You must determine the precise timing to fit local growth and climatic conditions.

MIXING DIRECTIONS

Add sufficient water to the mixing tank to allow proper agitation. Maintain agitation until solution is used. If other pesticides are to be added, do so after the water and oil have been thoroughly mixed.

TERMS

Seller's guarantee shall be limited to the terms of the label and subject thereto the buyer/user accepts the product on these conditions. Time and method of application, weather, and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller.