862-1

07/05/1980

DIRECTIONS FOR USE

It is a violation of Federal law to use the product in a manner inconsistent with its labeling. Do not apply this product through any type of irrigation system.

CROP	INSECT CONTROL AID	Application Rate 6E Gallons per 100 Gallons of Dilute Soray	Time of Application (Stage of Development)
APPLES	Apple Red Bug	2	Dormant
1	European Fruit		Dormant
	Lecanium Scale	2	Dormant
	Fruit Tree	3	Dormant
	Leaf Roller		
1	European	2	Green Tip to
	Red Mite		Delayed Dormant
	0 1 0 1		1/2" Green
	San Jose Scale	2	Delayed Dormant
	6t-5t-	_	½" Green
	Scurfy Scale	3	Delayed Dormant
		Ĺ	1/2" Green
PEARS	Fruit Tree	3	Dormant
FLA:~	Leat Botter	,	Coman
	Pear Leaf	3	Dormant
	Blister Mite	,	Comani
	Pear Psylla	2 .	Late Dormant
			Cale Domain
PECANS	Obscure Scale	3	Dormant
PEACHES	Cottony Peach Scale	3	Dormant
PLUMS &	European Red Mite	2	Dormant to
PAUNES	European Fruit		Delayed Dormant
1	Lecanium Scale	2	¹/₂ Green
SHADE	0-14484		B
TREES	Spider Mites	3 2	Dormant
IHEES	Scales	2 :	Summer
	Certain		
	Caterpillars		
ORNA-	Plant Bugs	3	Dormant
MENTALS	i iani uuy y	2	Summer
······································		-	CATHIND
SHRUBS	Same As Trees	3	Dormant
SWEET	Far Worms	2	Summer
CORN	Fall Army Worm	_	Spring early
FIELD	Corn Root Worm		Spring early
CORN	00,100.11101		oping only
SUGAR	Mites	2 gal/acre	As Needed

CROP	% or Gallons of 6E per 100 Gallons of Water	Chemical or Pesticide	Post Bloom
CITRUS Scales: Glover (long) chaff, purple, red, yellow, snow, brown soft scale California red scale	1.0-1.3 1.3-1.6		March & April
Scales listed above and rust mite, greasy spot & sooty mold (Florida only) California red scale	1.0-1.3 1.0-1.3 1.3-1.6	Zinėo— 75% WP-Q-Q- Chloroberizilate 4	March & Aor#
Scales listed above & spider mites, black scale, white fly California red scale (Do not use in California)	0.5-€ 7 0.5-0.7 0.5-0.7 0.65-0.9	Ethion 4* Parathion 4* Valathion 5*	Sumr er (Ju. e- July 15)
Scale insects in post bloom for oil, greasy spot, and sooty mold (Florida only)	1 0-1.3		Summer (June– July 15)

^{*}Add Zineb or chlorobenzilate as listed above for rust mite.



A superior horticultural spray oil for use in the formulation of insecticides.

NET CONTENTS	55 Gal
CAUTION: KEEP OUT OF REA Harmful if swallowed. Avoid breathing of spray mists or vapo Wash hands after using. Avoid contamination of food or food s	A C C A C A C A C A C A C A C A C A C A
STATEMENT OF PRACTICAL TREATMEN If swallowed: do not induce vomiting. If on skin: wash with soap and water. If in eyes: flush with water.	

PRECAUTIONARY STATEMENTS

Hazards to humans and domestic animals. Refer to the Material Safety Data Sheet for further information. See side panel for additional precautionary statements.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this product directly into lakes, streams, ponds, estuaries, oceans or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the Environmental Protection Agency.

STORAGE AND DISPOSAL

- 1. **Probibitions:** Do not contaminate water, food, or feed by storage or disposal Open dumping is prohibited.
- Storage: Store in a cool, dry, locked area out of the reach of children. Keep oil container tightly closed in storage to prevent entry of water.
- 3. Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
- 4. Container Disposal: Metal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Plastic: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

EPA REG. NO. 862-11

BULK **U.S. STANDARD**



TEN PENN CENTER, 1801 MARKET STREET, PHILADELPHIA, PA 19103

CAUTION

Keep oil container lightly closed in storage to prevent entry of water. Roll drum before use. All norticultural oils interfere with or slow plant transpiration and respiration during the period of evaporation. Do not apply during periods of drought or when plants exhibit moisture stress. Do not use in combination with or immediately before or after spraying with dinitro compounds, tungicides such as Captan, Folpet, Dyrene, Karathene, Morestan or any other product containing sulfur. Do not use with Sevin brand 50W carbaryl on deciduous fruit trees. Also do not use with dimethoate

TANK MIXES

It is important for users to read and follow all directions and restrictions on the labels of the proposed tank mix products

ORNAMENTAL PLANTS

Oil might remove the glaucus (blue) bloom from such evergreens as Colorado blue spruce and Koster spruce. Use with caution and reduced dosage for summer application on Japanese Red Maple, Amur Maple and Black Walnut. Use with caution and reduced dosage for dormant application on Sugar Maple and Redbud.

CITOLIS

-

Oils applied after October may increase cold damage to trees; applied in August and September may affect solid contents, retard color.

TIMING THE TREATMENT

You must determine the precise timing to fit local growth and climatic conditions.

MIXING DIRECTIONS

Add sufficient water to the mixing tank to allow proper agitation. Maintain agitation until solution is used. If other pesticides are to be added, do so after the water and oil have been thoroughly mixed.

RE-ENTRY STATEMENT

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons. Do not enter treated areas without protective clothing until sprays have dried. Because certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in treated areas or in an area about to be treated with this product. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Written warnings must include the following information:

"CAUTION—Ārea treated with Superior Oil on (date). Do not enter without appropriate protective clothing until sprays have dried." In case of accidental exposure refer to Statements of Practical Treatment found on this product label.

ERMS

Seller's guarantee shall be limited to the terms of the label and subject thereto the buyer/user accepts the product on these conditions. Timing and method of applications, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller.

USE

- For use as a carrier for Bacillus thuringiensis when applied through a mist blower or cold fog machine.
- May be used with Ethion and Parathion* to obtain two modes of insecticidal action.
- 3. May be used with Permethrin on cotton only.
- May be used in a tank mix with Lorsban on apples, pears, plums, prunes, peaches, sweet corn and field corn.
- May be used in a tank mix with Supracide* on apples, pears, plums, prunes, peaches, ornamentals including shade trees and shrubs, citrus (oranges, grapefruit, lemons).
- May be used as a spreader or carrier for certain synthetic organic insecticides applied for pest control in/on habitable buildings.
- *Note: Surpracide and Parathion are "Restricted Use Pesticides."

CONTROL

A wide range of mite and insect pests in the egg stage such as: spider and eriophyid mites, armored and soft scales, mealy-bugs, psyllids, whiteflies, aphids, leafrollers, leaftiers, webworms, cankerworms, plant bugs, leafhoppers, and adelgids. Will kill other immature forms if spray covers the insect.

JUL - 5 1988

Under the Ferrical Intentification Fungh jide, e. tericide Act. Territorial. a asiloid**e** registered un EPA Reg. No.

A superior horticultural spray oil for use in the formulation of insecticides.

ACTIVE INGREDIENT: Refined Petroleum Distillate*	By Wt.
ACTIVE INGREDIENT: Refined Petroleum Distillate*	98.8%
INERT !NGREDIENT: Emulsifier	<u>1.2%</u>
	100%
*Unsulfonated Residue of Petroleum Distillate	. 92% Min.
*50% Distillation Point of Petroleum Distillate	414°F
*Flash Point	
Weight per Gallon	7.1 lbs.
NET CONTENTS	55 Gal.

CAUTION: KEEP OUT OF REACH OF CHILDREN.

Harmful if swallowed.

Avoid breathing of spray mists or vapors.

Wash hands after using.

Avoid contamination of food or food stuffs. Do not apply this product through any type of irrigation system.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: do not induce vomiting.

If on skin: wash with soap and water. If in eyes: flush with water.

PRECAUTIONARY STATEMENTS

Hazards to humans and domestic animals. Refer to the Material Safety Data Sheet for further information.

STORAGE AND DISPOSAL

- 1. Prohibitions: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.
- 2. Storage: Store in a cool, dry, locked area out of the reach of children. Keep oil container tightly closed in storage to prevent entry of water.
- 3. Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
- 4. Container Disposal: Metal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Plastic: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities. by burning. If burned, stay out of smoke.

MISUSE STATEMENT

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

EPA REG. NO. 862-11

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this product directly into lakes, streams, ponds, estuaries, oceans or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the Environmental Protection Agency.

RE-ENTRY STATEMENT

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons. Do not enter treated areas without protective clothing until sprays have dried. Because certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in treated areas or in an area about to be treated with this product. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Written warnings must include the following information: "CAUTION—Area treated with Superior Oil on (date). Do not enter without appropriate protective clothing until sprays have dried." In case of accidental exposure refer to Statement of Practical Treatment found on this product label.

TERMS

Seller's guarantee shall be limited to the terms of the label and subject thereto the buyer/user accepts the product on these conditions. Timing and method of applications, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the acker.

BULK # U.S. STANDARD

