



HARRISON

GENERAL DIRECTIONS

VAPONA Kwik Kil Cattle Spray is a specially prepared ready-to-use insecticide for use in conventional hand, power or automatic spray equipment, electric fogging or misting equipment.

For the control of certain insects attacking animals, apply in accordance with State and Federal recommendations. Do not apply regularly to calves under 6 months of age. Brahman cattle should not be treated as they may show hypersensitivity to organic phosphates.

USE AND DIRECTIONS FOR APPLICATION

Cattle, Dairy and Beef--Flies


(Horn Fly, Stable Fly, Face Fly, House Fly, Mosquito)

Apply 1 to 2 fluid ounces of 1% solution per animal. Must spray daily with hand or automatic sprayer. Spray thoroughly cover all parts of the animal, including the legs, but do not wet the skin. Do not apply in excess of 2 fluid ounces per day per animal. No feed off period is necessary when used on beef animals.

Animals in Horse Stable, Dairy Barns, Auctions and Show Barns (Flies, Gnats, Mosquitoes)

Apply VAPONA Kwik Kil Cattle Spray as a fog or mist. Fogging solution will treat 8000 cubic feet (40' x 20' x 10'). For use in horse stables, the fog or mist can be applied from and around each animal. For fly control, spray the animals with a hand sprayer. For mosquito control, spray the animals with a hand sprayer. For gnat control, spray the animals with a hand sprayer. For general insect control, spray the animals with a hand sprayer. The product is not for use on humans.

VAPONA®*



Kwik-Kil

CATTLE SPRAY

VAPONA Kwik-Kill Cattle Spray is a specially prepared ready-to-use insecticide for use in conventional hand, power or automatic spray equipment, electric fogging or misting equipment.

For the control of certain insects attacking animals apply in accordance with State and Federal recommendations. Do not apply regularly to calves under 6 months of age. Brahman cattle should not be treated as they may show hypersensitivity to organic phosphates.

USE AND DIRECTIONS FOR APPLICATION

Cattle, Dairy and Beef—Flies

(Horn Fly, Stable Fly, Face Fly, House Fly) Mosquitoes.

Apply 1 to 2 fluid ounces of 1.0% solution per animal or mist spray daily with hand or automatic sprayer. Spray thoroughly cover all parts of the animal, including the face but do not wet the skin. Do not apply in excess of 2 fluid ounces per day per animal. No feed off period is necessary when used on beef animals.

Animal Buildings—Horse Stables, Dairy Barns, Auction & Show Barns (Flies, Gnats, Mosquitoes)

Apply VAPONA Kwik-Kill Cattle Spray as a fog or mist. 1 part spray to 100 parts water solution will treat 8000 cubic feet (40 X 20 X 10) in dairy barns, before milking the fog or mist can be applied over and around each animal to kill flies. Before applying reduce air movement as much as possible by closing doors, windows and other openings. Do not use this solution for fogging or misting purposes in areas where animals have received a direct application within 8 hours. Do not contaminate water, feed or foodstuffs, milk or milking utensils. This product is toxic to fish and wildlife.

U.S. PAT. REG. NO. 863

VAPONA*

ACCUMULATED
6-28-72
865-15
UNITED STATES DEPARTMENT OF AGRICULTURE
BUREAU OF ENTOMOLOGY AND PLANT QUARANTINE
WASHINGTON, D. C. 20250

Kwik-Kill

CATTLE SPRAY

FOR USE IN ALL TYPES OF FOGGERS AND SPRAYERS

* CONTAINS VAPONA® INSECTICIDE

MANUFACTURED BY HARRISON OIL COMPANY INC. • MILWAUKEE, WISCONSIN

NET CONTENTS 2 U.S. GALLONS

RIGHT HALF

CUST. <i>3</i>	DESIGN <i>3</i>	NO. PROOFS <i>3</i>
ENG. <i>3</i>	DATE <i>6-28-72</i>	PROOF DATE <i>6-28-72</i>
S.O. <i>3</i>	SIZE <i>3</i>	CHANGE A
C.E. <i>3</i>	B.P. <i>3</i>	CHANGE B
CUSTOMER SIGNATURE		CHANGE C

ARTIST



HARRISON

1% VAPONA INSECTICIDE
READY-TO-USE
ANIMAL SPRAY SOLUTION

For the control of Horn Flies, Stable Flies, Face Flies, Mosquitoes and House Flies by direct application on Dairy and Beef Cattle.

PRECAUTIONS IN USING

WARNING!

HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN. DO NOT GET IN EYES OR ON SKIN AND DO NOT BREATHE SPRAY MIST. In case of contact with skin or eyes, flush with plenty of water, for eyes get medical attention. Keep away from open flame. Wash thoroughly with soap and water after handling and before eating or smoking. Do not contaminate feed, water, or feedstuffs. If swallowed, induce vomiting immediately and get medical attention. Atropine and 2-PAM are antidotes.

DECONTAMINATE AND DESTROY USED CONTAINERS. Do not re-use for any purpose. Decontaminate containers by rinsing thoroughly with water and a detergent. Destroy containers by breaking and burying fragments in isolated area. If pose of rinsing in a way is not to constitute a hazard, or contaminate potable water supplies.

VAPONA®*

Kwik-Kil

CATTLE SPRAY

READY-TO-USE
ANIMAL SPRAY SOLUTION

VAPONA*

Kwik-Kil

**CATTLE
SPRAY**

For the control of Horn Flies, Stable Flies, Face Flies, Mosquitoes and House Flies by direct application on Dairy and Beef Cattle.

PRECAUTIONS IN USING

WARNING!

HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN. DO NOT GET IN EYES OR ON SKIN AND DO NOT BREATHE SPRAY MIST. In case of contact with skin or eyes, flush with plenty of water, for eyes get medical attention. Keep away from open flame. Wash thoroughly with soap and water after handling and before eating or smoking. Do not contaminate feed, water, or feedstuffs. If swallowed, induce vomiting immediately and get medical attention. Atropine and 2-PAM are antidotal.

DECONTAMINATE AND DESTROY USED CONTAINERS: Do not re-use for any purpose. Decontaminate containers by rinsing thoroughly with water and detergent. Destroy containers by breaking and burying fragments in isolated area. Dispose of rinsings in a way as not to constitute a hazard, or contaminate potable water supplies.

FOR USE IN ALL TYPES OF FOGGERS AND SPRAYERS

* CONTAINS
VAPONA® INSECTICIDE

KEEP OUT OF THE
REACH OF CHILDREN

WARNING!

SEE SIDE PANEL FOR
ADDITIONAL WARNINGS

ACTIVE INGREDIENTS 100%
Petroleum Hydrocarbons 99.00%

2, 2-Dichlorovinyl Dimethyl Phosphate 0.93%*
Related Compounds 0.07%*

*Equivalent to 1% VAPONA® Insecticide.

NET CONTENTS 2 U.S. GALLONS

LEFT HALF

CUST.	DESIGN	NO. PROOFS	ARTIST
ENG. 3	DATE	PROOF DATE	
SIZE	B.P.	CHANGE A	
		CHANGE B	
		CHANGE C	

CATTLE SPRAY

KEEP OUT OF THE
REACH OF CHILDREN

WARNING!

SEE INSE PANEL FOR
ADDITIONAL WARNINGS

ACTIVE INGREDIENTS 100%
Petroleum Hydrocarbons 99.00%

2, 2-Dichlorovinyl Dimethyl Phosphate 0.93% *
Related Compounds 0.07% *

*Equivalent to 1% VAPONA® Insecticide.

NET CONTENTS 2 U.S. GALLONS

DE