

REGISTRATION DIVISION
PESTICIDES EPA

DIRECTIONS FOR USE: (mirrored text from reverse side of box)
The bait boxes are filled with GREEN LIGHT RAT AND MOUSE BAIT. (mirrored text)
Directions for use are printed on the side panels of the boxes. (mirrored text)
Bait should be placed in areas frequented by rats or mice, but protected from children, pets, livestock and (mirrored text)
For mouse control, place tablespoon amounts of bait in (mirrored text)
Repeat application as necessary. (mirrored text)
If no bait is observed, it indicates that the bait is effective. (mirrored text)
In the case of hemorrhage caused by over (mirrored text)
Do not use on wild animals. (mirrored text)
Keep out of reach of children and pets. (mirrored text)

HOME PACKAGE - READY TO USE - IN HANDY, INDIVIDUAL BAIT BOXES

NET CONTENTS: 1 LB.—This package contains four convenient boxes of 4 baits each.



GREEN LIGHT

GREEN LIGHT Product

RAT and MOUSE BAIT


KILLS

CAUTION: Keep Out of Reach of Children
See side panels for additional cautions.

Active Ingredient:	
*3-(Alpha-Acetylfurfuryl)-4-Hydroxycoumarin	0.025%
Inert Ingredients	99.975%
Total	100.000%

E.P.A. REG. NO. 869-10-AA

Contains * "Fumarin"






HOME PACKAGE


GREEN LIGHT

RAT and MOUSE BAIT

Contains * "Fumarin"



GREEN LIGHT RAT and MOUSE BAIT kills slowly and rodents must eat small quantities over a period of 15 days. Examine the bait boxes daily for the first five days and promptly replace empty boxes with full ones.



GREEN LIGHT RAT and MOUSE BAIT kills slowly and rodents must eat small quantities over a period of 15 days. Examine the bait boxes daily for the first five days and promptly replace empty boxes with full ones.

Caution: GREEN LIGHT RAT and MOUSE BAIT contains as its active ingredient an anti-coagulant chemical which, if taken by humans, domestic animals, pets or wildlife, may reduce the clotting ability of the blood and serious hemorrhage may result.

Note to Physicians: If swallowed by humans, domestic animals, or pets, this material may reduce the clotting ability of the blood and cause bleeding. In such case, intravenous and oral administration of Vitamin K combined with blood transfusions may be indicated, as in the case of hemorrhage caused by overdoses of bishydroxycoumarin.

GREEN LIGHT RAT and MOUSE BAIT STATION

Net wt. 4 oz.
Active Ingredient:
3-(Alpha-Acetylfurfuryl)-
4-Hydroxycoumarin* 0.025%
Inert Ingredients 99.975%

Mfg. by GREEN LIGHT CO. San Antonio, Texas

GREEN LIGHT RAT and MOUSE BAIT STATION

Net wt. 4 oz.
Active Ingredient:
3-(Alpha-Acetylfurfuryl)-
4-Hydroxycoumarin* 0.025%
Inert Ingredients 99.975%

E.P.A. REG. NO. 869-10-AA

GREEN LIGHT CO. San Antonio Texas 78246

FOR RATS

Break perforations and remove plugs. Place the four bait boxes in locations frequented by rats, but protected from children, pets, livestock and wildlife. Replace bait boxes when empty. Keep bait out for at least 2 weeks.

GENERAL DIRECTIONS FOR MICE —

Place Bait in locations where mice feed, water, or travel. Bait placements along walls, in corners, and in concealed locations where mice can feed unobserved are desirable. Place tablespoon amounts of Bait at 8 to 12-foot intervals. An uninterrupted supply of Bait should be maintained for at least 15 days. Treated Bait should be placed in locations not accessible to children, pets, wildlife, and domestic animals or in tamper-proof bait boxes. Contaminated or spoiled Bait should be replaced promptly. Baiting should be continued until all signs of feeding have stopped.

LEAVE IN PLACE AT LEAST 2 WEEKS

GREEN LIGHT

RAT and MOUSE BAIT

Contains "Fumarin"

CAUTION: Keep Out of Reach of Children

INSPECT DAILY — REPLACE WHEN EMPTY

See other cautions on side of box. Punch here and tear out perforations. Place in locations frequented by rats and mice.

NET WT. 4 OZ.