

GREEN LIGHT 72% CHLORDANE  
EMULSIFIABLE CONCENTRATE

KILLS: SUBTERRANEAN TERMITES

ACTIVE INGREDIENTS:

Technical Chlordane* .....	72%
Petroleum Distillates .....	21%
INERT INGREDIENTS .....	7%
Total	100%

Contains 8 lbs. technical Chlordane per gallon.

\*Equivalent to 43.2% octachloro-4,7-methanotetrahydroindane and 28.8% related compounds.

KEEP OUT OF REACH OF CHILDREN

WARNING

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back or throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

NOTE TO PHYSICIAN: See U.S. Environmental Protection Agency Pesticide Programs Publication "Clinical Handbook on Economic Poisons". pages 55-57.


See side panel for additional precautionary statements.

Distributed by Green Light Co., San Antonio, TX 78217

EPA Est. No. 869-TX-1

EPA Reg. No. 869-14

Net Contents Half Gallon



PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS  
WARNING

May be fatal if swallowed. Contact with skin can cause toxic symptoms. Avoid breathing spray mist and skin contact. In case of spillage on skin, wash immediately with soap and water.

ENVIRONMENTAL HAZARDS

This product is highly toxic to fish, birds and other wildlife. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL or CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE  
NON-PROFESSIONAL USERS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE: Store out of reach of children and domestic animals. Do not store near heat or open flame. Put safety closure back on bottle after use and before storing.

DISPOSAL: Do not reuse empty container. Rinse thoroughly before discarding in trash.

SUBSTRANEAN TERMITES-TERMITE CONTROL IN EXISTING STRUCTURES. Buildings with basements or crawl-spaces: Use a soil drench or spray in a 1% water emulsion. To prepare a 1% mixture use 1 gallon 72% Chlordane in 95 gallons of water. First remove all wood debris and forms. Around piers, pipes, chimney bases and along foundations of poured concrete dig a trench 6 inches wide and 4 inches deep. For brick and block foundations dig the trench about 12 inches deep. If footing is more than 12 inches deep, make holes with a crowbar, pipe or rod about one foot apart that extend from the trench bottom to the top of the footing. Make holes closer in hard-packed clay soils. NEVER DIG BELOW THE TOP OF THE FOOTING. Apply the emulsion in the trench at a rate of 4 gallons per 10 linear feet per foot of depth. Apply half of this to the back-fill. Likewise, treat along the inside of foundations or crawl-space buildings. Cover treated soil with a thin layer of untreated soil.

For raised porches, terraces, and entrance slabs, drill holes at one foot intervals, 6 inches from the foundation, and pour 1/2 gallon of emulsion into each hole. Refill holes. Slabs with heat ducts or radiating heat pipes should be treated by commercial pest control operator.

The object is to establish a treated soil barrier which will prevent termite entry. Other critical areas may also require treatment, particularly if there are inaccessible areas, basements or slab-type construction. It is suggested that you contact a Commercial Pest Control Service.

Avoid contamination of public and private water supplies by following these precautions. Do not allow a hose or any type of faucet extension to reach into the termite chemical solution while filling or mixing this material with water. Use anti-back-flow or anti-siphonage equipment on all filling equipment. These devices can be purchased at hardware or plumbing supply stores. Use of anti-back-flow equipment will help to insure that the user of this toxic chemical will not contaminate domestic water supplies. Refer to Federal (Federal Housing Administration), state, and local specifications for safe distances of treatment areas from wells. Soil in the vicinity of wells, cisterns or ponds should not be treated if it is water saturated, subject to excessive saturation due to an accumulation of water or if the soil to be treated around the perimeter of the structure is at a grade lower than surrounding yard or property area. If this is the situation treat as follows: Do Not Apply Under Pressure. Soil should be removed to an area safe from well or domestic water contamination, treated, allowed to stand undisturbed for two to four hours then returned to the trench which has been lined with 4 mil. plastic sheeting. Be careful not to puncture the plastic sheeting when returning soil to the trench. Do not treat structures that contain cisterns or wells.

#### RETREATMENT RESTRICTIONS

Retreatment for subterranean termites should only be made when there is evidence of re-infestation subsequent to the initial treatment, or there has been a disruption of the chemical barrier in the soil due to construction, excavations, landscaping, etc. Retreatments may be made to critical areas in accordance with the application techniques described above. This application should be made as a spot treatment to these areas. Routine retreatment of the entire premises should be avoided.