

DIRECTIONS FOR USE

FRUIT AND NUTS For general insect feeders such as aphids, spider mites, white flies, mealy bugs, pine shoot moths, lace bugs, euonymus scale, thrips, spray with 1 pint Concentrate in 100 gallons water or 1 teaspoon per gallon. For bagworms, azalea scale, and other scale crawlers, apply 2 pints in 100 gallons water or 2 teaspoons per gallon. Repeat in 12 to 14 days if necessary.

VEGETABLES For general insect feeders such as aphids, spider mites, cucumber beetles, flea beetles, leafhoppers, and cabbage worms on cole crops, pickle worms and vine borer on squash, spray thoroughly with 2 pints Concentrate per 100 gallons water, or 2 teaspoons per gallon. Make no application to any vegetable within 7 days of harvest.

FRUIT AND NUTS For control of codling moth on apples and pears, curculio on peaches, plums, quinces, spray with 1 pint Concentrate in 100 gallons water or 1 teaspoon per gallon. Start when 1/4 petal fall and repeat 2 to 3 times at 10 day intervals. Make no application within 7 days of harvest. For pecan nut case-bearers, apply 1 quart Concentrate per 100 gallons water or 2 teaspoons per gallon. Start treatment after first generation eggs begin to hatch. For proper timing consult State Extension Service Specialists. Make no treatment within 7 days of harvest.

FLEAS IN DOG KENNELS, YARDS AND ON DOGS Spray infested areas with 10 tablespoons (5 ounces) Concentrate in 1 gallon water at rate of 1 gallon mixture to 1,000 square feet. Remove manure and debris before spraying. Wet dogs with 2 tablespoons Concentrate in 1 gallon water. Animals should be closely examined for fleas before re-treating. Repeat treatment not more often than once every 2 or 3 weeks.

STORED GRAIN AND SEED INSECTS Only Premium Grade Malathion should be used for treating grain and seed. For protection of stored grains such as wheat, oats, rice, corn, rye, barley, grain sorghum against confused flour beetles, rice weevils, granary weevils, saw-toothed grain beetles, flat grain beetles, red flour beetles, rusty grain beetles, and lesser grain borers, apply 1 pint Concentrate in 2 to 5 gallons water per 1,000 bushels. Apply as grain is being loaded or turned into final storage.

Field and garden seeds can be protected against above grain pests with a dosage of 1/2 pint Concentrate in 1 to 2 1/2 gallons water per 500 bushels of seed.

CAUTION: Avoid breathing spray mist. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after using. Harmful if swallowed. Avoid contamination of feed and foodstuffs. Keep out of reach of children and domestic animals.

This product is toxic to fish. Keep out of any body of water.

This product is highly toxic to bees exposed to direct treatment of residue on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Note to Physicians: Atropine Sulfate is antidotal.

Apply this product only as specified on this label. Leave in original container. Do not reuse empty bottle. Destroy when empty.

GREEN LIGHT 50% MALATHION

**EMULSIFIABLE CONCENTRATE
PREMIUM GRADE • DEODORIZED**



Kills:
Aphids, red spiders,
mealybugs, bagworms, white
flies, fleas, and many other pests.

CAUTION: KEEP OUT OF REACH OF CHILDREN.
SEE ADDITIONAL CAUTIONS ON BACK OF LABEL.

| | |
|------------------------------------|------------|
| ACTIVE INGREDIENTS | |
| *Malathion | 50% |
| Xylene | 49% |
| INERT INGREDIENTS | 11% |

Total 100%

* O,O-dimethyl dithiophosphate of diethyl mercaptosuccinate.
Derived from 95% technical malathion.

NET CONTENTS
1 QUART

E.P.A. Reg. No. 869-27

GREEN LIGHT COMPANY, San Antonio, Texas 78246

GREEN LIGHT COMPANY, San Antonio, Texas 78246