10/14

Yellen



## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

5483308 301

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Mr. Jeff Luedke Director of Regulatory Affairs and Product Development Green Light Company P. O. Box 17985 San Antonio, TX 78217-0985

Dear Mr. Luedke:

Subject: Deletion of Unsupported Uses And Addition

of Supported Uses

Green Light 50% Malathion EPA Registration No. 869-27

Labeling Submitted March 2, 1995

Federal Register Notice of March 29, 1995


The labeling referred to above, submitted in connection with registration under FIFRA, is acceptable, provided that you:

Submit one copy of your final printed labeling incorporating the following corrections before you release the product for shipment.

- 1. Add the 3 day preharvest interval for peppers.
- 2. Delete the statement, "Causes eye irritation." Replace it with the following precautionary statement and locate it immediately following the signal word, "Warning" located on the back panel of your submitted label. Refer to the copy of the labeling for the 239-739 product previously sent to you with our letter of February 22, 1995.

"Causes substantial but temporary eye injury."

- 3. Relocate the practical treatment statement for eye contact immediately following the heading, "Statemer. of Practical Treatment". Refer to the above referenced 239-739 product label.
- 4. As presently 1. eled, this product falls under the scope of the Worker Protection Standard (WPS) and must bear the required WPS statements as outlined in PR Notices 93-7 and 93-1.



The new protective language must be incorporated into this label for any shipments released after the deadlines that have been established. You may opt to do so immediatly if you are electing the self-verification option.

If it is your intention that the product be marketed only for use by the homeowner, appropriate language must be added to the label to remove it from the scope of the WPS. The present labeling instructions do not limit the use to homeowners. Refer to section IV.E. of PR Notice 93-7 and Supplement F of PR Notice 93-11 for guidance on the removal of homeowner products from the scope of WPS. A copy of each of these referenced sections is enclosed for your reference.

If this condition is not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of this condition.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Robert A. Forrest Product Manager (14) Insecticide-Rodenticide Branch Registration Division (7504C)

少好4

ACCEPTED **wish COMMENTS** in EPA Letter Dated

NOV 0 8 1995

## GREEN LIGHT 50% MALATHION

## Insect Spray

#### Premium Grade Deodorized

Under the Foderal Deceticide. Fungieide, and Podenticide Act as amended, for the pesticide registered under EPA Reg. No.

Spider Mites, Mealybugs, Tent Caterpillars, Whiteflies, Kills Aphids, Bagworms, And Many Other Pests On Vegetables, Ornamentals, Fruits and Nuts.

### ACTIVE INGREDIENT:

Malathion: 0,0-dimethyl phosphorodithioate of diethyl

50% mercaptosuccinate.....

INERT INCREDIENTS\*.... 50%

100%

## KEEP OUT OF REACH OF CHILDREN

WARNING

See Back Panel For Additional Precautionary Statements

Green Light Company P.O. Box 17985 San Antonio, TX 78217-0985

(Back Panel)

EPA Est. No. 869-TX-1

#### PRECAUTIONARY STATEMENTS

EPA Req. No. 869-27

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist. Causes eye irritation. Do not get in eyes, skin or clothing. Wash skin thoroughly after handling. Remove and wash contaminated clothing before reuse.

STATEMENT OF PRACTICAL TREATMENT: If swallowed, do not induce vomiting. Get medical attention. In case of contact, immediately flush eyes and skin with plenty of water while removing contaminated clothing and shoes. Call a physician. Wash clothing before reuse. NOTE TO PHYSICIAN: Atropine is antidotal. 2-PAM may be effective as an adjunct to atropine.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish, aquatic invertebrates, and aquatic life stages of amphibians. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organism areas near application site. Do not contaminate water when disposing of equipment washwaters. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visicing the treatment area.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. DO NOT USE INDOORS.

#### STORAGE AND DISPOSAL

STORAGE: Store in a locked storage area out of reach of children and domestic

<sup>\*</sup>Contains Aromatic Petroleum Distillates

animals. not store near heat or open flame. Leave in original container until used. PESTICIDE DISPOSAL: Leave unwanted pesticide material in original container. Securely wrap original container in several layers of newspaper and discard in trash. CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

**GENERAL INFORMATION:** Spray thoroughly covering both upper and lower leaf surfaces of plants. Apply 2 teaspoons in 1 gallon of water. Repeat as necessary.

VEGETABLES: Tomatoes— For control of Aphids, Spider MItes. Do not apply within 1 day of harvest. Beans— For control of Aphids, Cucumber Beetles, Lygus Bugs, Leafhoppers, Spider Mites. Do not apply within 1 day of harvest. Peppers— For control of Aphids, Pepper Maggots. Cucumbers— For control of Aphids, Leafminers, Cucumber Beetles, Pickleworm, Squash Vine Borer, Spider Mites. Do not apply within 1 day of harvest. Lettuce (Head and Leaf)—For control of Aphids, Leafhoppers, Cabbage Looper, Spider Mites. Do not apply within 7 days of harvesting Head Lettuce; 14 days of harvesting Leaf Lettuce. Onions (Bulb and Green)— For control of Onion Maggots, Onion Thrips. Do not apply within 3 days of harvest. Potatoes (White)—For control of Aphids, Grasshoppers, Leafhoppers, Mealybugs. May be applied on the day of harvest.

ORNAMENTALS: Flowers, Shade Trees, Shrubs—— For control of many insect pests including: Aphids, Spider MItes, Bagworms, Leafminers, Japanese Beetles, Leafhoppers, Thrips, Lace Bugs, Mealybugs, Whiteflies, Tent Caterpillars, Scale.


NOTE: Injury may occur on Ferns, Viburnum, Lantana, Crassula, Canareti Juniper and Petunias.

FRUITS: Strawberries, Peaches, Grapes— For control of Aphids, Leafhoppers, Mealybugs, Spider MItes, Spittlebugs, Thrips, Whiteflies, Strawberry Leafroller. Do not apply within 3 days of harvest on strawberries and grapes; 7 days on peaches.

Grapefruit, Oranges— For control of California Red Scale, Citricola Scale, Purple Scale, Soft Brown Scale, Yellow Scale. Do not apply when trees are in bloom. Do not apply within 7 days of harvest.

NUTS: Pecans—— For control of Phylloxera, Fall Webworm, Walnut Caterpillar, Pecan Casebearer, and Aphids. Contact your local Cooperative Agricultural Extension Specialist for timing of sprays.

MOSQUITO CONTROL: Apply 8 tablespoons (4 ounces) per 1 gallon of water for control of adult mosquitoes. Spray outside along building foundation and under shrubbery.



# **BEST AVAILABLE COPY**