

PM-14

Reg # 869-27
UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

175

5498107

300
18

DEC 20 1995

Jeff Luedke
Green Light Company
P.O. Box 17985
San Antonio, TX 78217-0985

Dear Mr. Luedke:

Subject: Green Light 50% Malathion
EPA Registration No. 869-27
Amendment dated November 27, 1995

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable provided that you make the following changes:

1. As indicated in our letter to you dated November 8, 1995, the statement "Causes substantial but temporary eye injury" must appear immediately following the signal word "WARNING" on the back panel of your label. The entire statement must read as follows:

"WARNING. Causes substantial but temporary eye injury. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist. Do not get in eyes, skin or clothing. Wash skin thoroughly after handling. Remove and wash contaminated clothing before reuse."

2. In the exclusionary statement under the GENERAL INFORMATION section of your label, please correct the two spelling errors (*of* should be *or*).

3. Submit one copy of your final printed labeling before you release the product for shipment.

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

Bedwards

A: 869/27.1

12/20/95

275

-2-

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,



for

Robert A. Forrest
Product Manager (14)
Insecticide-Rodenticide Branch
Registration Division (7505C)

Enclosure

395

GREEN LIGHT 50% MALATHION

ACCEPTED
with COMMENTS
in EPA Letter Dated

Insect Spray

DEC 20 1995

Premium Grade Deodorized

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

869-27

Kills Aphids, Spider Mites, Mealybugs, Tent Caterpillars, Whiteflies, Bagworms And Many Other Pests On Vegetables, Ornamentals, Fruits And Nuts Around The Home.

ACTIVE INGREDIENT:

Malathion: O,O-dimethyl phosphorodithioate of diethyl mercaptosuccinate..... 50%

INERT INGREDIENTS*..... 50%
Total 100%

*Contains Aromatic Petroleum Distillates

KEEP OUT OF REACH OF CHILDREN

WARNING

See Side Panel For Additional Precautionary Statements

EPA Reg. No. 869=27

EPA Est. No. 869-TX-1

Formulated by Green Light Company, P.O. Box 17985, San Antonio, TX 78217-0985

Net Contents One Pint (474 ml)

(Back or Side Panel)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist. Causes substantial but temporary eye injury. Do not get in eyes, skin or clothing. Wash skin thoroughly after handling. Remove and wash contaminated clothing before reuse.

STATEMENT OF PRACTICAL TREATMENT: In case of contact, immediately flush eyes and skin with plenty of water while removing contaminated clothing and shoes. Call a physician. If swallowed, do not induce vomiting. Get medical attention. Wash clothing before reuse.

NOTE TO PHYSICIAN: Atropine is antidotal. 2-PAM may be effective as an adjunct to atropine.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish, aquatic invertebrates, and

aquatic life stages of amphibians. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organism areas near application site. Do not contaminate water when disposing of equipment washwaters. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **DO NOT USE INDOORS.**

STORAGE AND DISPOSAL

STORAGE: Store in a locked storage area out of reach of children and domestic animals. Do not store near heat or open flame. Leave in original container until used. **PESTICIDE**

DISPOSAL: Leave unwanted pesticide material in original container. Securely wrap original container in several layers of newspaper and discard in trash. **CONTAINER DISPOSAL:** Do not reuse container. Rinse thoroughly before discarding in trash.

GENERAL INFORMATION: Spray thoroughly covering both upper and lower leaf surface of plants. Apply 2 teaspoons in 1 gallon of water. Repeat as necessary. Not for use on plants being grown for sale or other commercial use. of for commercial seed production, of for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or lawns and grounds.

VEGETABLES: Tomatoes---For control of Aphids, Spider Mites. Do not apply within 1 day of harvest. **Beans---**For control of Aphids, Cucumber Beetles, Lygus Bugs, Leafhoppers, Spider Mites. Do not apply within 1 day of harvest. **Peppers---**For control of Aphids, Pepper Maggots. Do not apply within 3 days of harvest. **Cucumbers---**For control of Aphids, Leafminers, Cucumber Beetles, Pickleworm, Squash Vine Borer, Spider Mites. Do not apply within 1 day of harvest. **Lettuce (Head and Leaf)---**For control of Aphids, Leafhoppers, Cabbage Looper, Spider Mite. Do not apply within 7 days of harvesting Head Lettuce; 14 days of harvesting Leaf Lettuce. **Onions (Bulb and Green)---**For control of Onion Maggots, Onion Thrips. Do not apply within 3 days of harvest. **Potatoes (White)---**For control of Aphids, Grasshoppers, Leafhoppers, Mealybugs. May be applied on the day of harvest.

ORNAMENTALS: Flowers, Shade Trees, Shrubs---For control of many insect pests including: Aphids, Spider Mites, Bagworms, Leafminers, Japanese Beetles, Leafhoppers, Thrips, Lace Bugs, Mealybugs, Whiteflies, Tent Caterpillars, Scale.

NOTE: Injury may occur on Ferns, Viburnum, Lantana, Crassula, Canareti Juniper, and Petunias.

FRUITS: Strawberries, Peaches, Grapes---For control of Aphids, Leafhoppers, Mealybugs, Spider Mites, Spittlebugs, Thrips, Whiteflies, Strawberry Leafroller. Do not apply within 3 days of harvest on strawberries and grapes; 7 days on peaches. **Grapefruit, Oranges---**For control of California Red Scale, Citricola Scale, Purple Scale, Soft Brown Scale, Yellow Scale. Do not apply when trees are in bloom. Do not apply within 7 days of harvest.

NUTS:Pecans---For control of Phylloxera, Fall Webworm, Walnut Caterpillar, Pecan Casebearer, and Aphids. Contact your local Cooperative Agricultural Extension Specialist for timing of sprays.

MOSQUITO CONTROL: Apply 8 tablespoons (4 ounces) per 1 gallon of water for control of adult mosquitoes. Spray outside along building foundation and under shrubbery.