

PM 21

869-39

104

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

CAUTION: Harmful if inhaled or absorbed through skin. Avoid breathing dust or spray mist. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

STATEMENT OF PRACTICAL TREATMENT: IF ON SKIN, wash with plenty of soap and water. IF IN EYES, flush with water for 15 minutes. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS: Do not apply directly to water to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

PHYSICAL HAZARDS: Keep away from heat, sparks, or open flame. Do not smoke while applying this product.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

GENERAL INFORMATION: When the following pests first appear on plants, start dusting or spraying thoroughly with GREEN LIGHT WETTABLE DUSTING SULFUR. Make sure to get dust or spray on bottom as well as top of leaves. To make a spray solution, mix 2 tablespoons of SULFUR in 1 gallon of water or 1 1/2 pounds in 24 gallons of water. Repeat application at 7-day intervals as necessary.

REENTRY STATEMENT: Do not re-enter treated area for 24 hours after treatment is made.

FOR RUST ON: Roses, beans, carnations, chrysanthemums, hollyhock, snapdragons, and peas.

FOR RED SPIDER ON: Roses, chrysanthemums, zinnias, crepe myrtle, euonymus, hollies, beans, peas, and tomatoes

FOR BROWN ROT ON: Peaches and plums, and **SCAB FUNGUS ON:** Apples and pears. Use 2 tablespoons of SULFUR per gallon of water or 1 1/2 lbs. in 24 gallons of water. For peaches and plums, apply at bloom or early petal fall. Repeat as necessary at 10 to 14 day intervals. For brown rot on fruit, apply when fruit begins to ripen. For apples and pears, apply pre-bloom and at petal fall. Repeat as necessary at 10 to 14 day intervals. Consult local County Agricultural Extension Agent for timing spray application.

NOTE: Do not use on cucurbits. Do not use on plants if temperature is 95°F or above. Do not use SULFUR in combination with oil emulsion, or within 3 to 4 weeks of an oil spray treatment.

STORAGE AND DISPOSAL: Store in a locked storage area out of reach of children and domestic animals. Store in original container. Do not reuse container. Securely wrap original container in several layers to newspaper and discard in trash. Do not contaminate water, food, or feed by storage or disposal.

Copyright © Green Light Company
Green Light Co
P.O. Box 17985, San Antonio, TX 78217-0985



Wettable Dusting Sulfur

For Red Spider & Rust on Flowers, Shrubs & Vegetables



Also for Brown Rot on Peaches and Plums

ACTIVE INGREDIENT
Sulfur (fineness 93% thru 325 mesh)..... 90%
INERT INGREDIENTS..... 10%

KEEP OUT OF REACH OF CHILDREN

CAUTION See Back Panel for Additional Precautionary Statements

EPA Est. No. 869-TX-1 EPA Reg. No. 869-39

Net Weight 1 lb. 8 oz. (0.68 kg)

ACCEPTED
5-30-95
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 869-39