

PM 15 REG# 869-76 Y4

SEP 16 1988

211033 / 300
4 | 17

Mr. Jeff Luedke
Green Light Company
P.O. Box 17985
San Antonio, TX 78217

Dear Mr. Luedke:

Subject: Amendment - Additional Brand Name and Additional Application Sites
Green Light Double Duty Rose Cars 6-10-4 with Systemic
EPA Registration No. 869-76
Your Application Dated December 21, 1987

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable provided that you make the labeling changes indicated below prior to release for shipment of product bearing the amended labeling.

1. Add the name "Disulfoton" before the chemical name on the ingredient statement.
2. In the "If In Eyes" statement, change "Rinse eyes for at least 15 minutes" to "Flush eyes with plenty of water."
3. Delete the paragraph "Contains organic phosphate insecticide . . ." and "If swallowed induces vomiting . . ." under the Precautionary statements since this already appears under the Statement of Practical Treatment.
4. Add a Note to Physician under the Statement of Practical Treatment as follows:

Note to Physician

Disulfoton is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine.

53155;I;Richards;LR-8;KENCO;9/14/88;10/27/88;CT;psl;vo;fw;PR;CT

CONCURRENCES

SYMBOL	SURNAME	DATE					

2/4

5. In the Environmental Hazards statement change ". . . cleaning of equipment, or disposal of wastes" to ". . . disposing of equipment washwaters."

6. At the end of the Environmental Hazards statement, add "This product is toxic to bees exposed to direct applications. Applications, should be timed to coincide with periods of minimum bee activity, usually between late evening and early morning."

The additional brand name and the new application sites have been noted and made a part of the record for this product.

Submit five (5) copies of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosure

with COMALON 100
in EPA Letter Dated:

SEP 16 1988

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide
registered under EPA Reg. No.

869-76

Spider, Lace Bugs, Leafhoppers,
and White Flies for 4 to 6 Weeks.

KEEP OUT OF REACH OF CHILDREN

WARNING See Back Panel For Additional
Precautionary Statement

NET WT. 5 LB.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS (& DOMESTIC ANIMALS)

WARNING

Poisoning may occur as a result of exposure. May be fatal if swallowed. May be absorbed through skin. Do not breathe dust. Do not get on skin, in eyes or on clothing. Wear rubber gloves.

Do not contaminate feed or foodstuffs. Keep out of reach of children. Wash thoroughly after handling and before eating or smoking. Keep children and pets off treated areas until product is worked into the soil and treated areas have dried completely.

Contains organic phosphorus. If swallowed induce vomiting. Call physician.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Birds and other wildlife in treated areas may be killed. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE: Store in a locked storage area out of reach of children and domestic animals. Store away from feed, foodstuffs, water supplies, dishes and cooking utensils. Put safety closure back on container after use and before storing.

PESTICIDE DISPOSAL: Unwanted pesticide material leave in original container. Securely wrap original container in several layers of newspaper and discard in trash. **CONTAINER DISPOSAL:** Do not reuse container. Rinse thoroughly before discarding in trash.

THIS FIVE POUND CONTAINER TREATS UP TO 40 ROSE BUSHES

- Easy to apply — just sprinkle on soil under rose bush and water down to roots
- Easy measure for correct dosage
- Insecticide cannot be washed away by watering or rain after 4 days and plants
- Acid-forming for roses growing in neutral or alkaline soils.

Conditions of use are beyond seller's control. Seller's liability is limited to product replacement or purchase price refund. Seller makes no warranty express or implied, concerning product's use beyond claims on label.

The higher dosages are recommended for heavy organic or mucky soil. For bedding plants apply 2 lbs. per 200 square feet worked into soil before planting or as a broadcast treatment after plants are established. Repeat applications at 4- to 6-week intervals as necessary.

FLOWERS: To control Aphids, Lace bugs, Leafhoppers, Mites, Thrips, White Flies, apply 1 to 2 lbs. per 30 ft. of row in the furrow or as a band over the row. Work into soil and water thoroughly.

Never feed roses just before frost. If ROSE & FLOWER CARE gets on leaves, wash it off to prevent burning.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air and apply respiration if indicated.

IF ON SKIN: Wash promptly with soap and water. Rinse thoroughly. Wash with water and call a physician immediately.

ACTIVE INGREDIENT:

0, 0-Diethyl S-[2-(ethylthio) ethyl] phosphorodithioate	1%
INERT INGREDIENTS	99%

GUARANTEED ANALYSIS

TOTAL NITROGEN	6%
Ammoniacal Nitrogen	6%
Available Phosphoric Acid P ₂ O ₅	10%
Soluble Potash K ₂ O	4%
Total Primary Plant Foods	20%
Total Chlorine, not more than	4.6%
Primary Plant Foods derived from: Ammonium Sulfate, Diammonium Phosphate, and Muriate of Potash. Acid Forming.	

*U.S. Pat. No. 2,759,010



49424 07605 5

E.P.A. Reg. No. 869-76
E.P.A. Est. No. 869-TX-1

Formulated by
THE GREEN LIGHT COMPANY,
San Antonio, Tx. 78217


APPLICATION DIRECTIONS

USE CAP FOR MEASURING

Measuring cap holds 2 ounces of ROSE & FLOWER CARE when level full. There are 3 general classes of roses: Bush roses, climbers and small polyantha roses. Use 2 caps of ROSE & FLOWER CARE for bush roses, 4 caps for climbers and 1 cap for small polyantha roses.

Treat in spring when new foliage appears and repeat at 4-6 week intervals during growing season.

Water soil to a depth of 3-4 inches before applying ROSE & FLOWER CARE. Sprinkle amounts noted above on soil under bush. After ROSE & FLOWER CARE with Systemic is applied, water again slowly to percolate plant food down to root system. Do not apply this ROSE & FLOWER CARE with systemic insecticide to soil ground feeding area of fruit trees, vegetable or any food crop. Never feed roses just before frost. If ROSE & FLOWER CARE gets on leaves, wash it off to prevent burning.



BEST AVAILABLE COPY

Double Duty Rose & Flower Care

Feeds Plants and Kills Bugs

Named Below with Same Treatment

Protects Roses and Flowers from Attack by Aphids, Thrips, Red Spider, Lace Bugs, Leafhoppers, and White Flies for 4 to 6 Weeks.

KEEP OUT OF REACH OF CHILDREN
See Back Panel For Additional
WARNING Precautionary Statement

NET WT. 5 LB.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS (& DOMESTIC ANIMALS) **WARNING**

Poisoning may occur as a result of exposure. May be fatal if swallowed. May be absorbed through skin. Do not breathe dust. Do not get on skin, in eyes or on clothing. Wear rubber gloves.

Do not contaminate feed or foodstuffs. Keep out of reach of children. Wash thoroughly after handling and before eating or smoking. Keep children and pets off treated areas until product is worked into the soil and treated areas have dried completely.

Contains organic phosphate insecticide (inhibits cholinesterase). Antidote: atropine sulfate. If swallowed induce vomiting. Call physician.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Birds and other wildlife in treated areas may be killed. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE: Store in a locked storage area out of reach of children and domestic animals. Store away from feed, foodstuffs, water supplies, dishes, and cooking utensils. Put safety closure back on container after use and before storing.

PESTICIDE DISPOSAL: Unwanted pesticide material leave in original container. Securely wrap original container in several layers of newspaper and discard in trash. **CONTAINER DISPOSAL:** Do not reuse container. Rinse thoroughly before discarding in trash.

THIS FIVE POUND CONTAINER TREATS UP TO 40 ROSE BUSHES

Conditions of use are beyond seller's control. Seller's liability limited to product replacement or purchase price refund. Seller makes no warranty express or implied, concerning product's beyond claims on label.

Easy to apply — just sprinkle on soil under rose bush and water down to it.

Easy measure for correct dosage

Insecticide cannot be washed away by watering or rain after it gets into plants.

Acid-forming for roses growing in neutral or alkaline soils.



STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air and apply respiration if indicated.

IF ON SKIN: Wash promptly with soap and water. Rinse thoroughly.

IF IN EYES: Rinse eyes for at least 15 minutes with water and call a physician immediately.

ACTIVE INGREDIENT:

O, O-Diethyl S-[2-(ethylthio) ethyl] phosphorodithioate* 1%
INERT INGREDIENTS 99%

GUARANTEED ANALYSIS

TOTAL NITROGEN 6%
Ammoniacal Nitrogen 6%
Available Phosphoric Acid P₂O₅ 10%
Soluble Potash K₂O 4%
Total Primary Plant Foods 20%
Total Chlorine, not more than 4.6%
Primary Plant Foods derived from: Ammonium Sulfate, Diammonium Phosphate, and Muriate of Potash, Acid Forming.

*U.S. Pat. No. 2,759,010



E.P.A. Reg. No. 869-76
E.P.A. Est. No. 869-TX-1

Formulated by
THE GREEN LIGHT COMPANY,
San Antonio, Tx. 78217

BEST AVAILABLE COPY

APPLICATION DIRECTIONS

USE CAP FOR MEASURING
Measuring cap holds 2 ounces of ROSE & FLOWER CARE level full. There are 3 general classes of roses: Bush roses, climber and small polyantha roses. Use 2 caps of ROSE & FLOWER CARE for bush roses, 4 caps for climbers and 1 cap for small polyantha roses.
Treat in spring when new foliage appears and repeat at 4-6 week intervals during growing season.
Water soil to a depth of 3-4 inches before applying ROSE & FLOWER CARE. Sprinkle amounts noted above on soil under bush, ROSE & FLOWER CARE with systemic insecticide to soil greener to percolate plant food down to root system. Do not apply ROSE & FLOWER CARE with systemic insecticide to soil greener feeding area of fruit trees, vegetable or any food crop. Never wash it off to prevent burning.
ROSE & FLOWER CARE with systemic insecticide to soil greener to percolate plant food down to root system. Do not apply ROSE & FLOWER CARE with systemic insecticide to soil greener feeding area of fruit trees, vegetable or any food crop. Never wash it off to prevent burning.
FLOWERS: To control Aphids, Lace bugs, Leafhoppers, Mites, Thrips, White flies, apply 1 to 2 lbs. per 30 ft. of row in the furrow or as a band over the row. Work into soil and water thoroughly. The higher dosages are recommended for heavy organic or moist soil. For bedding plants apply 2 lbs. per 200 square feet work into soil before planting or as a broadcast treatment after plants are established. Repeat applications at 4- to 6-week intervals necessary.

