869-118

## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

5516731

APR 0 2 1997

Jeff Luedke Green Light Company P.O. Box 17985 San Antonio, TX 78217-0985

Subject:

Green Light® Sevin® 5% Dust

EPA Registration No. 869-118

Amendment dated December 27, 1996

Response to Agency letter dated 10/1/96 and PR Notice 96-6

## Dear Mr. Luedke:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable provided that you:

- Make the following changes to your label:
  - a) In the Directions for Use section, before the directions for VEGETABLES, add the following directions as outlined in the Agency letter dated 10/1/96:

"Wearing household latex or rubber gloves, use a dust applicator such as a shaker can, dust gun, puffer or other bulbous duster, rotary duster or other appropriate duster as available. Dust lightly to cover both upper and lower leaf surfaces with a thin, even film of dust. Apply when air is calm to avoid drift and contact with eyes and skin. Start applying at the farthest corner of the treatment area and work backward to avoid contact with dusted surfaces. Allow dust to settle in treated areas before reentering. For plants above chest height, consider using a liquid carbaryl product. Do not repeat application more than once a week."

	b)_in	the Dir	ections fo	or Use on J	<u>DOGS ANI</u>	D_CATS_	change "Re	peat as	
		0000111	o "Denoe	83000	HOURRENGES	at mara t	<del>han once a</del>	·	
SYMBOL	nece.	Joury L	о переа	t do ricco	3017 501 11	ot more t	ian once a	WCCK.	
SURNAME	**********					•			
DATE						44444444	************		
EPA Form 1320	-1A (1/90)	<u> </u>		Printe	d on Recycled Par	per	OFFICIAL FILE COPY		

Fredwards H1/869/118.1

74/1/97

3/3

2. Submit one copy of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

/5/

Dennis H. Edwards, Jr. Product Manager (19) Insecticide-Rodenticide Branch Registration Division (7505C) READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS OF CATS. PRECAUTIONARY STATEMENTS HAZAROS TO HUMANS AND

DOMESTIC ANIMALS CAUTION: May be harmful if swallowed. Avoid breathing vapors (dust spray or mist). Avoid contact with eyes, skin or clothing. Wash

thoroughly after handling. FIRST AID: IF SWALLOWED: Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not touching back of throat with linger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical altention immediately. IF INHALED: Remove victim to fresh air and apply respiration if indicated. IF ON SKIN: Wash promptly with soap and water. Rinse thoroughly. IF IN EYES: Rinse eyes for at least 15 minutes with water and call a physician immediately.

## USER SAFETY REQUIREMENTS

- . Wear long-sleeved shirt, long pants, shoes plus socks and household latex or rubber gloves when applying this product.
- Change clothing as soon as possible after use.
- Wash the outside of gloves before removing.

As with any pesticide product, wash hands thoroughly immediately after handling and before eating, smoking or using the toilet.

Consult a veterinarian before using this product on debilitated, aged, pregnant, medicated or nursing animals.

Sensitivities may occur after using ANY pesti-cide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

Do not use this product on animals simultaneously or within 30 days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides or chemicals. However, flea and tick collars may be immediately replaced.

ENVIRONMENTAL HAZARDS: This product is extremely toxic to aquatic invertebrates. Do extremely touch to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. This product is highly toxic to bees exposed to direct treatment for residues on blooming crops or weeds. If bees are visiting in the treatment

DIRECTIONS FOR USE It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. DO NOT USE INDOORS. FOR HOME USE ONLY.

STORAGE AND DISPOSAL

STORAGE: Store in a locked storage area Cut of seach of children and domestic animals. Store in original and domestic animals. mals. Store in original container, PESTICIDE DISPOSAL: Unwanted pesticide material leave in original container in several layers of newspapers and discard in trash. CONTAINER DISPOSAL: Do not reuse container.

VEGETABLES: Cover upper and lower surface of the leaves thoroughly. Potato, Tomato, Eggplant, Pepper: To control Colorado Potato and Flea beetles. Leathoppers, Lace bugs, .

Tomato fruit worm, Fall armyworm, tomato hornworm, stink bugs, lace bugs, tarnished plant bugs. May be used on day of harvest. Okra: To control corn earworm, stink bugs. May be used on day of harvest. Cucumber, Squash, Pumpkin, Melons: To control pickleworm, melonworm, cucumber beetles, leafhoppers, squash bugs. May be used on day of harvest.

Leafy Vegetables and Root Crops such as Carrots, Chinese Cabbage, Collards, Dandellon, Endive, Beet, Horseradish, Kale, Lettuce, Mustard greens, Parsley, Parsnip, Radish, Rutabaga, Salsify, Spinach, Swiss chard, Turnip: To control flea beetles, leafhoppers, harlequin bug, six-spotted leafhopper (aster vellows vector), com earworm, armyworms, cabbage loopers, imported cabbage worms, tarnished plant bugs, stink bugs. May be used on day of harvest of carrots, up to 3 days before harvest of other root crops and head lettuce, and up to 14 days before harvest of other leaf crops.

FLOWERS: To control Japanese, blister, flea. and June beetles; boxeider, mealy, lace, and plant bugs; leafhoppers; :leaf rollers, psyllid; rose aphid; and exposed thrips.

Note: Does not control spider mites but is compatible with all common miticides.

SMALL FRUITS: Cover upper and lower surfaces of leaves thoroughly. Cane Berries such as Blackberry, Boysenberry, Dewberry, Loganberry, Raspberry, to control Japanese bestle, leaf rollers, leathoppers, raspberry aphid. Can be used up to 78 days before harvest.

Strawberries for spittlebugs, leafhoppers, and weevils, to be used up to 1 day before harvest. LAWNS: Dust liberally using one pound per 275 sq. ft. for control of ants, chinch bugs, earwigs, fall armyworm, fleas, leafhoppers, mosquitoes, sod webworm (lawn moths), millipedes. For best results mow lawn and apply after watering or rain. Repeat in 2 to 3 weeks if necessary.

DOGS AND CATS: To control ticks and fleas. Use product only outside or in a well-ventilated area. Wearing household latex or rubber ed area. Wearing household latex or rubber gloves, dust entire animal, avoiding pet's eyes, nose, mouth and genital areas. Rub or brush pet's hair to work dust down to the skin. Reapply every week. This product should not be applied by children. Do not use on pregnant dogs. Do not use on kittens or puppies under 12 weeks of age. Dust bedding and doghouse using a shaker can or other dust applicator. Also, dust in and around sleeping quarters, kennels, and donhouses. Be sure to quarters, kennels, and doghouses. Be sure to force dust into cracks and crevices. Repeat as necessary. Do not allow recently treated pets on carpet as staining may occur.

EPA Est. No. 869-TX-1



COPYRIGHT CO. GREEN LIGHT COMPANY, P. O. BOX 17985 SAN ANTONIO, TX 78217-0985





5% DUST

Carbaryl Insecticide

Under the Federal Insecticide, Fungicide, and Redemicide Act as amended, for the pesticide registered under EPA Reg. No.

869-119

**To Control Many Insects** Feeding On Vegetables, Flowers, Lawns, Fruits, Dogs and Cats.

ACTIVE INGREDIENT:

Carbaryl (1-naphthyl methylcarbamate) . . . . . . . . 5% INERT INGREDIENT ..... 95% Total 100%

Sevin registered trademark of Rhône-Poulence for Carbaryl Insecticide

KEEP OUT OF REACH OF CHILDREN CAUTION See Back Panel For Additional Precautionary Statements





1 lb. (454 gm)