

869-119

09/13/1973

1/2

GREEN LIGHT

BUG & SNAIL BAIT

Ready-to-Use Bait

Controls Sowbugs, Pillbugs, Snails, Crickets, Darkling Ground Beetles, Grasshoppers and Earwigs

For Use in Lawns, Ornamental Gardens, Greenhouses

Not For Use in Vegetable Gardens

WARNING: KEEP OUT OF REACH OF CHILDREN  
See other warnings on back

**ACCEPTED**  
**SEP 13 1973**  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTER-  
ED UNDER NO. .... SUBJECT  
TO ATTACHED COMMENTS.

869-119

ACTIVE INGREDIENTS:

Carbaryl (1-naphthyl N-methylcarbamate)\* . . . . . 5%

Metaldehyde . . . . . 1%

INERT INGREDIENTS . . . . . 94%

Total

100%

\*Sevin trademark of Union Carbide Corp.  
U. S. Pat. No. 2,903,478 and 3,009,855

E. P. A. Reg. No. 869-119

Net Weight 1 Pound  
5 Pounds


One pound of bait treats approximately 500 sq. ft.

Formulated by GREEN LIGHT COMPANY, San Antonio, Texas 78246

Back Label:


READ ENTIRE LABEL BEFORE USING.

To control sowbugs (pillbugs), crickets, snails, darkling ground beetles, and grasshoppers in your lawn, flower bed, and ornamental garden, follow these instructions carefully.



Green Light Bug and Snail Bait

2.



DIRECTIONS FOR USE

869-119

Punch holes in top of canister and sprinkle bait LIGHTLY on the ground where pests are found, giving particular attention to edges of walks, flower beds, and along foundation of house and porch. Best results will be obtained if the bait is applied in late afternoon or evening because most of the above pests feed late in the evening and at night.

For best results, water area to be treated before applying bait. Do not put bait out in piles. Scatter it so the bait can hardly be seen on the ground or grass.

This bait is a stomach poison and works slowly. Results will be apparent in 1 to 3 days after applying. Repeat the application at four or five-day intervals until satisfactory control is obtained. One pound of bait will treat approximately 500 square feet.

WARNING: May be fatal if swallowed, inhaled, or absorbed through skin. Avoid breathing harmful dust or spray mist. Avoid contact with skin, eyes, or clothing. In case of contact with skin or eyes, flush with plenty of water; for eyes, get medical attention. Wash with soap and water after handling and before eating or smoking. Wear clean clothing. Avoid contamination of feed and foodstuffs.

NOTE TO PHYSICIAN: Carbaryl is a moderate reversible, cholinesterase inhibitor. Atropine is antidotal.

This product is toxic to wildlife. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label. Bait exposed on soil surface may be hazardous to birds and other wildlife.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Disposal of Container: Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

