

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

FEB - 7 1990

Mr. Jeff Luedke
Green Light Company
P.O. Box 17985
San Antonio, TX 78217

Dear Mr. Luedke:

Subject: Revised Labeling in Response to Metaldehyde Registration Standard
Green Light Bug Bait and Snail Bait
EPA Registration No. 869-119
Your Submission Dated September 14, 1989


The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you:

- Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If this condition is not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of this condition.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,



Dennis H. Edwards, Jr.
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (17505C)

Enclosures

55515-I-Edwards, C. Disk: KENCO: 1/30/90: dg: vo: dd: dg

CONCURRENCES

SYMBOL								
SURNAME								
DATE								

GREEN LIGHT BUG & SNAIL BAIT

FOR USE IN LAWNS, GREENHOUSES, ORNAMENTAL GARDENS, AND HOME VEGETABLE GARDENS

This is a Meal Bait, not Pellets. One pound of bait treats approximately 500 sq. ft.

ACTIVE INGREDIENTS:	
Carbaryl (1-naphthyl methylcarbamate).....	5%
Metaldehyde (2,4,6,8-tetramethyl-1,3,5,7-tetraoxycyclo-octane).....	1%
INERT INGREDIENTS.....	94%
Total	100%

ACCEPTED
with COMMENTS
by EPA Letter Dated

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel For Additional Precautionary Statements

EPA Reg. No. 869-119

EPA Est. No. 869-TX-1

Formulated by Green Light Co., San Antonio, TX 78217

Net Wt. 1 lb.

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

869-119

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed. Avoid breathing dust. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling. In case of contact with skin or eyes, flush with plenty of water; for eyes, get medical attention. Wash with soap and water after handling and before eating or smoking. Wear clean clothing. Avoid contamination of feed and foodstuffs.

STATEMENT OF PRACTICAL TREATMENT: IF SWALLOWED, drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention immediately. IF INHALED, remove person from dust area. Call a physician. IN ON SKIN, wash promptly with soap and water. IF IN EYES, flush eyes with cold water. Get medical attention.

NOTE TO PHYSICIAN: Carbaryl is a moderate reversible, cholinesterase inhibitor. Atropine is antidotal.

ENVIRONMENTAL HAZARDS: Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment washwaters. This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treatment area.

DIRECTIONS FOR USE: It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE: Store in a locked storage area out of reach of children and domestic animals. Store in original container. PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

To control sowbugs, pillbugs, crickets, snails, slugs, cutworms, armyworms, earwigs, and grasshoppers in the lawn, flower beds, ornamental and home garden. Sprinkle bait LIGHTLY on the ground where pests are found, giving particular attention to edges of walks, flower beds, vegetable gardens, and along foundation of house and porch. Best results will be obtained if the bait is applied in late afternoon or evening because most of the above pests feed late in the evening and at night.

For best results, water area to be treated before applying bait. Do not put bait out in piles. Scatter it so the bait can hardly be seen on the ground or grass.

The bait is stomach poison and works slowly. Results will be apparent in 1 to 3 days after applying. Repeat the application at four or five day intervals until satisfactory control is obtained. One pound of bait will treat approximately 500 square feet except for vegetable gardens.

VEGETABLE GARDENS: On beans, eggplant, potatoes, tomatoes, cabbage, lettuce, beets, turnips, spinach, and strawberries to control cutworms, armyworms, crickets, sowbugs, snails. For home gardens apply on ground between row 1 pound of bait per 1100 square feet or 11 rows 100 feet long with a band treatment of bait 1 foot wide. Avoid getting bait on vegetables. Do not use bait within 3 days of harvest around cabbage, lettuce, beets, turnips, strawberries; nor 14 days of harvest around beet tops, leaf lettuce, spinach and turnip tops.