

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460



OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

Mr. Jeff Luedke
Green Light Company
PO Box 17985
San Antonio, TX 78217-0985

APR 10 2003

Dear Mr. Luedke:

Subject: Revised Labeling, Revised Confidential Statement of Formula
Green Light Bug & Snail Bait
EPA Registration No. 869-119
Your Submission Dated October 23, 2002

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided you make the following changes before you release the product for shipment bearing the amended labeling:

1. Under Directions for Use add the following: "Do not apply to foliage or edible parts of plants."
2. Revise the Environmental Hazards statement to read as follows, "This product is extremely toxic to aquatic and estuarine invertebrates and toxic to birds and other wildlife. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters."

The Confidential Statement of Formula dated October 23, 2002 for the basic formulation is not acceptable. The certified limits for all ingredients must comply with 40 CFR 158.175. Please submit a revised CSF.

Submit two copies of your final printed labeling before you release the product for shipment. A stamped copy is enclosed for your records. If you have any questions, please contact me at (703) 308-6249 or hebert.john@epa.gov.

Regards,

A handwritten signature in black ink, appearing to read "John Hebert".

John Hebert
Insecticide-Rodenticide Branch
Registration Division (7505C)

284

ACCEPTED
with COMMENTS
In EPA Letter Dated:

APR 10 2003
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.
869-119

GREEN LIGHT BUG & SNAIL BAIT

FOR USE IN HOME LAWNS, FLOWER BEDS, ORNAMENTAL
AND HOME VEGETABLE GARDENS.

This is a Meal Bait, not Pellets.

ACTIVE INGREDIENTS:

Carbaryl (1-naphthyl methylcarbamate).....	5%
Metaldehyde (2,4,6,8-tetramethyl-1,3,5,7- tetraoxycyclo-octane).....	1%

OTHER INGREDIENTS	<u>94%</u>
Total	100%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Back Panel For Additional Precautionary Statements

EPA Reg. No. 869-119

EPA Est. No. 73273-TX-1

Net Weight 1 lb. (454 gm)


Manufactured for Green Light Company, P.O. Box 17985, San Antonio, TX 78217-0985
(210) 494-3481 www.greenlightco.com

(Back Panel)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed or inhaled. Avoid breathing dust. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling. In case of contact with skin or eyes, flush with plenty of water; for eyes, get medical attention. Wash with soap and water after handling and before eating or smoking. Wear clean clothing. Avoid contamination of feed and foodstuffs. This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treatment area.



FIRST AID	
If inhaled	<ul style="list-style-type: none"> . Move person to fresh air. . If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. . Call a poison control center or doctor for further treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> . Take off contaminated clothing. . Rinse skin immediately with plenty of water for 15-20 minutes. . Call a poison control center or doctor for treatment advice.
If in eyes	<ul style="list-style-type: none"> . Hold eye open and rinse slowly and gently with water for 15-20 minutes. . Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. . Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none"> . Call a poison control center or doctor immediately for treatment advice. . Have person sip a glass of water if able to swallow. . Do not induce vomiting unless told to do so by the poison control center or doctor. . Do not give anything by mouth to an unconscious person.
HOT LINE NUMBER	
<p>Have the product container or label with you when call a poison control center or doctor, or going for treatment. You may also contact the National Pesticide Information Center at 1-800-858-7378 for general information and/or medical information.</p>	
NOTE TO PHYSICIAN	
<p>Carbaryl is an N-methyl carbamate that inhibits cholinesterase. Atropine is antidotal.</p>	

ENVIRONMENTAL HAZARDS: Do not apply directly to water or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. To control sowbugs (pillbugs), crickets, snails, slugs, cutworms, armyworms, earwigs and grasshoppers in the home lawn, flower beds, ornamental and home vegetable garden, sprinkle bait LIGHTLY on the ground where pests are found, giving particular attention to edges of walks, flower beds, vegetable gardens and along foundation of the house and porch. Best results will be obtained if the

bait is applied in late afternoon or evening because most of the above pests feed late in the afternoon and at night.

For best results, water area to be treated BEFORE applying bait. Do not put bait out in piles. Scatter the bait so it can hardly be seen on the ground or grass. The bait is a stomach poison and works slowly. Results will be apparent in 1 to 3 days after applying. Repeat application at 4 or 5 day intervals until satisfactory control is obtained. One pound of bait will treat approximately 500 square feet, except for vegetable gardens.

VEGETABLE GARDENS: On Beans, Eggplant, Potatoes, Tomatoes, Cabbage, Lettuce, Beets, Turnips, Spinach and Strawberries to control Cutworms, Armyworms, Crickets, Sowbugs and Snails. For home gardens, apply on ground between rows 1 pound of bait per 1100 square feet or 11 rows 100 feet long with a band treatment of bait 1 foot wide. Avoid getting bait on vegetables. Do not use bait within 3 days of harvest around Cabbage, Beans, Tomatoes, Eggplant; within 7 days of harvest around Potatoes; nor within 14 days of harvest around Lettuce, Leaf Lettuce, Beets, Beet Tops, Turnips, Turnip Tops, Spinach and Strawberries.

STORAGE AND DISPOSAL

STORAGE: Store in a locked storage area out of reach of children and domestic animals. Store in original container. **PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash. **CONTAINER DISPOSAL:** If empty- Do not reuse this container. Place in trash or offer for recycling if available. If partly filled- Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

