12/12/2003.

GREEN LIGHT WIPE-OUT BROADLEAF WEED KILLER

Water-Based C

Contains Trimec

FOR CONTROLLING WEEDS IN ST. AUGUSTINE (Except Floratam), BERMUDA AND OTHER TURFGRASSES. KILLS: DANDELION, CLOVER, HENBIT, CHICKWEED, OXALIS, SPURGE AND OTHER WEEDS.

OPTION B: READY-TO-SPRAY FOR CONVENIENT AND ACCURATE APPLICATIION

One Quart Covers Up To 9,600 Square Feet

ACTIVE INGREDIENTS:

*Dimethylamine salt of (+)-(R)- 2-(2-methyl-4-	
chlorophenoxy) propionic acid	3.45%
**Dimethylamine salt of 2,4-dichlorophenoxy-	
acetic acid	1.98%
*** Dimethylamine salt of Dicamba (3,6-dichloro-	
o-anisic acid	0.84%
OTHER INGREDIENTS	<u>93.73%</u>
Total	100.00%

This Product Contains:

*2.85% (+)-(R)- 2-(2-methyl-4-chlorophenoxy) propionic acid $\overline{A C C E P T E D}$ equivalent

DEC | 2 2003

Under the Federal Insecticide, Fungicide, and Rodenticide Act,

as amended, for the pesticide registered under BPA Rev No 869-12

....

****1.64% 2,4-dichlorophenoxyacetic** acid equivalent

***0.70% 3,6-dichloro-o-anisic acid equivalent

Isomer Specific by AOAC Method

Contains the single isomer form of Mecoprop-p

WIPE-OUT is a registered trademark of Green Light Company TRIMEC is a registered trademark of PBI Gordon Corporation

KEEP OUT OF REACH OF CHILDREN CAUTION See Back or Side Panel For Additional Precautionary Statements

EPA Reg. No. 869-123	EPA Est. No. 73273-TX-1				•••••	•
Manufactured for Green Light www.greenlightco.com (210	t Company, P.O. Box 17985, San Anton	io, T	X 7	782		
``` <b>`</b> ```	Contents One Quart (0.946 liters)		6 C L 8	ι ε τ	0 6 6 6 ( ( ( ( ( (	ť
					ετ .	-

 (Back or Side Panel)	<del>'''''''''''''''''''''''''''''''''''''</del>	

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed. Avoid contact with eyes, skin or clothing. When using this product, wear long-sleeved shirt, long pants, socks, shoes and rubber gloves. Wear face shield or goggles when mixing, loading or applying this product. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower. In case of contact, immediately flush eyes with plenty of water; for skin, wash with soap and water. If irritation develops, get medical attention. Avoid contamination of food or feedstuffs.

	FIRST AID		
If inhaled	<ul> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>		
If on skin or clothing	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>		
If in eyes	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>		
If swallowed	<ul> <li>Call poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>		
HOT LINE NUMBER			
doctor, or goi	luct container or label with you when calling a poison control center or ng for treatment. You may also contact Green Light Company at (210) 494- eral information and/or medical information.		

**ENVIRONMENTAL HAZARDS:** This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

Do not contaminate domestic or irrigation waters. Do not apply when weather conditions favor drift from target area. When cleaning equipment, do not pour the washwater on the ground; spray or drain water over a large area from wells and other water sources.

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**OTHER USE PRECAUTIONS:** DO NOT USE ON FLORATAM OR OTHER IMPROVED VARIETIES OF ST. AUGUSTINEGRASS IN FLORIDA. Do not apply this product through any type of irrigation system. Do not allow spray or drift onto vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants since injury may result. Do not pour spray solutions near these plants. Whether using a hoseend sprayer or pressure-sprayer, do not use fine sprays because they can drift and cause damage to non-target plants. Coarse spray droplets are less likely to wind-drift. Use only lawn-type sprayers. Do not spray on carpetgrass, dichondra, nor on lawns or turf where desirable clovers are present. Do not spray roots of trees and ornamentals. Do not exceed specified dosages for any area; be particularly careful within dripline of trees and other ornamental species. This product may be injurious to St. Augustine, Bent, and Centipede grasses under conditions of high temperature and moisture. Under these conditions, or, in cases of accidental overdose, some slight temporary discoloration of the St. Augustine foliage may occur. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried.

## STORAGE AND DISPOSAL

STORAGE: Store in a locked storage area out of reach of children and domestic animals. Store in original container. **DISPOSAL:** If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

**GENERAL INFORMATION:** Apply spray when weeds are small and tender for best results. For older and hard-to-kill weeds use higher dilution rate. Irrigate the lawn 2 or 3 days prior to spraying to insure that weeds are growing and able to absorb the herbicide. Do not water for 24 hours after treatment. Although spray works faster with temperatures above 70F, sprays can be applied at any time plants are growing. This product works slowly. Therefore, it will be from 1 to 2 weeks before weeds die.

WEEDS CONTROLLED: Bedstraw, Black Medic, Buckhorn, Burdock, Buttercup, Chicory, Chickweed, Clover, Cocklebur, Creeping Charlie, Curly Dock, Dandelion, Dollarweed, Field Bindweed, Galinsoga, Ground Ivy, Hawkweed, Healall, Henbit, Knotweed, Lambsquarter, Lespedeza, Mallow, Moringglory, Mustard, Oxalis, Peppergrass, Pigweed, Plantain, Poison Ivy, Poison Oak, Purslane, Ragweed, Sheep, Correl, Sheperdspurse, Speedwell, Tansy Mustard, Thistle, Spurge, Velvetleaf, Virginia Buttonweed, Wild Carrot, Wild Garlic, Wild Lettuce, Wild Onion, Yarrow and many other broadleaf weeds. HOW TO MIX: (1) For use on St. Augustinegrass, Bentgrass and Buffalograss: mix 1 ounce (2 tablespoons) in 1 gallon of water and uniformly spray 300 square feet. If necessary, repeat treatment in 2 or 3 weeks, if hard-to-kill weeds persist. (2) For use on all other grasses such as Bermuda, Bahia, Bluegrass, Centipede, Fescue, Zoysia and Rye: Mix 1-1/2 ounces in 1 gallon of water and spray uniformly over 300 square feet. On hard-to-kill weeds, or under poor growing conditions or on older weeds, mix 2 ounces in 1 gallon of water and spray on 300 square feet with special attention to thorough coverage of hard-to-kill weeds. The maximum number of broadcast applications per treatment site is 2 per year.

## **OPTION B**

# **READY-TO-SPRAY DIRECTIONS FOR OUTDOOR USE ONLY ON HOME LAWNS**

The sprayer attached to the container is ready-to-use. Simply attach to your garden hose and follow these simple instructions:

**READY-TO-SPRAY DIRECTIONS FOR OUTDOOR USE ONLY ON HOME** LAWNS: The sprayer attached to the container is ready-to-use. Simply attach to your garden hose and follow these simple instructions:

Austoria da la	· · · ·	1	1. CO 512	
gar - Agen				
		n an State and State and State and State An State and State and State and State State and State and State and State State and State and State and State and State State and State and State and State and State and State State and State and State and State and State and State State and State and State and State and State and State State and State and State and State and State and State and State State and State and State and State and State and State and State and State State and State and State State and State and State State and State and State State and State		DE
кендар Скат <u>ф</u> ур <u>ан е</u> ле		ان المراجع ( 1997) - مراجع ( 1997) - مراجع ( 1997) - مراجع ( 1997) - مراجع ( 1997) - مراجع ( 1997)	an an the same the same	
			A CONTRACTOR OF THE OWNER	
			and the property of the	to OPE
e <b>tradica de la companya</b> Principal de la companya		in the second se	人物可以行用 化有可能自己的 尊严	This prevents
SHURRER .	an a	enter Store de	an-sour-in the mean	by turning large,
C <b>entre</b> Son				
		<u></u>	and the second	A DIDLAY

LAWNS: For use on St. Augustinegrass, Bentgrass, Bermudagrass, Bluegrass, Fescue, Buffalograss, Zoysia and Rye. Uniformly spray 1 ounce per 300 square feet. If necessary, repeat treatment in 2 or 3 weeks if hard-to-kill weeds persist. The maximum number of broadcast applications per treatment site is 2 per year.