

BEST DOCUMENT AVAILABLE

ACCEPTED
APR 23 1984
Under the Federal Insecticide, Fungicide, and Rodenticide Act, registered under EPA Reg. No. 869-124

CAUTION - PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals
May be harmful if swallowed. Do not breathe spray mist. May be absorbed through skin. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling and before smoking or eating. DO NOT USE IN THE HOME. Do not use on household pets or humans. Do not permit children or pets to go into sprayed areas until the spray has completely dried. KEEP OUT OF REACH OF DOMESTIC ANIMALS AND CHILDREN. Avoid consumption of food and foodstuffs.
ENVIRONMENTAL HAZARDS
This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Stay out of any body of water. Do not wash when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply the product only as specified on the label. The pesticide is highly toxic to bees exposed to direct treatment or to toxic use entering on the treated area. Do not spray when bees are actively visiting the crop. Cover crop or avoid treatment in the treatment area. Application should be timed to provide the maximum possible interval between treatment and the next period of bee activity.
PHYSICAL OR CHEMICAL HAZARDS
DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.

DIRECTIONS FOR USE

It is a violation of Federal Law to use the product in a manner inconsistent with its labeling.
STORAGE Store in a locked storage area out of reach of children and domestic animals. Do not store near heat or open flame. Store in original container. Put safety caps back on bottles after use and before storing. **PESTICIDE DISPOSAL** Unsprayed pesticide material leave in original container. Secure and keep original container in several layers of newspaper and discard in trash. **CONTAINER DISPOSAL** Rinse thoroughly before discarding in trash.

Green Light Diazinon 12.1% For Lawn and Garden Insect Control kills many outdoor pests which destroy lawns, lawns, flowers, trees and shrubs. It kills ants and termites. Green Light Diazinon insecticide which provides positive control of many lawn and garden pests. Kills termites and remains effective for an extended period of time.

HOW TO MIX AND APPLY

Determine size of spraying job. For lawns and vegetation measure the area to be sprayed. For all other applications such as trees, shrubs, lawns, etc. Measure area and mix as directed in rate chart. Use coarse straining device for trees, shrubs and other surface applications. Use medium fine mist spray for lawns and shrubs. Thorough coverage is important. Thoroughly spray each area after each use. NOTE: Thoroughly wet trees, shrubs and lawns before spraying for white grub, mole crickets, and other Chrysalis Billbugs. Water grass thoroughly after application.

Area	Rate	Application
Lawns	1/2 oz per 1000 sq ft	Apply to lawn and surrounding areas.
Shrubs	1/2 oz per 100 sq ft	Apply to base of shrubs.
Trees	1/2 oz per 100 sq ft	Apply to base of trees.
Flowers	1/2 oz per 100 sq ft	Apply to base of flowers.
Lawns	1/2 oz per 1000 sq ft	Apply to lawn and surrounding areas.
Shrubs	1/2 oz per 100 sq ft	Apply to base of shrubs.
Trees	1/2 oz per 100 sq ft	Apply to base of trees.
Flowers	1/2 oz per 100 sq ft	Apply to base of flowers.

GREEN LIGHT DIAZINON®

FOR LAWN AND GARDEN INSECT CONTROL
ALSO CONTROLS OTHER PESTS LISTED ON BACK PANEL
Contains DIAZINON®
HELPS CONTROL FIRE ANTS

ACTIVE INGREDIENTS

0.13 diethyl 0.2 dimethyl 6-methyl 4-pyrimidinyl phosphorothioate	1.5%
Antimony Pentachloride Derivative Salt	77.6%
INERT INGREDIENTS	18.9%
Total	100.0%

This product is a registered pesticide of the United States Department of Agriculture. Patent No. 2,754,243

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Get a physician immediately. Gastric lavage is indicated if material was taken recently. DO NOT INDUCE VOMITING unless a physician's treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting give victim one or two glasses of water and insert finger in back of throat to gag until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.
IF IRRITATED: Remove person from spray area. Apply respiration if indicated.
IF ON SKIN: Wash promptly with soap and water.
IF IN EYES: Flush eyes with cold water for at least 15 minutes. Get medical attention.
SEE SIDE PANEL FOR ADDITIONAL CAUTIONS

NOTE TO PHYSICIAN: If signs of cholinesterase inhibition are present, Atropine is antidotal and may be administered in conjunction with 2 PAM.

Distributed by GREEN LIGHT COMPANY, San Antonio, Texas 78217
EPA Est. No. 855 TX 1 EPA Reg. No. 869-124

NET CONTENTS 1 PINT