

MAY 20 1986

1114 300 17495
1717

Mr. Jeff Kuedke
Green Light Company
P.O. Box 17985
San Antonio, TX 78217

Dear Mr. Luedke:

Subject: Amendment - Upgrade Signal Word - Label Update -
Change Product Name Green Light Diazinon
EPA Registration No. 869-124
Your Application Dated May 5, 1986

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable, provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

1. Delete "xylene" from the active ingredient statement and include it in the total percentage of inert ingredients since it is not active in this product.
2. Since xylene may present an aspiration hazard, immediately beneath the ingredient statement add:

*Contains Xylene

(The asterisk should also be placed next to Inert Ingredients.)

In regard to your request for a change in signal word we refer you to our letter of June 30, 1983 (copy enclosed). As indicated in that letter, we believe the correct signal word for this product is "Caution." However, since we do not have actual acute toxicity data on this formulation, we will allow you to increase the signal word to Warning on an interim basis provided you submit eye irritation data on this formulation as requested in our June 30th letter. We suggest you contact Ciba-Geigy to see if they have these data on a similar formulation. We also suggest you provide the California Department of Agriculture a copy of our June 30, 1983 letter for their information.

86034:Newkirk:LR-8:KENCO:5/16/86:5/26/86:TAR:VO

CONCURRENCES

		CONCURRENCES						
SYMBOL ▶								
SURNAME ▶								
DATE ▶								

Please indicate your intentions in regard to the submission of eye irritation data in support of a change in signal word.

We note your request to change the product name.

Submit five (5) copies of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosures

Directions for Using
**GREEN LIGHT
DIAZINON®**

**KEEP OUT OF REACH OF CHILDREN
WARNING
SEE PRECAUTIONARY STATEMENTS
ON LABEL**

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE: Store in a locked storage area out of reach of children and domestic animals. Do not store near heat or open flame. Store in original container. Put safety closure back on bottle after use and before storing.
PESTICIDE DISPOSAL: Unwanted pesticide material leave in original container. Securely wrap original container in several layers of newspaper and discard in trash.
CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

Green Light Diazinon for Lawn and Garden Insect Control kills many outdoor insects which destroy lawns, roses, flowers, trees, and shrubs, or annoy pets and people. Contains Diazinon insecticide which provides positive control of many "hard-to-kill" sucking and chewing insects. Works fast and remains effective for an extended period of time.

HOW TO MIX AND APPLY

Determine size of spraying job. For lawns and vegetables measure the area to be sprayed. For all other applications apply as a thorough cover spray. Make applications when insects first appear. Repeat applications as needed or as noted in the rate chart. Use clean sprayer. Carefully measure and mix the amount of spray and water as suggested in the chart. Spray as directed in rate chart. Use coarse drenching sprays for lawns, soil and other surface applications. Use medium fine mist spray for trees and plants. Thorough coverage is important. Flush sprayer with clean water after each use. **NOTE:** Thoroughly wet down grass a few hours before applying for White Grubs or Japanese Beetle. European and Southern Chalcids. Billbugs. Water grass thoroughly after application.

WARNING — PRECAUTIONARY STATEMENTS.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: May be harmful if swallowed. Do not breathe spray mist. May be absorbed through skin. Avoid contact with skin, eyes, and clothing. Wash thoroughly after handling, and before smoking or eating. **DO NOT USE IN THE HOME.** Do not use on household pets or humans. Do not permit children or pets to go onto sprayed areas until the spray has completely dried. **KEEP OUT OF REACH OF DOMESTIC ANIMALS AND CHILDREN.** Avoid contamination of feed and foodstuffs.

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds, and other wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated areas. Do not apply when bees are actively visiting the crop, cover crop, or weed blooming in the treatment area. Application should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

PHYSICAL OR CHEMICAL HAZARDS: DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.

STATEMENT OF PRACTICAL TREATMENT. IF SWALLOWED: Call a physician immediately. Gastric lavage is indicated. If material was taken internally **DO NOT INDUCE VOMITING** unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting give victim one or two glasses of water and insert finger in back of throat. Repeat until fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person. **IF INHALED:** Remove person from spray area. Apply respiration if indicated. **IF ON SKIN:** Wash promptly with soap and water. **IF IN EYES:** Flush eyes with cold water for at least 15 minutes. Get medical attention. **NOTE TO PHYSICIAN:** If signs of cholinesterase inhibition are present, Atropine is antidotal and may be administered in conjunction with 2-F-AM.

Copyright © Green Light Co. San Antonio, TX 78211

ACCEPTED
with COMMENTS
in EPA Letter Dated

MAY 20 1986

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

869-124