

READ ENTIRE LABEL BEFORE USING

DIRECTIONS FOR USE

SHADE TREES: For flat headed borers, round headed borers feeding in the trunk and large branch limbs of Ash, Oak, Poplar, Maple. Spray bark of tree trunk and large limbs to point of run-off with 1 tablespoon Borer Spray in 1 gallon of water when borers attack the trees, (usually in spring and early summer).

Dogwood borers: Spray as for borers listed above and make 2 or 3 applications at weekly intervals starting in early May.

Pine Bark Beetles feeding in the bark of pine trees. Mix 6 tablespoons (3 ounces) Borer Spray in 1 gallon of water and spray tree trunk to point of run-off. Repeat in 3 or 4 weeks if necessary.

White Pine Weevil feeding on pine and spruce. Spray in late April when buds swell with 1 tablespoon Borer Spray per 1 gallon of water. Make sure to spray top of tree thoroughly.

FRUIT TREES (home orchards only):

Fruit trees: Apples, cherries, peaches for control of bark beetles, round headed borers, flat headed borers, spray trunk of tree and large limb branches with 1 tablespoon Borer Spray in 1 gallon of water. Spray in spring to a point of run-off from ground line to large branch limbs. Do not get spray on foliage or fruit and do not spray within 60 days of fruit harvest.

Peach Tree Borers: Spray trunk from ground line up to large branches of peach trees to point of run-off with 1 tablespoon Borer Spray in 1 gallon of water beginning in the middle of August and repeat 2 or 3 applications at weekly intervals. Do not spray on fruit or foliage.

CAUTION: Keep out of reach of children. Harmful if swallowed. Do not breathe spray mist. May be absorbed through skin. Avoid contact with skin. In case of contact wash immediately with soap and water. Avoid contamination of feed and foodstuffs. Do not use on household pets or humans. Keep children and pets off treated area until spray has been washed into soil and area sprayed is completely dry.


DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.

This product will kill fish and wildlife. Keep out of any body of water. Do not apply where run-off is likely to occur, or when WEATHER conditions favor drift from treated areas. Do not contaminate water by CLEANING of equipment, or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residue on trees. Protective information for bees may be obtained from local Agricultural Extension Specialist.

When container is empty, rinse with water and bury in non-crop area. Do not contaminate feed, foodstuffs, or water with rinse water or while cleaning spraying equipment.

**NOT FOR COMMERCIAL USE
FOR HOME USE ONLY**



GREEN LIGHT

**BORER
KILLER**

CAUTION: KEEP OUT OF REACH OF CHILDREN.
See other cautions on back of label.

For Control of Shade Tree and Fruit Tree Borers
Also Pine Bark Beetles

ACTIVE INGREDIENTS:	
Lindane (Gamma Isomer of Benzene Hexachloride)	20%
Xylene	69%
INERT INGREDIENTS	11%
Total	100%

E.P.A. Reg. No. 869-132 Net Contents 1 Pint

GREEN LIGHT COMPANY, San Antonio, Texas 78246

GREEN LIGHT COMPANY, San Antonio, Texas 78246

O.A. 2, 1972

869-132