

Best copy available

869-139

01/15/1982

1/2




GREEN LIGHT

DIAZINON[®] 5 GRANULES

FOR CONTROL OF FIRE ANTS

AND CERTAIN OTHER LAWN INSECTS SUCH AS:
CHINCH BUGS, BILLBUGS, WHITE GRUBS such as JAPANESE BEETLE,
EUROPEAN CHAFER, SOUTHERN CHAFER, as well as BROWN
DOG TICKS; LAWN MOTH (SOIL WEBWORM); ARMYWORMS, CHIGGERS,
LEAFHOPPERS, SOWBUGS, MILLIPEDES, EARWIGS, ANTS,
BERMUDA MITES and FLEAS

ACCEPTED
JAN 15 1982
Under the Federal Insecticide, Fungicide, and Plant Disease Act, as amended, for the pesticide registered under EPA Reg. No. 869-139



DIAZINON 5 GRANULES

ACTIVE INGREDIENT	
D, O-Dialkyl O-(2-isopropyl-4-methyl-4-pyrimidinyl) phosphorothioate	5.00%
INERT INGREDIENTS	
TOTAL	95.00%
*Diazinon registered trademark CIBA-GEIGY Corp.	

KEEP OUT OF REACH OF CHILDREN
CAUTION
STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention immediately.

IF INHALED: Remove victim to fresh air and apply respiration if indicated.

IF ON SKIN: Wash promptly with soap and water. Rinse thoroughly.

IF IN EYES: Rinse eyes for at least 15 minutes with water and call a physician if irritation persists.

Note to Physician: If signs of cholinesterase inhibition are present, atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

See other cautions on back of this bag

Distributed by GREEN LIGHT COMPANY SAN ANTONIO, TEXAS 78217
EPA Reg. No. 869-139 E.P.A. Est. No. 869-TX-1

NET WEIGHT 8 POUNDS



DIAZINON[®] 5 GRANULES

back



DAZINON⁵ GRANULES



GREEN LIGHT

DAZINON⁵ GRANULES

GREEN LIGHT

DAZINON⁵ GRANULES

FOR CONTROL OF FIRE ANTS

AND CERTAIN OTHER LAWN INSECTS SUCH AS:
 CHINCH BUGS, BILLBUGS, WHITE GRUBS such as JAPANESE BEETLE,
 EUROPEAN CHAFER, SOUTHERN CHAFER, as well as BROWN
 DOG TICKS, LAWN MOTH (SOD WEBWORM), ARMYWORMS, CHIGGERS,
 LEAFHOPPERS, SOYBUGS, MILLIPEDES, EARWIGS, ANTS,
 BERMUDA MITES, and FLEAS

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Keep out of reach of children. Harmful if swallowed. Avoid inhalation of dust. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling and before eating or smoking. May be absorbed through skin. Keep children and pets off treated areas until the material is washed into the soil and grass is dry.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds. Birds feeding on treated areas may be killed. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE: Do not contaminate food and feed. Keep out of reach of children. Do not store near food or feed product. Do not reuse empty container. Wash in soap and put in trash collection.

For Control of Chinch Bugs, Lawn Moth (sod webworm), Bermuda Mite, White Grubs, Armyworms, Leafhoppers, European Chafers, and Sodgrass Beetles: Apply 2 to 3 lbs. Granules per 1,000 sq. ft. On St. Augustine grass apply 2 to 3 lbs. per 1,000 sq. ft. Water lawn thoroughly and then allow grass to dry before applying Granules. Then water after treatment just enough to get Granules off grass and down to the soil. Do not water lawn for 7 to 10 days after treatment. Repeat application in 7 to 10 days if necessary.

For WHITE GRUBS such as Japanese Beetle, European Chafers, Southern Chafers, and Billbugs: Apply 2 to 3 lbs. Granules per 1,000 sq. ft. in 12 lbs. per 4,000 sq. ft. of lawn. Water grass thoroughly after application. For grub control make a spot application once between late July and early October. For billbug control apply when activity is first observed or when checked or mowed grass indicates damage from these insects. Repeat as necessary.

Band Treatment Around Foundation: Brown Dog Tick, Chiggers, Fleas, Millipedes, and Sowbugs are commonly found around or near foundation of houses as well as in the lawn. Control of these insects may mean treating the house. For control of these insects, apply a one-foot band of Granules next to the foundation of the house. Distribute the Granules uniformly using a rate of 5 lbs. for each 8-ft. by 20-ft. area to be treated.

FIRE ANTS and OTHER ANTS

SPOT TREATMENT:
ANTS: Apply 1/2 lb. measure of Green Light Dazinon 5 Granules around each ant hill.
FIRE ANTS: To aid in the control of fire ants in lawns and other recreational areas, apply 1 cup over and 8 ft. around each fire ant mound. Immediately after application, water thoroughly. A minimum of 1 gallon of water should be applied to each mound area. Repeat as necessary. Apply granules to avoid disturbing areas. Use of high pressure watering equipment may disturb the ants and cause migration, reducing product effectiveness.

Note: For best results, apply in cool weather, 65-80 degrees F. or in early morning or late evening hours. Treat new mounds as they appear.

SPREADER SETTING NUMBER PER 1,000 SQ. FT.

Spreader Make & Model	Regular or Dichondra Lawn	St. Augustine Lawn	White Grubs Billbugs
	2 lbs.	3 lbs.	3 1/2 lbs.
Boon	5-1/8	5-1/8	5-5/8
Jackson 18-28 (18")	3	5-3/4	5-1/2
Boon (30")	5-1/4	5-3/4	5-1/2
Boon Micro Set (22")	5-1/4	5-5/8	5-7/8
Orlando Lawn Spreader	3-1/2	4	3-3/4
Lawn Beauty	5	5-7/8	5-1/2

These settings apply to 20-40 mesh granular carriers. The spreader settings listed above are approximate. Accurately weigh a few pounds into your spreader and apply to a measured area. Then adjust spreader setting, if necessary, in order to secure carrier rate of application.