Mr. Weff Luedke Green Light Company P.O. Box 17985 San Antonio, TX 78217

Dear Hr. Luedke:

Subject: Green Light Dursban Granules
EPA Registration No. 869-158
Your Resubmission Dated June 18, 1987

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you:

- 1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling.
 - a. The Misuse Statement: "It is a violation of Federal law to use this product in a manner inconsistent with its labeling" must appear under the "Directions for Use" heading and preceding the use directions.
 - b. Add the statement "Hazard to Humans and Domestic Animals" to the precautionary labeling.
- 2. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely years,

Dennis H. Edwards, Jr. Product Hanager (12) Insecticide-Rodenticide Branch Registration Division (TS-767C)

Enclosure

GREEN LIGHT DURSBANR GRANULES

FOR USE ON LAWNS. IN FLOWER BEDS. AND UNDER SHRUBBERY

For Control Of Fleas, Ticks, Ants, Chinch Bugs, Brown Dog Ticks, Crickets. Sod Webworms, Cutworms, Sowbugs, Pillbugs, Earwigs, Hyperodes (turfgrass) Weevils

15 Lb. Bag Granules Treats 3,000 Square Feet

ACTIVE INGREDIENT:

Chlorpyrifos [0,0-diethyl 0-(3,5,6-trich ro-2-pyridyl) phosphorothicate 0.52INERT INGREDIENTS..... Total 100.0%

Contains 3/16-1b. Chlorpyrifos per gallon DursbanR registered trademark The Dow Chemical Company

CAUTION KEEP OUT OF REACH OF CHILDREN READ COMPLETE PRECAUTIONS ON BACK PANEL

EPA REG. NO. 869-158

EPA EST. NO. 869-TX-1

Formulated by Green Light Co., San Antonio, TX 78217

Net Weight 15 LBS.

Moder the Federal Insecticide, Pumpicide, and Rodenticide Act 29 amended, for the pesticide zegistered under EPA Reg. No.

(Back Panel)

CAUTION

KEEP OUT OF REACH OF CHILDREN

May by harmful if swallowed. Do not take internally. Avoid eye contact. Flush contaminated eyes with plenty of water, and get medical attention if irritation persists. Wash thoroughly after handling. Wash contaminated clothing before reuse.

PHYSICIAN: Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine, only by injection, is an antidote.

USE PRECAUTIONS: Keep children and pets off treated areas until material is washed into soil and grass is dry. Keep away from food, feedstuffs, and domestic water suppli-

This product is toxic to fish, birds, and other wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes: Appl this product only as specified on this label.

STORAGE: Store in a locked storage area out of reach of children and domestic animal Store in original container. PESTICIDE DISPOSAL: Leave unwanted pesticide material in. original container. Securely wrap original container in several layers of newspaper. and discard in trash. CONTAINER DISPOSAL: Do not reuse bag. Discard in trash.

BPA Letter Dated

NOV 2 1987

Bary V

DIRECTIONS FOR USE

Apply Green Light Dursban^R Granules insecticide uniformly to home lawns, flower beds, under shrubbery, and other ornamental and recreational turf grass areas using hand fertilizer spreader or power operated gravity or rotaty type spreader designed for application of granular materials. Treat when insects first appear using Granules at the rate of 5 pounds per 1,000 sq.ft. To help obtain uniform distribution, apply one-half required amount of product in one direction, then apply the balance at a right angle. Immediately after application sprinkle the turf with 150 gallons of water per 3,000 sq. ft. to wash the granules into the zone of insect infestation. Retreat as necessary.

15 P. W. 3

NOTE: See directions on fertilizer or granule spreader for setting to apply 5 pounds per 1,000 square feet.

RATES TO USE

Area to be Treated	Pounds of Granules	Gallons of Water to Sprinkle on Turf after Treatment
1,000 sq. ft.	5	50
3,000 sq. ft.	15	150

To control Hyperodes (turfgrass) weevils use twice the rate of Granules shown on table. Treat suspected problem areas in mid-April and again in mid-May. Consult your local Agricultural Extension Service specialist for best time to treat in your area.