

PM 12 869-168 1/2
10/25/90

GREEN LIGHT MANY PURPOSE DURSBAN CONCENTRATE

CONTROLS PESTS ON TURF: Chinch bugs, sod webworms, ants, fleas, brown dog ticks, cutworms, earwigs, grasshoppers, hyperodes weevils

CONTROLS PESTS ON ORNAMENTAL PLANTS: Aphids, bagworms, cutworms, grasshoppers, leafhoppers, mealybugs, mites, spittlebugs, exposed thrips, whiteflies

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

ACTIVE INGREDIENTS:

Chlorpyrifos[0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate]* 6.6%

INERT INGREDIENTS 93.4%
100.0%

*Dursban-Registered Trademark The Dow Chemical Company
U.S. Patent No. 3,244,586

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Additional Precautionary Statements On Back Panel

Green Light Co., San Antonio, TX 78217

EPA Est. No. 869-TX-1

EPA Reg. No. 869-168

Net Contents 1 pt

(Back or Side Panel)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION : KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. May be absorbed through the skin. May be injurious to eyes and skin. Combustible. Keep children and pets off treated areas until spray has dried. Avoid skin and eye contact. Do not smoke while using. Wash thoroughly after handling. Flush contaminated eyes with plenty of water and get medical attention. Avoid breathing mist or vapor. Wash contaminated clothing before reuse.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine, only by injection, is an antidote.

ENVIRONMENTAL CAUTIONS: This product is toxic to fish, birds, and other wildlife. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated.

This product is highly toxic to bees exposed to direct treatment or residues on plants. Protective information may be obtained from your Agriculture Extension Service. Apply this product only as specified on this label. Keep this product in original container.

Do not contaminate water by cleaning of equipment or disposal of wastes.

Do not spray vegetable gardens or other plants used for food purposes. Keep away from food, feedstuff, and domestic water supplies. Keep container closed. DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME. Handle concentrate in a ventilated area.

DIRECTIONS FOR USE. It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For control of chinch bugs, sod webworms(lawn moths), ants, fleas, brown dog ticks, crickets, cutworms, earwigs, grasshoppers, chiggers and sowbugs(pillbugs) infesting lawns and turf. Wet grass down thoroughly before spraying with this emulsifiable concentrate. Dilute spray at the rate of 1 tablespoonful per gallon of water to treat 100 square feet or 5 ounces(10 tablespoons) per 10 gallons of water and apply over 1,000 square foot area. When using a lawn hose-on-sprayer (15-gallon to 20-gallon), fill quart jar to 10-ounce mark with spray and finish filling jar to top with water. Then apply this mixture over 2,000 square feet of lawn grass. Ten steps in one direction and eleven in another direction is approximately 1,000 square feet. Repeat application if chinch bug damage reoccurs or when pests reappear.

NOTE: To help prevent infestation of buildings by ants, cockroaches, crickets, fleas, ticks, earwigs, and sowbugs(pillbugs), treat a band of soil 6 to 10 feet wide around and adjacent to the building and also the building foundation to a height of 2 to 3 feet where pests are active and may find entrance. Dilute spray at the same rate as above. Apply as a coarse spray to thoroughly and uniformly wet the band area.

ORNAMENTALS: To control aphids, bagworms, eastern tent caterpillar, fall webworm, grasshoppers, mites, spittlebugs, whiteflies: Dilute 1 tablespoon in 1 gallon of water. To control cutworms, leafhoppers, mealybugs, mimosa webworm, redhumped caterpillar and thrips(exposed): Dilute 1 ounce(2 tablespoons) in 1 gallon of water. To control ash borer: Dilute 2 ounces(4 tablespoons) in 1 gallon of water. Avoid over-spraying to the point of excessive run-off.

Treat when pests appear and repeat at 7 to 10-day intervals if needed.

NOT DO NOT USE ON AZALEAS, CAMELLIAS, POINSETTIAS, ROSES, OR VARIEGATED IVY BECAUSE OF POSSIBLE INJURY TO THESE PLANTS.

STORAGE AND DISPOSAL: Do not use, pour, spill or store near heat, of open flame. Handle concentrate in a ventilated area. Do not reuse empty container. Wrap in newspaper and put in trash collection.

