

RETREATMENT RESTRICTIONS

1. Retreatment for subterranean termites should only be made when there is evidence of reinfestation subsequent to the initial treatment, or there has been a disruption of the chemical barrier in the soil due to construction, excavations, landscaping, etc. Reapplication should be made as a spot treatment to these areas.
2. Annual retreatment of the entire premises must be avoided.


PESTS AROUND BUILDINGS: To help prevent infestation of buildings by ants, cockroaches, crickets, fleas, ticks, earwigs, sowbugs (pillbugs), and millipedes: treat a band of soil 6 to 10 feet wide around and adjacent to the building and also to building foundation to a height of 2 to 3 feet where pests are active and may find entrance. Dilute spray at the rate of 1/2 tablespoon per gallon of water to treat 100 sq. ft. Apply as a coarse spray to thoroughly and uniformly wet the band area.

LAWN PESTS: For control of chinch bugs, sod webworms (lawn moths), ants, fleas, ticks, crickets, cutworms, earwigs, grasshoppers, chiggers, and sowbugs (pillbugs) infesting lawns and turf. Wet grass down thoroughly before spraying. Dilute spray at the rate of 1/2 tablespoon per gallon of water to treat 100 sq. ft. Repeat application when pests reappear, but not more often than once every 7 days.

WHITE GRUBS (European chafer and Japanese beetle larvae): Dilute spray at the rate of 1 tablespoon per gallon of water to treat 100 sq. ft. Wet grass thoroughly after spraying. Spray when grubs are young and actively feeding near the soil surface; usually during late July and August, or as recommended by your local Agricultural Extension Service specialist in your area.

FIRE ANTS: Apply as a drench diluted at a rate of 2 tablespoons (1 fl. oz.) per gallon of water. Gently sprinkle a total of one gallon of the diluted solution over the surface of each mound using a sprinkling can. Thoroughly wet mound and surrounding areas to a 4 ft. diameter (12 sq. ft.). For best results, apply in early morning or late evening hours. Treat new mounds as they appear.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, expressed or implied, extends to the use of the product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.



Reg # 869-172

PM-12

10/25/87

123

GREEN LIGHT

BORER KILLER II

CONTROLS PEACH TREE BORER-ELM BARK BEETLE & ASH BORER

ACTIVE INGREDIENTS:

Chlorpyrifos [0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl)
phosphorothioate]..... 12.9%

INERT INGREDIENTS..... 87.1%
TOTAL 100.00%

Contains 1 pound of chlorpyrifos per gallon.

KEEP OUT OF REACH OF CHILDREN

WARNING

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting. Call a physician immediately.
IF INHALED: Remove victim to fresh air and apply respiration if indicated.
IF ON SKIN: In case of contact, remove contaminated clothing and immediately
wash skin with soap and water.
IF IN EYES: Flush eyes with plenty of water. Call a physician.

SEE ADDITIONAL CAUTIONS ON BACK PANEL

GREEN LIGHT COMPANY


SAN ANTONIO, TEXAS 78217

EPA EST. NO. 869-TX-1

EPA REG. NO. 869-172

NET CONTENTS 1 PINT

Not Reviewed. Registrants must be in accordance with
EPA regulations for Phase 2
Change in Status.



PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS

WARNING: May be fatal if swallowed. May be absorbed through skin. May be injurious to eyes and skin. Do not take internally. Do not get in eyes, on skin or on clothing. Avoid breathing vapors and spray mist. Wash thoroughly after handling. Keep children and pets off treated areas until spray has dried. Keep out of lawn and garden fishpools and other bodies of water.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is an antidote.

ENVIRONMENTAL HAZARDS: This product is highly toxic to bees exposed to direct treatment or residues on crops. Avoid use when bees are actively foraging. Protective information may be obtained from your Cooperative Agricultural Extension Service. This product is toxic to fish, birds and other wildlife. Do not apply directly to lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Use this product only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS: Combustible. Do not use or store near heat or open flame.

DIRECTIONS FOR USE: It is a violation of federal law to use this product in a manner inconsistent with its labeling.

READ AND FOLLOW COMPLETE DIRECTIONS FOR USE

STORAGE: Store in a locked storage area out of reach of children and domestic animals. Keep away from food, feedstuffs, and domestic water supplies. Handle concentrate in a ventilated area. Keep container closed. Store in original container. PESTICIDE DISPOSAL: Unwanted pesticide material leave in original container. Securely wrap original container in several layers of newspaper and discard in trash. CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

