

JUN 08 1995

Mr. Jeff Luedke
Green Light Company
P. O. Box 17985
San Antonio, Texas 78217-0985

Subject: Revised Labeling--Ant Names; Claims for Carpenter
Ants, Spiders, Carpet Beetles, and Fire Ants
Green Light Ant Killer
EPA Registration Number 869-176
Your Applications Dated April 19 and May 5, 1995

Dear Mr. Luedke:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, is acceptable provided that you make the labeling changes indicated below before you release the product for shipment bearing the amended labeling:

In the lists of ants, directly below the front panel brand name and in the directions for OUTDOOR USE/Perimeter Treatment, delete "field" and substitute "cornfield."

Submit five (5) copies of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

DHE

Dennis H. Edwards, Jr.
Product Manager (19)
Insecticide-Rodenticide Branch
Registration Division (7505C)

Enclosure

294

ACCEPTED
with COMMENTS
in EPA Letter Dated

GREEN LIGHT ANT KILLER

JUN 08 1995

Long-Lasting, Odorless, Fast-Acting Under the Federal Insecticide,
Fungicide, and Rodenticide Act

FOR INDOOR AND OUTDOOR USE

as amended, for the pesticide
registered under EPA Reg. No.

869-176

KILLS ANTS (including acrobat, argentine, big-headed, carpenter, crazy, field, fire, (red) harvester, little black, odorous house, pavement, pharaoh (sugar), pyramid, thief), **BROWN DOG TICKS, CRICKETS, EARWIGS, FLEAS, PILLBUGS, SILVERFISH, SCORPIONS AND OTHER INSECT PESTS.**

ACTIVE INGREDIENT:

Bendiocarb: 2,2-dimethyl-1,3-benzodioxol-4-ol
methylcarbamate..... 1.0%

INERT INGREDIENTS..... 99.0%
TOTAL 100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Additional Precautionary Statements On Back Panel

EPA Reg. No. 869-176

EPA Est. No. 869-TX-1

Formulated by Green Light Co., P.O. Box 17985. San Antonio, TX 78217-0985

Net Wt. 1 lb. (454 gm)

(Back Panel)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Do not breathe dust. Do not allow to contact skin, eyes, or clothing. If contact occurs, wash skin with soap and warm water, or eyes with clean water. Wash hands and exposed skin before eating, drinking or smoking and after handling. Wash all contaminated clothing thoroughly before reuse.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED, drink one or two glasses of water and induce vomiting by touching back of throat with finger or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention. **IF INHALED,** keep patient strictly at rest and transfer to hospital immediately to get medical attention. **IF ON SKIN,** wash with soap and warm water. **IF IN EYES,** rinse thoroughly with clean water.

NOTE TO PHYSICIAN: Contains anticholinesterase carbamate insecticide. In cases of overexposure, atropine sulfate--2 mg (equivalent to 1/30 grain adult dose)--should be given, preferably by injection, and repeated as necessary until fully atropinized.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and wildlife. Do not apply directly to water or to areas where surface water is present, or to

2

intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in heighboring areas. Do not contaminate water by cleaning of equipment or disposal of waste. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

PRECAUTIONS: Do not use on or contaminate fruit, vegetables or other food or feed crops. Do not apply to humans, animals, clothing or bedding. Do not contaminate feed or food products or food preparation surfaces, dishes, kitchen utensils and food containers.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE: Store in a locked storage area out of reach of children and domestic animals. Keep pesticide in original container. **PESTICIDE DISPOSAL:** Leave unwanted pesticide material in original container. Securely wrap original container in several layers of newspaper and discard in trash. **CONTAINER DISPOSAL:** Do not reuse container. Rinse thoroughly before discarding in trash.

Green Light Ant Ki'ller is a ready-for-use insecticide dust which has given effective knockdown and residual control of the pests listed. Green Light Ant Killer is for residual pest control in and on buildings and structures and their immediate surroundings. Green Light Ant Killer is intended for application with hand duster or by other suitable means to hiding and runaway areas and those places where pests are found. Apply lightly and uniformly to infested areas. The amount to be applied will vary with the site but should usually be in the range of 1/3 to 2/3 ounces of Green Light Ant Killer per square yard. Repeat treatments as necessary to maintain adequate control.

INDOOR USE

COCKROACHES (including both non-resistant and organophosphate and organochlorine resistant strains), **ANTS** (including acrobat, argentine, fire, little black, pharoah (sugar), odorous house), **CRICKETS**, **SILVERFISH:** Apply thoroughly to all areas where these pests crawl and hide, especially in cracks and crevices and hidden surfaces around sinks and storage areas, behind baseboards, around doors and windows, behind and under refrigerators, cabinets, sinks and stoves and in attics and crawl spaces. For ants, apply to ant trails, around doors and windows and other places where ants enter premises.

CARPENTER ANTS: Apply around doors and windows and other places where ants enter premises and where they crawl and hide. Also force dust into infested wood through existing openings or newly drilled small holes. When possible locate and treat nests and surrounding areas.

BROWN DOG TICKS AND FLEAS IN BUILDINGS: Apply dust to infested areas such as pet beds and resting quarters, nearby cracks and crevices, under the edges of rugs and floor coverings, between and under cushions of upholstered furniture and other areas where these pests may be present. Old bedding of pets should be removed and replaced with clean fresh bedding after treatment of pet areas. Additionally, treat pets with an approved product registered for direct application to pets. Do not treat pets with this product.

SPIDERS: Apply along and behind baseboards, to window and door frames,

corners, pipes, storage localities, attics, crawl spaces and other areas over which these pests may crawl.

SOWBUGS, PILLBUGS, GROUND BEETLES, EARWIGS, MILLIPEDES, CENTIPEDES, AND SCORPIONS: Apply around doors and windows and other places where these pests may enter premises. Treat baseboards, storage areas and other locations where these pests are found.

CARPET BEETLES (Black, Furniture and Varied): Dust where these insects are found, for example, on and under edges of floor coverings, under rugs, and furniture and in closets.

OUTDOOR USE

Perimeter Treatment: Use Green Light Ant Killer as a residual treatment for control of **ANTS** (including big-headed, field, harvester, pavement, pyramid, thief), **BROWN DOG TICKS, CENTIPEDES, COCKROACHES, CRICKETS, EARWIGS, FLEAS, GROUND BEETLES, MILLIPEDES, PILLBUGS, SCORPIONS, SPIDERS:** Make a residual treatment around windows and doors, porches, screens, eaves, patios, garages, under stairways, and in crawl spaces and other areas where pests hid.

To help prevent invasion of buildings and structures by the above pests, treat a band of soil and vegetation 6 to 10 feet wide around and adjacent to the building or structure. Also treat the building foundation and crawl spaces where pests are active and may find entrance. Apply thoroughly and uniformly to the band area.

FIRE ANTS: Stir 7 oz. of Ant Killer into 2 gallons of water. Pour a small amount of material around the perimeter of the mound. Apply the remaining volume directly on the mound so as to penetrate insect galleries, using 2 gallons of mixture on mounds 8 inches or larger in diameter. Less mixture can be used on smaller mounds, however, thorough penetration of the insect galleries must be achieved. A second treatment may be necessary if complete control is not obtained. Do not disturb the mound prior to application. If possible, make applications after a recent rainfall. Applications may not be as effective during hot, dry periods. If possible, treat all colonies in the vicinity. Also, treat colonies which have not yet constructed a mound.

