869-180

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY 55167

300h

APR 0 2 1997

Jeff Luedke Green Light Company P.O. Box 17985 San Antonio, TX 78217-0985

Subject:

Green Light® Sevin® 10% Dust

EPA Registration No. 869-180

Amendment dated December 27, 1996 Response to Agency letter dated 10/1/96

Dear Mr. Luedke:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable provided that you:

- 1. Make the following changes to your label:
  - a) In the Directions for Use on DOG HOUSES, etc..., change the sentence "Do not expose kittens less than 4 weeks of age to treated areas" to "Do not expose pupples or kittens less than 12 weeks of age to treated areas."
- 2. Submit one copy of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions. A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

|5|

Dennis H. Edwards, Jr.
Product Manager (19)
Insecticide-Rodenticide Branch
Registration Division (7505C)

	Heaistr	ation Division (7505C)
- Enclosure	CONCURRENCES	
SYMBOL )		
SURNAME )		
DATE		
FPA Form 1320-1A (1/90)	Printed on Recycled Paper	OFFICIAL FILE COPY

EPA Form 1320-1A (1/90)

PARALLANDOS A: 1869/180.1

4/1/97



ACCEPTED with COMMENTS

**Multi-Purpose For** Homeowner Use.

in EPA Letter Deted For use on: Vegetables, Lawn & APR 0 2 1997 µrf, Trees, Shrubs & Ornamentals.



PRECAUTIONARY ST. HAZAROS TO HUMANS WAD DOMESTIC AMMALS

CAUTION: May be harmful if swallowed. Avoid breathing vapors (dust spray or mist). Avoid contact with eyes, skin or clothing. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink one or two glasses of water and induce vomiting by touching back of throat with linger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention immediately. IF MHALED: Remove victim to fresh air and apply respiration if indicated. IF ON SKIN: Wash promptly with soap and water. Rinse thoroughly. IF IN EYES: Rinse eyes for at least 15 minutes with water and call a physician immediately.

## **USER SAFETY REGUNAEMENTS**

- Wear long-sieeved shirt, long pants, shoes plus socks and household latex or rubber gloves when applying this product.
- Change clothing as soon as possible after use. Wash the outside of gloves before removing. As with any pesticide product, wash hands thoroughly immediately after handling and before eating, smoking or using the toilet,
- Do not allow children or pets to contact treated area until dust has settled.

ENVIRONMENTAL HAZARDS: This product is externely toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. Do not apply to carpets as staining may occur.

APPLY THIS PRODUCT ONLY AS SPECIFIED ON

THIS LABEL

IMJURY to tender toliage may occur if appli-cations are made when plants are wet or in the presence of high humidity of several days' duration following treatment.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its tabeling. DO NOT USE. THIS PRODUCT INDOORS.

STORAGE AND DISPOSAL

STORAGE: Store out of reach of children and dometic animals. LEAVE IN ORIGINAL CONTAINER UNTIL USED. DISPOSAL: Do not reuse empty container. Wrap in newspaper and put in trash disposal.

DO NOT USE EXCEPT AS SPECIFIED ON

OBSERVE ALL PRECAUTIONARY AND WARNING STATEMENTS.

Wearing household latex or rubber gloves. use a dust applicator such as a shaker can., dust gun, puffer or other bulbous duster, rolary duster or other appropriate duster as available. Dust lightly to cover both upper and lower leaf surfaces with a thin, even film of dust. Apply when air is calm to avoid drift and contact with eyes and skin. Start applying at the farthest corner of the treatment area and work backward to avoid contact with dusted surfaces. Allow dust to settle in treated areas before reentering. For plants above chest height, consider using a liquid carbaryl product. Do not repeat application more than once a week.

PEGETABLES: Tomatoes, potato, egopiant, peppers: To control Colorado potato beetles, Flea beetles, Leafhoppers, Lace bugs, Tomato fruit worms, Hornworms and Stink bugs, Dust upper and lower leaf surfaces for complete coverage. Green Light 10% Sevin may be used up to day of harvest. Cabbage, collards and mustard greens: To control imported cabbage worm, Flea beetles, Harlequin bug. Apply Green Light 10% Sevin on upper and lower leaf surface for complete coverage. Do not use on these vegetables within 14 days of harvest. Cucumbers and squash: To control Cucumber bee-Casumons and squash: to commot uscumber beeties and Flea beeties. Dust plants torhoughly with Green Light 10% Sevin. May be used on these vegetables up to day of harvest. Cucumbers and squash: To control cucumber beeties and Flea beeties. Dust plants thoroughly with Green Light 10% Sevin. May be used on these vegetables up to day of harvest.

LAWN AND TURF: To control Ants, Chinch bugs, Crickets, Cutworms, Earwigs, Fall Armyworms, Leafhoppers, Millipedes, Mosquitoes, Sod Webworms and Ticks, Use 1 lb. per 500 sq. it. for best results, mow lawn. remove clippings and apply immediately after rain or watering Water following treatment, Keep children and pets off lawn until material is watered in and grass dry.

ORNAMENTALS: Green Light 10% Sevin' Dust can be safely used on rose, carnation, pladicius, chrysanthemum, lilac and azalea, Sevin' injures Boston Ivy. Apply Green Light 10% Sevin' to the upper and lower leaf surtace of all solvage for complete coverage to control: Japanese beetle, Tent caterpillars, June beetles, Ticks, Bagworms, Blister beetle,— Boxelder bug. Flea bestles. Gypsy moths, Lacebugs, Leathoppers, Mealy bugs, Earwigs, Sow bugs and Ants. Use 1 lb. per 500 sq. ft. on the above insects.

TREES, SHRUBS, AND WORDY PLANTS: Use 1 lb. Green Light 10% Sevin' per 500 sq. fl. as a foliage application to control Apple aphid, Bagworms. Birch leaf miners, Japanese beetle. Lace bugs. Leafhoppers, Leaf rollers, Oak leafminers. Orange trotrix. Periodical cicada. Ruse aphin. Rose stug. Scales, Tent cater-pillars and Willow leaf beetle. DOG HOUSES, KENNELS AND SLEEPING QUARTERS: For Ticks use 1 lb. per 200 sq. ft.

Apply liberally by garden-type duster. Force dust into cracks and crevices. Repeal as needed. DO NOT expose kiltens less than 4 weeks of age to treated areas.

NOTE: Sevin' does not control spider mites. Where intestations are encountered, use a recammended miticide

EPA Est No. 869-TX-1 EPA Rea. No. 869-180



COPYRIGHT FY GREEN LIGHT CO GREEN LIGHT COMPANY, P. O. BOX 17985 SAN ANTONIO, TX 78217-0965



BEST AVAILABLE COPY