



BEST AVAILABLE IMAGE  
UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

MAR 11 1998

Jeff Luedke  
Green Light Company  
P.O. Box 17985  
San Antonio, Texas 78217-0985

Subject: Green Light Sevin 10% Dust  
EPA Registration No. 869-180  
Deletion of Trees from Label  
Amendment dated April 2, 1997  
EPA Letter and stamped Label dated April 2, 1997  
Federal Register (Vol. 62, No. 166) August 27, 1997

Dear Mr. Luedke:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided that you:

1. Make the following changes to your label:

a) Make the changes to this label that were requested in the Agency letter dated April 2, 1997 regarding the change from pet exposure be changed to "Do not expose puppies or kittens less than 12 weeks of age to treated areas".

b) In this use deletion notice removing the use for trees from the previous heading "TREES, SHRUBS, AND WOODY PLANTS" only the word "TREES" was deleted from the heading. However, the pests for uses on trees were not removed from the label as submitted. The uses for apple (apple aphid) and citrus (orange tortrix) must be removed. There appears to be additional uses remaining for trees (birch leafminer, oak leafminers, and willow leaf beetle). If these uses of a dust product were only for plants that are less than chest height then they could remain. However, it appears that the above specified uses for the mentioned pests on this portion of the label indicate that its use for these pests would be on plants that may be taller than chest height. Thus, these pests and their uses must also be removed as per the statement "For plants above chest height, consider using a liquid carbaryl product".

2. Submit two copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended

labeling constitutes acceptance of these conditions. A copy of the labeling stamped "Accepted with Comments" is enclosed for your records.

Sincerely,

*George Tompkins*

George Tompkins, Ph.D., Entomologist  
Insecticide-Rodenticide Branch  
Registration Division (7505C)



# SEVIN<sup>®</sup> 10% DUST Carbaryl Insecticide

**Multi-Purpose For  
Homeowner Use.**

**For use on: Vegetables, Lawn &  
Turf, Shrubs & Ornamentals.**

**ACTIVE INGREDIENTS:**


Carbaryl (1-naphthyl methylcarbamate).....10%

INERT INGREDIENT.....90%

Total 100%

SEVIN<sup>®</sup> is a registered trademark of Rhone-Poulenc for Carbaryl Insecticide.

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION** See Back Panel For Additional  
Precautionary Statements



NET WT. 1 LB. (454 gm)

ACCEPTED  
WITH COMMENTS  
In EPA Letter Dated:

MAR 11 1998

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for which Carbaryl  
is registered under EPA Reg. No.

869-180

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND  
DOMESTIC ANIMALS**

**CAUTION:** May be harmful if swallowed. Avoid breathing vapors (dust spray or mist). Avoid contact with eyes, skin or clothing. Wash thoroughly after handling.

**STATEMENT OF PRACTICAL TREATMENT**

**IF SWALLOWED:** Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention immediately. **IF INHALED:** Remove victim to fresh air and apply respiration if indicated. **IF ON SKIN:** Wash promptly with soap and water. Rinse thoroughly. **IF IN EYES:** Rinse eyes for at least 15 minutes with water and call a physician immediately.

**USER SAFETY REQUIREMENTS**

- Wear long-sleeved shirt, long pants, shoes plus socks and household latex or rubber gloves when applying this product.
- Change clothing as soon as possible after use.
- Wash the outside of gloves before removing. As with any pesticide product, wash hands thoroughly immediately after handling and before eating, smoking or using the toilet.
- Do not allow children or pets to contact treated area until dust has settled.

**ENVIRONMENTAL HAZARDS:** This product is extremely toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. This product is highly toxic to bees exposed to direct treatment of residues on blooming crops or woods. Do not apply this product or allow it to drift to blooming crops or woods if bees are visiting the treatment area. Do not apply to carpets as staining may occur.

**APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL.**

INJURY to tender foliage may occur if applications are made when plants are wet or in the presence of high humidity of several days duration following treatment.

**DIRECTIONS FOR USE:** It is a violation of Federal Law to use this product in a manner inconsistent with the labeling. **DO NOT USE THIS PRODUCT INDOORS.**

**STORAGE AND DISPOSAL**

**STORAGE:** Store out of reach of children and domestic animals. **LEAVE IN ORIGINAL CONTAINER UNTIL USED. DISPOSAL:** Do not reuse empty container. Wrap in newspaper and put in trash disposal. **DO NOT USE EXCEPT AS SPECIFIED ON THIS LABEL.**

**OBSERVE ALL PRECAUTIONARY AND WARNING STATEMENTS.** Wearing household latex or rubber gloves, use a dust applicator such as a shaker can, dust gun, puffer or other bulbous duster, rotary duster or other appropriate duster as available. Dust lightly to cover both upper and lower leaf surfaces with a thin, even film of dust. Apply when air is calm to avoid drift and contact with eyes and skin. Start applying at the farthest corner of the treatment area and work back to avoid con-

tact with dusted surfaces. Allow dust to settle in treated areas before reentering. For plants above chest height, consider using a liquid carbaryl product. Do not repeat application more than once a week.

**VEGETABLES:** Tomatoes, potato, eggplant, peppers. To control Colorado potato beetles, Flea beetles, Leafhoppers, Lace bugs, Tomato fruit worms, Hornworms and Stink bugs. Dust upper and lower leaf surfaces for complete coverage. Green Light 10% Sevin may be used up to day of harvest. Cabbage, collards and mustard greens: To control imported cabbage worm, Flea beetles, Harlequin bug. Apply Green Light 10% Sevin on upper and lower leaf surface for complete coverage. Do not use on these vegetables within 14 days of harvest. Cucumbers and squash: To control Cucumber beetles and Flea beetles. Dust plants thoroughly with Green Light 10% Sevin. May be used on these vegetables up to day of harvest.

**LAWN AND TURF:** To control Ants, Chinch bugs, Crickets, Cutworms, Earwigs, Fall Armyworms, Leafhoppers, Milkpedes, Mosquitoes, Sod Webworms and Ticks. Use 1 lb. per 500 sq. ft. for best results, mow lawn, remove clippings and apply immediately after rain or watering. Water following treatment. Keep children and pets off lawn until material is watered in and grass dry.

**ORNAMENTALS:** Green Light 10% Sevin<sup>®</sup> Dust can be safely used on rose, carnation, gladiolus, chrysanthemum, lilac and azalea. Sevin<sup>®</sup> injures Boston Ivy. Apply Green Light 10% Sevin<sup>®</sup> to the upper and lower leaf surface of all foliage for complete coverage to control: Japanese beetle, Tent caterpillars, June beetles, Ticks, Bagworms, Blister beetle, Boxelder bug, Flea beetles, Gypsy moths, Lacebugs, Leafhoppers, Mealy bugs, Larvae, Sow bugs and Ants. Use 1 lb. per 500 sq. ft. on the above insects.

**SHRUBS AND WOODY PLANTS:** Use 1 lb. Green Light 10% Sevin<sup>®</sup> per 500 sq. ft. as a foliage application to control Apple aphid, Bagworms, Birch leaf miners, Japanese beetle, Lace bugs, Leafhoppers, Leaf rollers, Oak leafminers, Orange tortix, Palm-leaf cicada, Rose aphid, Rose slug, Scale, Tent caterpillar and Willow leaf-beetle.

**DOG HOUSES, KENNELS AND SLEEPING QUARTERS:** For Ticks use 1 lb. per 200 sq. ft. Apply liberally by garden-type duster. Force dust into cracks and crevices. Repeat as needed. **DO NOT** expose kittens less than 4 weeks of age to treated areas.

**NOTE:** Sevin<sup>®</sup> does not control spider mites. Where infestations are encountered, use a recommended miticide.

EPA Est. No. 869-TX-1

NYA Reg. No. 000 1110



COPYRIGHT © GREEN LIGHT CO.  
GREEN LIGHT COMPANY, P. O. BOX 17005  
SAN ANTONIO, TX 78217-0005



REV. 11/96

3/3