

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

Jeff Luedke Green Light Company P.O. Box 17985 San Antonio, Texas 78217-0985

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

DEC 15 1999

Subject:

Green Light Sevin 10% Dust

EPA Registration No. 869-180

Amendment to delete unsupported uses and revise label as

per GDE instructions dated August 6, 1999.

Amendment dated October 22, 1999.

Dear Mr. Luedke:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, Rodenticide Act, as amended, is acceptable provided that you make the labeling changes indicated below before you release the product for shipment bearing the amended labeling:


 Correct the PHIs for Collards from 3 days to 14 days and for Mustard greens from 7 days to 14 days.

Submit two copies of your final printed labeling before you release the product for shipment.

Sincerely, Leange Tomph


George Tompkins, Ph.D., Entomologist Insecticide-Rodenticide Branch

Registration Division (7505C)



under the Federal insecticite, ungleide, and Richesticide Adjulti-Purpose For a amended, for the posticide uniti-Purpose For glateral under EPA Reg. Homeowner Use.

For use on: Vegetables, Lawn & Turf, Shrubs & Ornamentals.



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION: May be harmful if swallowed. Avoid breathing vapors (dust spray or mist). Avoid contact with eyes, skin or clothing. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink one or two glasses of water and induce vomiting by touching back of throat with finger. In not induce vomiting or give anything by mouth to an uncon-scious person. Get medical attention immediately. IF INHALED: Remove victim to fresh air and apply respiration if indicated. IF ON SKIN: Wash promptly with soap and water. Rinse thoroughly, IF IN EYES: Rinse eyes for at least 15 minutes with water and call a physician immediately.

USER SAFETY REQUIREMENTS

- · Wear long-sleeved shirt, long pants, shoes plus socks and household latex or rubber gloves when applying this product.
- Change clothing as soon as possible after use.
- Wash the outside of gloves before removing. As with any pesticide product, wash hands thoroughly immediately after handling and before eating, smoking or using the toilet.
- Do not allow children or pets to contact treated area until dust has settled.

ENVIRONMENTAL HAZAROS: This product is extremely toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equip-ment or disposal of wastes. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. Do not apply to carpets as staining may occur.

APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL

INJURY to tender foliage may occur if applications are made when plants are wet or in the presence of high humidity of several days' duration following treatment.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. DO NOT USE THIS PRODUCT INDOORS.

STORAGE AND DISPOSAL

STORAGE: Store out of reach of children and domestic animals. LEAVE IN ORIGINAL CONTAINER UNTIL USED. DISPOSAL: Do not reuse empty container. Wrap in newspaper and put in trash disposal.

DO NOT USE EXCEPT AS SPECIFIED ON THIS LABEL.

OBSERVE ALL PRECAUTIONARY AND WARNING STATEMENTS.

Wearing household latex or rubber gloves. use a dust applicator such as a shaker can, dust oun, puffer or other bulbous duster, rotary duster or other appropriate duster as available. Dust lightly to cover both upper and lower leaf surfaces with a thin, even film of dust. Apply when air is calm to avoid drift and contact with eves and skin. Start applying at the farthest corner of the treattact with dusted surfaces. Allow dust to settle in treated areas before reentering. For plants above chest height, consider usinn a liquid carparil product. Do not reneat aprilication more than once a week.

VEGETABLES. Tomatoes, potato, egoplant, peppers: To control Colorado potato beetles, flea beetles, leathoppers, lace bugs, tomato fruit worms, hornworms and stink bugs. Dust upper and lower leaf surfaces for complete coverage. Green Light 10% Sevin may be used up to 7 days of harvest of potato; up to 3 days of harvest of tomato, eggplant and peppers. Cabbage, collards and mus-tard greens: To control imported cabbage worm, flea beetles, harlequin bug. Apply Green Light 10% Sevin on upper and lower teaf surface for complete coverage. Do not use on these vegetables within 3 days of harvest of cabbage and collards; within 7 days of harvest of mustard greens.

Cucumbers and squash: To control cucumber beetles and flea beetles. Dust plants thoroughly with Green Light 10% Sevin. May be used on these vegetables up to 3 days of harvest.

LAWN AND TURF: To control Ants, Chinch bugs, Crickets, Cutworms, Earwigs, Fall Armyworms, Leafhoppers, Millipedes, Mosquitoes, Sod Webworms and Ticks, Use 1 lb. per 500 sq. ft. for best results, mow lawn, remove clippings and apply immediately after rain or watering Water following treatment. Keep children and pets off lawn until material is watered in and grass dry.

DRNAMENTALS: Green Light 10% Sevin* Dust can be safely used on rose, carnation, gladiolus, chrysanthemum, litac and azalea. Sevin* injures Boston Ivy. Apply Green Light 10% Sevin* to the upper and lower leaf surface of all foliage for complete coverage to control: Japanese beetle, Tent erage to control against beetle, ricks, Bagworms, caterpillars, June beetles, Ticks, Bagworms, Blister beetle, boxelder bug, Flea ibeetles, Gypsy moths, Lacebugs, Leafhoppers, Mealy bugs, Earwigs, Sow bugs and Ants. Use 1 lb. per 500 sq. ft. on the above insects. SHRUBS AND WOODY PLANTS: Use 1 lb. Green Light 10% Sevin* per 500 sq. ft. as a foliage application to control Bagworms, Japanese beetle, Lace bugs, Leathoppers, Leaf rollers. Periodical cicada, Rose aphid, Rose slug, Scales and Tent caterpillars.

DOG HOUSES, KENNELS AND SLEEPING QUARTERS: For Ticks use 1 lb. per 200 sq. ft. Apply liberally by garden-type duster. Force dust into cracks and crevices. Repeat as needed. DO NOT expose kittens less than 4 weeks of age to treated areas.

NOTE: Sevin* does not control spider mites. Where infestations are encountered, use a recommended miticide.

WARRANTY: Seller's quarantee shall be limited to the terms of the label, and subject thereto, the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

EPA Est. No. 869-TX-1 EPA Reg. No. 869-180 Copyright Green Light Co. GREEN LIGHT COMPANY, P. O. BOX 17985 SAN ANTONIO, TX 78217-0985