869-186

(\_\_\_\_\_\_\_)

5/19/2003

### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

CENCI

WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

MAY 1 9 2003

Mr. Jeff Luedke Green Light Company PO Box 17985 San Antonio, TX 78217-0985

Dear Mr. Luedke:

Subject: Revised Labeling per PR Notice 2001-1; Revised Basic CSF Green Light Rotenone EPA Registration No. 869-186 Your Submission Dated October 24, 2002

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided you make the following changes before you release the product for shipment bearing the amended labeling:

- Revise the Precautionary Statements as follows: "Harmful if swallowed or inhaled. Avoid breathing dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash contaminated clothing before reuse. Do not contaminate food and feed. Do not use on humans."
- 2. Under Storage and Disposal, delete the subcategory "PESTICIDE DISPOSAL."

Submit two copies of your final printed labeling before you release the product for shipment.

The revised basic Confidential Statement of Formula dated October 24, 2002 is not acceptable. Your product's source of rotenone contains 8.74% rotenone and 13.11% other associated resins. The amount of source product on the CSF needs to be adjusted to achieve the nominal concentrations of .75% rotenone and 1.50% other associated resins. Also, both rotenone and associated resins should be broken out and listed on the CSF. Please submit a revised CSF.

A stamped copy is enclosed for your records. If you have any questions, please contact me at (703) 308-6249 or <u>hebert.john@epa.gov.</u>

Regards, Alle

2/5

John Hebert Insecticide-Rodenticide Branch Registration Division (7505C)

ACCEPTED with COMMENTS In EPA Letter Dated: MAY 1 9 2003 Under the Federal Insecticide, Fungicide, and Rodenticide Act, is amended, for the pesticide gistered under EPA Reg. No.

#### **GREEN LIGHT ROTENONE**

Homeowner Use Only

KILLS INSECTS ON ORNAMENTALS. ALSO FOR CONTROL OF FLEAS ON DOGS AND CATS.

#### **ACTIVE INGREDIENTS:**

Rotenone	0.75%
Other Associated Resins	1.50%
OTHER INGREDIENTS	<u>97.75%</u>
Total	100.00%

## **KEEP OUT OF REACH OF CHILDREN** CAUTION See Back Panel For Additional Precautionary Statements

EPA Reg. No. 869-186

EPA Est. No. 73273-TX-1

Manufactured for Green Light Company, P.O. Box 17985, San Antonio, TX 78217-0985 (210) 494-3481 www.greenlightco.com

Net Wt. 1 lb. (454 gm)

(Back Panel)

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed. Do not breathe dust. Do not get in eyes or on skin. Wash thoroughly after handling. Avoid contamination of food and feed. Do not use on humans.

FIRST AID		
If inhaled	<ul> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>	
If on skin	. Take off contaminated clothing.	
or clothing	. Rinse skin immediately with plenty of water for 15-20 minutes.	
6	. Call a poison control center or doctor for treatment advice.	
If in eyes	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continurinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>	
If swallowed	• Call a poison control center or doctor immediately for treatment advice. • Have the person sip a glass of water if able to swallow.	
	<ul> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> </ul>	
	. Do not give anything by mouth to an unconscious person.	
	HOT LINE NUMBER	

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Pesticide Information Center at 1-800-858-7378 for general information and/or medical information.

**ENVIRONMENTAL HAZARDS:** This pesticide is extremely toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, potholes). Runoff and drift from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment washwaters.

**DIRECTIONS FOR USE:** It is a violation of federal law to use this product in a manner inconsistent with its labeling. **READ ENTIRE LABEL BEFORE EACH USE.** 

# STORAGE AND DISPOSAL

**STORAGE:** Store in a locked storage area out of reach of children and domestic animals. Store in original container. **PESTICIDE DISPOSAL:** Leave unwanted pesticide material in original container. Securely wrap original container in several layers of newspaper and discard in trash. **CONTAINER DISPOSAL:** If empty-Do not reuse this container. Place in trash or offer for recycling if available. If partly filled-Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

FOR USE ON ORNAMENTALS: Apply this product when infestation first appears. Apply at a rate of <sup>1</sup>/<sub>2</sub> to 2/3 lbs. per 1,000 sq. ft. Reapply weekly as needed for control.

Aphids---Aster, Gladiolus, Iris, Rose, Sunflower, Sweet Peas. Cabbage Looper and Imported Cabbageworm---Carnation, Chrysanthemum, Dahlia, Daisy, Rose, Sweet Peas, Zinnia. Flea Beetle---Petunia, Primrose, Sunflower, Violet, Wallflower. Japanese Beetle---Rose

**FLEAS ON DOGS AND CATS:** Dust animal thoroughly and rub into fur. Repeat weekly as required for control. Do not allow product to get into eyes, nose or ears of animals. Do not use on puppies or kittens under 12 weeks old. Consult a veterinarian before using this product on debilitated, aged, pregnant, or nursing animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated animals.

FLEAS IN KENNELS, PENS, LAWNS AND UNDER HOUSES: Apply 5 to 10 ounces per 250 sq. ft. Remove debris before dusting.

**LICE ON HORSES:** Apply 1 to 4 ounces of powder depending on the size of the animal. Work into hair. Repeat in 10 to 12 days and as needed thereafter.