

10-25-09

USE DIRECTIONS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

PESTS INDOORS...

General Information: Use this product to control the pests indicated in the areas listed below by application of this product as an undiluted spray (0.5% Chlorpyrifos). Repeat the treatment as needed.

Do not apply sprays of this product in conduits, motor housings, junction and switch boxes or other electrical equipment because of possible shock hazard. Do not use in poultry houses or other animal buildings. Do not allow spray to contact food, feedstuffs, and water supplies. Thoroughly wash dishes and food handling utensils with soap and water if they become contaminated by application of this product. Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish bowls (tanks) before spraying.

Application Within Residential Buildings, Including Homes and Apartment Buildings and Within Nonfood areas of Industrial, Institutional, and Commercial Buildings Including Hospitals, Stores, Manufacturing Plants and Warehouses: For Spot Treatment Only—Apply as a coarse spray or with paint brush to localized areas where cockroaches (including strains resistant to other insecticides), ants, clover mites, crickets, firebrats, silverfish and spiders are found or normally occur including dark corners of rooms and closets; cracks and crevices in walls, along and behind baseboards; beneath and behind sinks, stoves, refrigerators and around doors and windows and wherever else these pests may find entrance. **Note:** A period of 4 to 7 days is normally required for maximum effect on cockroaches.

For control of carpet beetles, thoroughly apply as a spray for spot treatment to infested areas such as pet beds and resting quarters; nearby cracks and crevices; along and behind baseboards, window and door frames and localized areas of floor and floor covering where these pests may be present. Old bedding of pets should be removed and replaced with clean, fresh bedding after treatment of pet area. **DO NOT TREAT PETS WITH THIS PRODUCT.** To control the source of flea infestation, pets inhabiting the treated premises should be treated with a product registered for application to animals.

PESTS OUT-OF-DOORS

Flies, mosquitoes: For outdoor use only as an aid in reducing annoyance from these insects. Spray outside surfaces of screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures on porches, in garages, and other places where these insects alight or congregate. Repeat as necessary.

Ants, brown dog ticks, crickets, fleas and earwigs: For treatment of localized infestation of these insects in outdoor areas where there are weeds or brushy non-crop areas, spray infested areas thoroughly. For ants, thoroughly wet hills and runways. Repeat applications as infestations warrant and as reinfestation occurs.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal. **STORAGE:** Store pesticide in the original container in a locked storage area. **PESTICIDE DISPOSAL:** To dispose of excess pesticide, securely wrap original container in several layers of newspaper and discard in trash. **CONTAINER DISPOSAL:** Do not reuse container. Rinse thoroughly before discarding in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

Avoid contact with eyes, skin and clothing. Avoid breathing vapors or spray mist. May be harmful if swallowed. Keep away from food, feedstuffs and domestic water supplies. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. This product is highly toxic to bees exposed to direct treatment or residues on plants. Protective information may be obtained from your Cooperative Agricultural Extension Service Specialist.

PHYSICAL OR CHEMICAL HAZARDS

Do Not Use or Store Near Heat or Open Flame.
Do Not Store Below 32° Degrees F.

LOT NO.

phosphorothioate 12.90%

INERT INGREDIENTS..... 87.10%

DURSBAN[®] Registered Trademark The Dow Chemical Co.
U.S. Patent No. 3,244,586

KEEP OUT OF REACH OF CHILDREN

WARNING

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 869-204

EPA Est. No. 869-TX-1

Formulated by Green Light Co., San Antonio, TX 78217

Net Contents 1 Qt.

(Back Panel)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Do not take internally. Do not get in eyes, on skin or on clothing. Avoid breathing vapors or spray mist. Wash thoroughly after handling and before eating or smoking. Do not wear contaminated clothing or shoes.

STATEMENT OF PRACTICAL TREATMENT: IF SWALLOWED, do not induce vomiting. Contains aromatic petroleum solvent. Call a physician immediately. IF ON SKIN, in case of contact remove contaminated clothing and immediately wash skin with soap and water. If irritation persists get medical attention. IF IN EYES, flush eyes with plenty of water. Call a physician. IF INHALED, remove to fresh air. NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is an antidote.

ENVIRONMENTAL HAZARDS: This pesticide is extremely toxic to fish, birds, and other wildlife. Do not apply directly to water. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent aquatic sites. Cover or incorporate spills. Do not clean equipment or dispose of equipment washwaters in a manner that will contaminate water.

PHYSICAL AND CHEMICAL HAZARDS: COMBUSTIBLE. Do not use or store near heat or open flame. NOTE: SHAKE WELL BEFORE USING. Crystals may form in this product if stored below 55 F. If crystals are present, warm to 70 F and shake occasionally until crystals disappear.

AGRICULTURAL CHEMICAL: Do not ship or store with food, feeds, drugs or clothing.

This Restricted Pesticide may be in accordance with
EPA's Revised Guidelines and Guidance for Phase 2
Pesticides. A future Pesticide Change in Status.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE: Store in a locked storage area out of reach of children and domestic animals. Store in original container. PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

BEFORE USING, READ AND FOLLOW COMPLETE DIRECTIONS FOR USE AND OTHER IMPORTANT INFORMATION IN BOOKLET ATTACHED TO THIS CONTAINER

SUBTERRANEAN TERMITES - DIRECTIONS FOR HOMEOWNER USE

TERMITE CONTROL IN EXISTING STRUCTURES

Buildings With Basements Or Crawl Spaces

First remove all wood debris and wood forms. Around piers, pipes, chimney bases and along foundations of poured concrete dig a trench 6 inches wide and 4 inches deep. If footing is more than 12 inches deep, make holes with a crowbar, pipe or a rod about one foot apart that extend from the trench bottom to the top of the footing. Make holes closer in hard-packed clay soils. NEVER DIG BELOW THE TOP OF THE FOOTING. Apply this solution with a sprinkling can. Mix 5 1/3 fluid ounces per gallon of water and treat 2 1/2 linear feet of trench or foundation (one quart will make 6 gallons of diluted solution and treat 15 linear feet). Apply half of this to back-fill. Likewise, treat along the inside of foundations of crawl-space buildings. Cover treated soil with a thin layer of untreated soil.

The object is to establish a treated soil barrier which will prevent termite entry. Other critical areas may also require treatment, particularly if there are inaccessible areas, basements or slab-type construction. Contact a licensed pest control operator or termite control service.

Avoid contamination of public and private water supplies by following these precautions. Do not allow a hose or any type of faucet extension to reach into the termite chemical solution while filling or mixing this material with water. Use antiback-flow or anti-siphonage equipment on all filling equipment. These devices can be purchased at hardware or plumbing supply stores. Use of antiback-flow equipment will help to ensure that the user of this toxic chemical will not contaminate domestic water supplies. Refer to federal (Federal Housing Administration), state, and local specifications for safe distances of treatment areas from wells. Soil in the vicinity of wells, cisterns or ponds should not be treated if it is water saturated, subject to excessive saturation due to an accumulation of water or if the soil to be treated around the perimeter of the structure is at a grade lower than surrounding yard or property area. If this is the situation, treat as follows: Do Not Apply Under Pressure. Soil should be removed to an area safe from well or domestic water contamination, treated, allowed to stand undisturbed for two to four hours, then returned to the trench which has been lined with 4 mil plastic sheeting. Be careful not to puncture the plastic sheeting when returning soil to the trench. Do not treat structures that contain cisterns or wells.

