reg # 867 - ~~1

GREEN LIGHT DURSBANR 5% GRANULES

COVERS 16,000 SQ. FT.

FOR USE IN LAWNS, FLOWER BEDS, AND UNDER SHRUBBERY

在我们就是这一点,我们就是一个一个的时候,一起这个时间,他就是这一个的时候,这种时间,我们也没有一个的时候,我们也没有一个时间,我们也没有一个时间,我们就是一个 To Control Chinch Bugs, Sod Webworms, Ants, Brown Pog Ticks, Crickets, Fleas, Cutworms, Sowbugs (Pillbugs), Earwigs, White Grubs, Fire Ants, European Crane Fly Larvae, and Others

ACTIVE INGREDIENT:

Chlorpyrifos [0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl)	
phosphorothioate]	5 ዩ
INERT INGREDIENTS	<u>95%</u>
	100%

Dursban^R Registered Trademark Dow Elanco

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel For Additional Precautionary Statement

EPA Reg. No. 869-209

EPA Est. No. 869-TX-1

F / L

ACCEPTED Light Co., San Antonio, TX 78217

SEP 2 4 1990

Net Contents 8 lbs.

Under the Federal Insections, Fungicide, and Rodenticide Ret. EPS Reg. No. 369-2

(Back Panel)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Keep out of reach of children. May be harmful if swallowed. Do not take internally. Avoid eye contact. Flush contaminated eyes with plenty of water, and get medical attention if irritation persists. Wash thoroughly after handling. Wash contaminated clothing before reuse.

STATEMENT OF PRACTICAL TREATMENT: IF SWALLOWED, drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not give anything by mouth to an unconscious person. Get medical attention. IF ON SKIN, in case of contact, remove contaminated clothing and immediately wash skin .with plenty of soap and water. IF IN EYES, flush with planty of water.

NOTE TO PHYSICIAN: Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection.

environmental Hazards: This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. do not apply where run-off is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE: Store in a locked storage area out of reach of children and domestic animals. Store in original container. PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. CONTAINER DISPOSAL: Do not reuse container. Discard in trash.

Apply Green Light Dursban^R 5% Granules uniformly to home lawns, flower beds, under shrubbery, and other ornamental and recreational turf grass areas using any hand fertilizer spreader or power operated gravity or rotary type spreader designed for application of granular materials. Treat when insects first appear using granules at the rate of 1/2 lb. per 1,000 sq. ft. or 8 lbs. per 16,000 sq. ft.

To help obtain uniform distribution, apply 1/2 required amount of product in one direction, then apply the balance at a right angle. Immediately after application sprinkle the turf with water to wash the granules into the zone of insect infestation. Retreat as necessary.

NOTE: See directions on fertilizer or granule spreader for setting to apply.

WHITE GRUBS: To control certain White Grubs (larvae of European Chafer and Japanese Beetle) use two to four times the amount of granules indicated, i.e. 1 to 2 lbs. per 1,000 sq. ft. Apply the granules uniformly over the area treated followed immediately by thorough watering to wash the insecticide in the turf. For best results treat when grubs are young and actively feeding near the soil surface, usually during late July and August. Consult your local Agricultural Extension Service Specialist for proper time to treat in your area.

PERIMETER TREATMENT: To prevent infestation of buildings by Ants, Crickets, Earwigs, and Sowbugs (Pillbugs), treat a bank 6 to 10 feet wide around and adjacent to the buildings where pests are active and may find entrance. Follow same rates as indicated above for the pests to be controlled. Keep children and pets off treated areas until material is washed into soil and grass is dry. Keep away from food, feedstuffs, and domestic water supplies.

FIRE ANTS: For individual Fire Ant mounds, apply Green Light Dursban 5% Granules at the rate of four tablespoons per mound. Spread granules evenly over top of mound. Apply gently to avoid disturbing ants. For best results, apply in cool weather 65° to 80°, or in early morning or late evening hours. Water in granules after application. Lightly sprinkle one quart of water for every six inches of mound diameter. Treat new mounds as they appear.

EUROPEAN CRANE FLY LARVAE: Apply Dursban^R 5% Granules at a rate of 3/5 pounds per 1,000 sq. ft. using any granular application equipment as described above. For increased effectiveness, follow the granule application with a thorough watering to move the insecticide into the soil: apply the equivalent of 1/2 of 1 inch of water by using a sprinkler or other means of applying water to turf. Consult your local Agricultural Extension Service Specialist for timing of application in your geographic area.