

P. 412 869 240

1/4

GREEN LIGHT DOUBLE DURSBAN^R GRANULES

FOR USE ON LAWNS, IN FLOWER BEDS, UNDER SHRUBBERY

Treats 3,200 Square Feet

To Control Chinch Bugs, Sod Webworms, Ants, Cockroaches, Ticks, Crickets, Fleas, Cutworms, Sowbugs, Pillbugs, Earwigs, White Grubs (larvae of European chafer and Japanese beetle), Fire Ants, Grasshoppers, Centipedes


- Kills On Contact
- No Watering Required For Mound Application

ACTIVE INGREDIENT:

Chlorpyrifos [0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate] 1.0%

INERT INGREDIENTS..... 99.0%
100.0%

Dursban^R registered trademark The Dow Chemical Company



KEEP OUT OF REACH OF CHILDREN
CAUTION
See Complete Precautions On Back Panel

EPA Reg. No. 869- 210

EPA Est. No. 869-TX-1

Green Light Co., San Antonio, TX 78217

Net Contents 8 lbs.

(Back Panel)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS


CAUTION: Keep out of reach of children. May be harmful if swallowed. Do not take internally. Avoid contact with eyes, skin, or clothing. Avoid breathing dust. Keep away from food, feedstuffs, and water supplies. Do not treat vegetable garden or other plants used for food.

STATEMENT OF PRACTICAL TREATMENT: IF SWALLOWED, drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not give anything by mouth to an unconscious person. Get medical attention. IF ON SKIN, in case of contact, remove contaminated clothing and immediately wash skin with plenty of soap and water. IF IN EYES, flush with plenty of water.

NOTE TO PHYSICIAN: Active ingredient is a cholinesterase inhibitor. Treat... symptomatically. Atropine only by injection.

ENVIRONMENTAL PRECAUTIONS: This product is toxic to fish, birds, and other wildlife. Do not apply near water. Do not apply where runoff is likely to occur. Do not apply when conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.



7

GREEN LIGHT DOUBLE DURSBAN^R GRANULES

FOR USE ON LAWNS, IN FLOWER BEDS, UNDER SHRUBBERY

Treats 3,200 Square Feet

To Control Chinch Bugs, Sod Webworms, Ants, Cockroaches, Ticks, Crickets, Fleas, Cutworms, Sowbugs, Pillbugs, Earwigs, White Grubs (larvae of European chafer and Japanese beetle), Fire Ants, Grasshoppers, Centipedes


- Kills On Contact
- No Watering Required For Mound Application

ACTIVE INGREDIENT:

Chlorpyrifos [0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate] 1.0%

INERT INGREDIENTS..... 99.0%
100.0%

Dursban^R registered trademark The Dow Chemical Company



KEEP OUT OF REACH OF CHILDREN
CAUTION
See Complete Precautions On Back Panel

EPA Reg. No. 869- 210

EPA Est. No. 869-TX-1

Green Light Co., San Antonio, TX 78217

Net Contents 8 lbs.

(Back Panel)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS


CAUTION: Keep out of reach of children. May be harmful if swallowed. Do not take internally. Avoid contact with eyes, skin, or clothing. Avoid breathing dust. Keep away from food, feedstuffs, and water supplies. Do not treat vegetable garden or other plants used for food.

STATEMENT OF PRACTICAL TREATMENT: IF SWALLOWED, drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not give anything by mouth to an unconscious person. Get medical attention. IF ON SKIN, in case of contact, remove contaminated clothing and immediately wash skin with plenty of soap and water. IF IN EYES, flush with plenty of water.

NOTE TO PHYSICIAN: Active ingredient is a cholinesterase inhibitor. Treat... symptomatically. Atropine only by injection.

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.



STORAGE AND DISPOSAL

STORAGE: Store in a locked storage area out of reach of children and domestic animals. Store in original container. Do not contaminate water, food or feed by storage or disposal. PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. CONTAINER DISPOSAL: Do not reuse container. Discard in trash.

DIRECTIONS FOR USE

Apply Green Light Double Dursban Granules uniformly to home lawns, flower beds, under shrubbery, and other ornamental and recreational turf grass areas using any hand fertilizer spreader or power operated gravity or rotary type spreader designed for application of granular materials. Treat when insects first appear using Granules at the rate of 2 1/2 lbs. per 1,000 sq. ft. To help obtain uniform distribution, apply 1/2 required amount of product in one direction, then apply the balance at a right angle. Immediately after application sprinkle turf with water to wash the granules into the zone of insect infestation. Retreat as necessary.

NOTE: See directions on fertilizer or granule spreader for setting to apply 2 1/2 lbs. per 1,000 sq. ft.

RATES TO USE

Area To Be Treated	Lbs. of Granules
1,000 sq. ft.	2 1/2
3,000 sq. ft.	7 1/2

To control certain white grubs (larvae of European chafer and Japanese beetle), use two to four times the amounts of Granules shown in the table, i.e. 5 to 10 lbs. per 1,000 sq. ft. Apply the granules uniformly over the area treated followed immediately by thorough watering to wash the insecticide in the turf. For best results treat when grubs are young and actively feeding near the soil surface, usually during late July and August. Consult your local Agricultural Extension Service specialist for proper time to treat in your area. Keep children and pets off treated area until material is washed into soil and grass is dry. Keep away from food, feedstuffs, and domestic water supplies.

For individual fire ant mounds, apply Green Light Double Dursban Granules at the rate of 4 tablespoons per mound. Spread granules evenly over top of mound. Apply gently to avoid disturbing ants. For best results, apply in cool weather, 65 F to 80 F, or in early morning or late evening hours. Treat new mounds as they appear.

STORAGE AND DISPOSAL

STORAGE: Store in a locked storage area out of reach of children and domestic animals. Store in original container. Do not contaminate water, food or feed by storage or disposal. PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. CONTAINER DISPOSAL: Do not reuse container. Discard in trash.

DIRECTIONS FOR USE

Apply Green Light Double Dursban Granules uniformly to home lawns, flower beds, under shrubbery, and other ornamental and recreational turf grass areas using any hand fertilizer spreader or power operated gravity or rotary type spreader designed for application of granular materials. Treat when insects first appear using Granules at the rate of 2 1/2 lbs. per 1,000 sq. ft. To help obtain uniform distribution, apply 1/2 required amount of product in one direction, then apply the balance at a right angle. Immediately after application sprinkle turf with water to wash the granules into the zone of insect infestation. Retreat as necessary.

NOTE: See directions on fertilizer or granule spreader for setting to apply 2 1/2 lbs. per 1,000 sq. ft.

RATES TO USE

Area To Be Treated	Lbs. of Granules
1,000 sq. ft.	2 1/2
3,000 sq. ft.	7 1/2

To control certain white grubs (larvae of European chafer and Japanese beetle), use two to four times the amounts of Granules shown in the table, i.e. 5 to 10 lbs. per 1,000 sq. ft. Apply the granules uniformly over the area treated followed immediately by thorough watering to wash the insecticide in the turf. For best results treat when grubs are young and actively feeding near the soil surface, usually during late July and August. Consult your local Agricultural Extension Service specialist for proper time to treat in your area. Keep children and pets off treated area until material is washed into soil and grass is dry. Keep away from food, feedstuffs, and domestic water supplies.

For individual fire ant mounds, apply Green Light Double Dursban Granules at the rate of 4 tablespoons per mound. Spread granules evenly over top of mound. Apply gently to avoid disturbing ants. For best results, apply in cool weather, 65 F to 80 F, or in early morning or late evening hours. Treat new mounds as they appear.

