US ENVIRONMENTAL PROTECTION AGENCY 869-211 OFFICE OF PESTICIDES PROGRAMS **GEGISTRATION DIVISION (TS-767)** TERM OF ISSUANCE **WASHINGTON, DC 20460** 11nh REGISTRATION NAME OF PESTICIDE PRODUCT NOTICE OF PESTICIDE: Green In at 1977 Insectici le (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended) NAME AND ADDRESS OF REGISTRANT (Include ZIP code) × 17995 San du ni , TX 79217 NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number. On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act. A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith. Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others. The or and is conditionally resent and to programme with FIFRA section 3(c)(7)(1) provided that you: 1. Submit/cits all data required for redistration/reregistration of your product urder FISRA section 3(c)(5) which the Aj new requires all r distrants of similar products to subtit won deta-2. This tim lareling changes listed to 'rw Jeford you release the a. This the Chrase "The Registron ways. Go-211" to your label Prifere was rejected the product for chiracts.

. The objects of the district of collegation from serimeter;
theory is the fire thems.

g. while fire (5) copies of your limit trinted labeling before you release the product for shipment. Defer to the 5-79 enclosure for a further description of final printed labeling.



SIGNATURE OF APPROVING OFFICIAL TIME H FAIUNARIST

5/10/90

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Dennis H. Edwards, Jr. Product Manager (12) Insecticide-Rodenticide Branch Registration Division (H7505C)

Enclosures

CARBARYL INSECTICIDE

For Control of Ants, Armyworms, Billbugs, Centipedes, Chiggers, Chinch Bugs, Earwigs, Fleas, June Beetles, Lawn Moths (Sod Webworms), Leafhoppers, Millipedes, Sowbugs (Pillbugs), Ticks, White Grubs, Cockroaches, Crickets, Silverfish, Mosquitoes, Scorpions, Spiders, And Many Other Insect Pests In Lawns, Recreational And Ornamental Turf Areas, And Around Buildings

10 LBS. COVERS UP TO 5,000 SQ. FT.

ACTIVE INGREDIENT:

7% Carbaryl (1-naphthyl N-methylcarbamate)...................... INERT INGREDIENTS..... 93% Sevin^R is a registered trademark of Union Carbide 100%

Agricultural Products Company, Inc. for carbaryl insecticides

ACCEPTED with COMBIEN in EPA Letter I

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel For Additional Precautionary Statements

MAY 1 0 1990

EPA Reg. No. 869-

EPA Est. No. 869-TX-1

tinder the Federal in Europicide, and Rodenticide is abunded, for the s

Net Contents 10 lbs

Formulated by Green Light Company

San Antonio, TX 78217 Second under EPA 869-211

(Back Panel)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed. Avoid breathing dust. Do not take internally. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling this product. Do not eat, drink or use tobacco while working with this product. Wash hands and face before eating, drinking or using tobacco. Keep out of reach of children and domestic animals.

STATEMENT OF PRACTICAL TREATMENT: Contact a physician immediately in all cases of suspected poisoning. Transport to a physician or hospital immediately and show a copy of this label to the physician. If poisoning is suspected in animals, contact a veterinarian. IF SWALLOWED: Never give anything by mouth to an unconscious or convulsing person. If conscious and not convulsing, drink 1 or 2 glasses of water and induce vomiting by touching back of the throat with finger. IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists. IF ON SKIN: Wash thoroughly with soap and water. IF INHALED: Move from contaminated atmosphere and call a physician.

NOTE TO PHYSICIAN: Carbaryl is a carbamate insecticide, which is a cholinesterase inhibitor. At opine is antidotal. Narcotics and other sedatives should not be used. Further, drugs like 2-PAM (pyridine-2-aldoxime methiodide) are not recommended. Consultation on diagnosis, therapy and analysis can be obtained at all hours by calling the Union Carbide emergency number 1-800-UCC-HELP.

ENVIRONMENTAL HAZARDS: This product is extremely toxic to aquatic and estuarine invertebrates. Do not apply directly to water and wetlands. Do not contaminate water by cleaning equipment or disposal of wastes.

BEST AVAILABLE COPT

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

LAWNS, RECREATIONAL AND ORNAMENTAL TURF AREAS: For control of turfgrass pests, apply granules uniformly to the turf grass. Follow specific directions for proper watering or irrigation after application.

SITE	INSECT	POUNDS OF SEVIN BRAND GRANULAR PER 1000 SQ. FT.	SPECIFIC DIRECTIONS
TURF GRASSES	Ants, Armyworms, Centipedes, Chiggers, Chinch bugs, Cutworms, Earwigs, Essex skipper, European chafer, Fall armyworm, Fleas, Fiery skipper, Grasshoppers, June beetles Lawn moths (Sod webworms), Leafhoppers, Lucerne moth, Millipedes, Adult mosquito Sowbugs (Pillbugs), Spittl bugs, Springfails, Ticks, Yellowstriped armyworm	es,	For general insect control apply granules uniformly when grass is dry. Water lawn lightly after application. Repeat applications as needed for control of new infestations.
	White grubs (such as Jap- anese Beetles, Chafer Bee- tle, Phyllophaga spp., and Green June beetle grubs), Billbugs		For white grub control applications should be made when grubs are feeding near the soil surface, usually during late March through May or July to early September, or as recommended by local agricultural extension agents. Water or irrigate thoroughly soon after treatment. For billbug control apply when activity is first observed. Repeat apprend

BARRIER PEST CONTROL AROUND BUILDINGS AND IN FLOWERBEDS AND ORNAMENTAL PLANTINGS: For residual control of ants, brown dog ticks, carpenter ants, centipedes, cockroaches, crickets, earwigs, firebrats and silverfish, fleas, millipedes, scorpions and spiders; apply granules at the rate of 4.8 ounces per 120 square feet (6 X 20 foot hand). Restrict applications to shrub beds, foundation, plantings, and lawn or soil areas immediately adjacent to the building. Lightly water treated area soon after application.

STORAGE AND DISPOSAL: STORAGE—Store unused product in original container only, in cool, dry area out of reach of children and animals. PESTICIDE DISPOSAL—Securely wrap original container in several layers of newspaper and discard in trash. CONTAINER DISPOSAL—Do not reuse bag. Discard bag in trash.



lications as necessary.