

US ENVIRONMENTAL PROTECTION AGENCY  
OFFICE OF PESTICIDES PROGRAMS  
REGISTRATION DIVISION (TS-767)  
WASHINGTON, DC 20460

EPA REGISTRATION NO.

869-220

DATE OF ISSUE  
20 JAN 1993

TERM OF ISSUANCE

Conditional

NAME OF PESTICIDE PRODUCT

Green Light Ready-To-Use Rose &  
Garden Spray

NOTICE OF PESTICIDE:  REGISTRATION  
 REREGISTRATION  
(Under the Federal Insecticide, Fungicide,  
and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Green Light Company  
P.O. Box 17985  
San Antonio, TX 78217-0985

ACCEPTED  
with COMMENTS  
in EPA Letter dated  
1/13/93  
Under the Federal  
Fungicide, Fungicide,  
as amended  
rodenticide Act  
4/9-1993

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.


This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
2. Add the phrase "EPA Registration No. 869-220" to the label prior to releasing the product for shipment.
3. Delete the statement: "Do not contaminate water by cleaning of equipment or disposal of wastes", as this is not appropriate for a disposable aerosol container.
4. Submit one (1) copy of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(a). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

  
Joseph M. Tavano  
Acting Product Manager 10  
Insecticide-Rodenticide Branch  
Registration Division(H7505C)

Enclosures  
 ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE  
January 28, 1993

**GREEN LIGHT READY TO USE ROSE & FLOWER INSECT SPRAY**

**An Effective Insecticide For Control Of Many Insect Pests Indoors  
And On Vegetables And Ornamental Plants**

**ACTIVE INGREDIENTS:**

Pyrethrins..... 0.02%  
Piperonyl Butoxide, Technical\*..... 0.20%

**INERT INGREDIENTS..... 99.78%**

Equivalent to min. 0.16% (butylcarbityl)(6-propylpiperonyl)  
ether and 0.05% related compounds.

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

**See Back Panel For Additional Precautionary Statements**

EPA Reg. No. 869-

EPA Est. No. 869-TX-1

**Net Contents One Quart (0.946 liters)**

**Formulated by Green Light Co., San Antonio, TX 78217-0985**

28 JAN 1993  
Under the  
Filing  
of EPA  
869-220

(Back Panel)

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Harmful if swallowed or absorbed through skin. Avoid breathing vapors. Avoid contact with eyes, skin or clothing. In case of contact; immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists. Remove pets, birds and cover fish aquaria before spraying.

**STATEMENT OF PRACTICAL TREATMENT:** IF SWALLOWED, contact a physician or Poison Control Center. Induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. IF IN EYES OR ON SKIN, flush affected areas with plenty of water. Contact a physician if irritation persists. IF INHALED, remove affected person to fresh air. Apply artificial respiration if indicated.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish. Do not apply directly to lakes, streams, ponds, tidal marshes and estuaries. Do not contaminate water by cleaning of equipment or disposal of wastes. Shrimp and crabs may be killed at application rates recommended on this label. Do not apply where these are important resources.

**STORAGE AND DISPOSAL:** Store in original container in a cool dry place inaccessible to children and pets. Do not reuse container. Wrap container in several layers of newspaper and discard in trash. DO NOT TRANSPORT OR STORE UNDER 32 F. If freezing occurs, thaw and agitate vigorously.

**BEST AVAILABLE COPY**

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**TO OPERATE: SHAKE WELL BEFORE USING.** Hold sprayer 18 inches from foliage and spray with circular motion. Direct spray so that upper and lower leaf surfaces are contacted. Use caution on new growth and tender foliage. Repeat treatment as necessary. When using outdoors, spray when air is still.

This insecticide may be used indoors, outdoors or in greenhouses throughout the growing season, or as a pre-harvest treatment when other insecticides are prohibited due to residue restrictions and use limitations.

To control insects named, apply this spray to provide thorough coverage of upper and lower leaf surfaces. Repeat treatment weekly or as needed to control infestations. May be applied on day of harvest.

Use on the following crops: Asparagus, Beans, Broccoli, Cauliflower, Cabbage, Brussels Sprouts, Celery, Cranberries, Eggplant, Lettuce, Mustard Greens, Kale, Collards, Turnips, Peppers, Potatoes, Radishes, Spinach and Tomatoes. To Control: asparagus beetles, aphids, leafhoppers, whiteflies, Mexican bean beetles, 12-spotted cucumber beetles, cabbage loopers, cross-striped cabbageworms, stink bugs, green peach aphids, leaf tiers, fireworms, blister beetles, Colorado potato beetles, and webworms.

Use on the following ornamentals: African violets, Azaleas, Begonias, Camellias, Dahlias, Dogwood, Roses, Wandering Jew, Asters, Carnations, Chrysanthemums, Geraniums, Gladiolis and Marigolds. To Control: aphids, flea beetles, leafhoppers and whiteflies.

To kill gypsy moth caterpillars and adults, adult Japanese beetles and forest tent caterpillars on contact:

On trees and shrubs: Treat trees and shrubs as soon as insects emerge (usually late spring). Treat leaves, branches and tree trunks evenly, making sure to penetrate dense foliage. Repeat application every 7 days as necessary for control.

On roses and in flower gardens: Treat plants and flowers as soon as insects appear. Spray plants and flowers making sure to penetrate dense foliage. Repeat application every 7 days or as necessary for control.

**INDOORS AS A SPACE SPRAY:** To control home flies, fruit flies, mosquitoes, gnats and small flying moths. Apply spray as a fine mist. Cover or remove exposed food and food handling surfaces. Close windows and doors and shut off ventilating systems. Direct spray toward upper portions of the enclosure filling the room

**BEST AVAILABLE COPY**

with mist. Use 4 to 5 ounces per 1000 cubic feet of space. Keep area closed for at least 30 minutes. Vacate treated areas and ventilate before reoccupying. Repeat treatment as necessary.

**OUTDOORS, ADULT MOSQUITO CONTROL:** Apply as a fine mist to thoroughly treat entire area. For best results, treat when the wind velocity does not exceed 5 miles per hour. Treat shrubbery and vegetation where mosquitoes may rest particularly around the perimeter of mosquito breeding sites such as swamps, marshes, stagnant pools and ponds. Apply at a rate of 4 ounces per 1000 square feet.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

