869-220

5/21/2002

1/3

GREEN LIGHT READY-TO-USE ROSE & FLOWER INSECT SPRAY

AN EFFECTIVE INSECTICIDE FOR CONTROL OF MANY INSECT PESTS INDOORS AND ON VEGETABLES AND ORNAMENTAL PLANTS

ACTIVE INGREDIENTS:

Pyrethrins	0.02%
Piperonyl Butoxide, Technical*	
OTHER INGREDIENTS.	<u>99.78%</u>
Total	100.00%

Equivalent to min. 0.16% (butylcarbityl) (6-propylpiperonyl) Ether and 0.09% related compounds.

KEEP OUT OF REACH OF CHILDREN CAUTION See Back Panel For Additional Precautionary Statements

EPA Reg. No. 869-220

EPA Est. No. 73273-TX-1

Manufactured by Southwest Contract Packaging for Green Light Sales Company, P.O. Box 17985, San Antonio, TX 78217-0985 www.greenlightco.com


Net Contents One Quart (0.946 liters)

(Back Panel)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Avoid breathing vapors. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists. Remove pets, birds

and cover fish aquaria before spraying.



FIRST AID	
If inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
If on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 mintues. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact Green Light Company at (210).

doctor, or going for treatment. You may also contact Green Light Company at (210) 494-3481 for general information and/or medical information.

HOT LINE NUMBER

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not apply directly to lakes, streams, ponds, tidal marshes and estuaries. Shrimp and crabs may be killed at application rates recommended on this label. Do not apply where these are important resources.

STORAGE AND DISPOSAL

Store in original container in a cool, dry place inaccessible to children and pets. Do not reuse container. Wrap container in several layers of newspaper and discard in trash. DO NOT TRANSPORT OR STORE UNDER 32 F. If freezing occurs, thaw and agitate vigorously.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

TO OPERATE: SHAKE WELL BEFORE USING. Hold sprayer 18 inches from foliage and spray with circular motion. Direct spray so that upper and lower leaf surfaces are contacted. Use caution on new growth and tender foliage. Repeat treatment as necessary. When using outdoors, spray when air is still. This insecticide may be used indoors, outdoors or in greenhouses throughout the growing season, or as a pre-harvest treatment when other insecticides are prohibited due to residue restrictions and use limitations.

To control insects named, apply this spray to provide thorough coverage of upper and lower leaf surfaces. Repeat treatment weekly or as needed to control infestations. May be applied on day of harvest.

Use on the following vegetables: Asparagus, Beans, Broccoli, Cauliflower, Cabbage, Brussels Sprouts, Celery, Cranberries, Eggplant, Lettuce, Mustard Greens, Kale, Collards, Turnips, Peppers, Potatoes, Radishes, Spinach and Tomatoes. To control: asparagus beetles, aphids, leafhoppers, whiteflies, Mexican bean beetles, 12-spotted cucumber beetles, cabbage loopers, cross-striped cabbageworms, stink bugs, green peach aphids, leaftiers, fireworms, blister beetles, Colorado potato beetles and webworms. Use on the following ornamentals: African violets, Azaleas, Begonias, Camellias, Dahlias, Dogwood, Roses, Wandering Jew, Asters, Carnations, Chrysanthemums, Geraniums, Gladiolus and Marigolds. To control: aphids, flea beetles, leafhoppers and whiteflies.

To kill gypsy moth caterpillars and adults, adult Japanese beetles and forest tent caterpillars on contact:

On trees and shrubs: Treat trees and shrubs as soon as insects emerge (usually late spring). Treat leaves, branches and tree trunks evenly, making sure to penetrate dense foliage. Repeat application every 7 days as necessary for control.

On roses and in flower gardens: Treat plants and flowers as soon as insects appear. Spray plants and flowers making sure to penetrate dense foliage. Repeat application every 7 days or as necessary for control.

INDOORS AS A SPACE SPRAY: To control house flies, fruit flies, mosquitoes, gnats and small flying moths. Apply spray as a fine mist. Cover or remove exposed food and food handling surfaces. Close windows and doors and shut off ventilating systems. Direct spray toward upper portions of the enclosure filling the room with mist. Use 4 to 5 ounces per 1000 cubic feet of space. Keep area closed for at least 30 minutes. Vacate treated areas and ventilate before reoccupying. Repeat treatment as necessary.

OUTDOORS, ADULT MOSQUITO CONTROL: Apply as a fine mist to thoroughly treat entire area. For best results, treat when the wind velocity does not exceed 5 miles per hour. Treat shrubbery and vegetation where mosquitoes may rest particularly around the perimeter of mosquito breeding sites such as swamps, marshes, stagnant pools and ponds. Apply at a rate of 4 ounces per 1000 square feet.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.