



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 M St., S.W.
Washington, D.C. 20460

EPA Reg. Number:
869-221

Date of Issuance:
APR 08 1993

NOTICE OF PESTICIDE:
 Registration
 Reregistration

Term of Issuance: Until Reregistration

Name of Pesticide Product:
Green Light Many Purpose Dursban Concentrate II

(as per FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):
Green Light Company
Post Office Box 17985
San Antonio, Texas 78217-0985

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
2. Make the following label changes:
 - a. Revise the EPA Registration Number to read, "EPA Reg. No. 869-221."
 - b. Revise the STATEMENT OF PRACTICAL TREATMENT/IF SWALLOWED to read, "Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention."

Signature of Approving Official:

Dennis H. Edwards, Jr.
Product Manager (19)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Date:

APR 08 1993

page 2
EPA Reg. No. 869-221

3. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

DENNIS H. EDWARDS

Dennis H. Edwards, Jr.
Product Manager (19)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

GREEN LIGHT MANY PURPOSE DURSBAN CONCENTRATE II

FOR INDOOR AND OUTDOOR USE

Water-Based Insecticide

One Quart Covers Over 6,000 Sq. Ft. In Lawns

Controls Insect Pests In And Around The Home, On Vegetables, Lawns, Ornamentals, Fruits and Nuts

ACTIVE INGREDIENT:

Chlorpyrifos 0,0-diethyl O-(3,5,6-trichloro-2-pyridyl) phosphorothioate.....

6.6%

INERT INGREDIENTS.....

93.4%

ACCEPTED with COMMENTS in EPA Letter Dated

100.0%

Dursban is a Registered Trademark of DowElanco

APR - 8 1993

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Additional Precautionary Statements On Back Panel

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

869-221

Formulated by Green Light Co., San Antonio, TX 78217-0985

EPA Reg. No. 869-

EPA Est. No. 869-TX-1

Net Contents One Quart (0.946 liters)

(Back Panel)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. May be absorbed through the skin. May be injurious to eyes and skin. Keep children and pets off treated areas until spray has dried. Avoid skin and eye contact. Do not smoke while using. Wash thoroughly after handling. Flush contaminated eyes with plenty of water and get medical attention. Avoid breathing mist or vapor. Wash contaminated clothing before reuse.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician immediately. Do not induce vomiting. Do not give anything by mouth to an unconscious person.

IF ON SKIN: Immediately wash with plenty of soap and water. **IF IN**

EYES: Flush with plenty of water for 15 minutes. Get medical attention immediately. **IF INHALED:** Remove victim to fresh air. Get medical attention.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine, only by injection is an antidote.

ENVIRONMENTAL HAZARDS: This product is toxic to birds, fish, and

BEST AVAILABLE COPY

aquatic invertebrates. Birds feeding in treated areas may be killed. Clean up spilled product to reduce exposure to wildlife. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Runoff may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

DIRECTIONS FOR USE: It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL: **STORAGE:** Store in a locked storage area out of reach of children and domestic animals. Store in original container. **PESTICIDE STORAGE:** Securely wrap original container in several layers of newspaper and discard in trash. **CONTAINER DISPOSAL:** Do not reuse container. Rinse thoroughly before discarding in trash.

PEST CONTROL INDOORS: For control of ants, carpenter ants, carpet beetles, centipedes, cockroaches, crickets, earwigs, firebrats, fleas, millipedes, silverfish, spiders, springtails and ticks, mix 5 ounces (10 tablespoons) of Many Purpose Dursban Concentrate in 1 gallon of water to control light infestations. Mix 10-2/3 ounces in 1 gallon of water to quickly reduce heavy infestations or for extended residual control. Application may be made within residential buildings, including homes and apartments.

Apply as a pinstream or as a coarse, low pressure spray or with a paint brush to localized areas in and around food and non-food areas. Treat where insects are found or normally occur, including, but not limited to, dark corners of rooms and closets; floor drains; cracks and crevices in walls and floors; around doors, windows and other areas where insects may enter; along and behind baseboards; beneath and behind sinks, stoves, refrigerators, and cabinets; and around plumbing and other utility installations.

Do not apply water-based sprays of this product to conduits, motor housings, junction and switch boxes, or other electrical equipment because of possible shock hazard.

Do not allow spray to contact food, feedstuffs, or water supplies. Thoroughly wash dishes and food handling utensils with soap and water if they become contaminated by application of this product. Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish bowls (tanks) before spraying. Do not allow the spray to contact food of food-contacting surfaces.

DO NOT TREAT PETS WITH THIS PRODUCT. To control the source of flea infestation, pets inhabiting the treated premises should be treated with a product registered for application to animals. Pets should not be treated with an organophosphate insecticide when this product is used in or on the premises to avoid "double

BEST AVAILABLE COPY

exposure" of pets.

VEGETABLES: For use on Cauliflower, Broccoli, Brussels Sprouts, Cabbage, Collards, Kale, Kohlrabi, Turnips, to control root maggots, mix 1 to 2 ounces of Many Purpose Dursban Concentrate in 1 gallon of water per 100 linear feet of row. For direct seeded crops, apply as a 4-inch wide band over the row at planting time. Incorporate into the soil using a hoe or other suitable equipment. For transplanted crops, direct the spray to the base of the plants immediately after setting. Do not apply as a foliage application. Do not make more than one application per season or apply within 30 days before harvest.

LAWNS: For control of ants (including foraging fire ants), armyworms, chinch bugs, sod webworms (lawn moths), fleas, ticks, crickets, cutworms, earwigs, grasshoppers, chiggers, mosquitoes, and sowbugs (pillbugs) infesting home lawns. Wet grass down thoroughly before spraying. Dilute spray at the rate of 1 tablespoon per gallon of water to treat 100 square feet or 5 ounces (10 tablespoons) per 10 gallons of water and apply over 1,000 square foot area. Spray when pests first appear; retreat when needed. Do not allow use of treated area by pets or people during application or until spray has dried.

PERIMETER TREATMENT AROUND HOMES AND BUILDINGS: To help prevent infestation of homes and buildings by ants, cockroaches, crickets, fleas, ticks, earwigs, scorpions, spiders, and sowbugs (pillbugs), treat a band of soil 6 to 10 feet wide around and adjacent to the building and also the building foundation to a height of 2 to 3 feet where pests are active and may find entrance. Dilute spray at the rate of 2/3 ounce (4 teaspoons) per gallon of water. Apply as a coarse spray to thoroughly and uniformly wet the band area.

ORNAMENTALS: For use on flowers, shrubs, evergreens, and trees to control aphids, bagworms, tent caterpillars, fall webworms, grasshoppers, mites, spittlebugs, whiteflies. Dilute 1 tablespoon in 1 gallon of water. To control cutworms, leafhoppers, mealybugs, mimosa webworms, redhumped caterpillars and thrips (exposed), dilute 1 ounce (2 tablespoons) in 1 gallon of water. To control ash borer, dilute 2 ounces in 1 gallon of water. Avoid over-spraying to the point of excessive runoff. Treat when pests appear and repeat at 7 to 10 day intervals if needed. **DO NOT USE ON AZALEAS, CAMELLIAS, POINSETTIAS, ROSES, OR VARIGATED IVY BECAUSE OF POSSIBLE INJURY TO THESE PLANTS.**

FRUITS AND NUTS: Apply Many Purpose Dursban Concentrate as a foliar spray to control various insect pests listed below. Treat the entire tree by application up to the point of runoff. Treat when pests appear or consult your local Extension Service Specialist for best times to treat for the pests described.

Apples - For control of apple maggot, codling moth, European corn borer, lesser appleworm, woolly apple aphid. mix 4 ounces in 1 gallon of water. Do not apply within 28 days before harvest or

BEST AVAILABLE COPY

apply last two treatments closer than 21 days apart. Make no more than 8 applications per season.

Plums, Prunes, Peaches, Pears, Nectarines - For control of San Jose scale, climbing cutworms, peach twig borer, mix $2/3$ to $1-1/3$ ounces in 1 gallon of water as a dormant/delayed dormant spray. Make only one application during the dormant season.

Citrus Fruit - For control of aphids, citrus thrips, mealybugs, scale insects, mix $2/3$ to 1 ounce in one gallon of water. Treat when insects become a problem or in accordance with local spray schedule recommended by Extension Service Specialist. Do not apply when temperature exceeds 95 F. Do not apply more than 2 applications per fruit year. Do not make second application within 30 days of first application. Do not treat within 21 days before harvest.

Pecans - For control of black pecan aphid, hickory shuckworm, pecan nut casebearer, fall webworm, mix $2-2/3$ ounces in one gallon of water. Make no more than 5 applications per season. Do not apply within 28 days of harvest.

Walnuts - For control of codling moth, walnut scale, walnut husk fly, mix $5-1/3$ ounces in 1 gallon of water. Make only one dormant/delayed dormant spray application and no more than two foliar spray applications per season. Do not apply within 14 days of harvest.